

# ARMSTRONG AIR AIR HANDLERS

[www.armstrongair.com](http://www.armstrongair.com)

## INDEX

BCS2.....	5-2
BCE3 — ENHANCED.....	5-3
BCS2V — ENHANCED VARIABLE SPEED.....	5-4

*For Technical and Warranty Information visit [www.armstrongair.com](http://www.armstrongair.com)*

*Expert Service. Quality Products. Since 1960.*

# ARMSTRONG AIR HANDLERS

www.armstrongair.com

## AIR HANDLERS

### BCS2

#### Application

- 1-1/2 - 5 ton sizes
- Upflow and horizontal (counterflow capable with kits)
- Sequenced for demand management
- External access to heater circuit breakers

#### Accessories

- Counterflow kit
- Single point power kit

#### Installation

- 1 Piece design for easier installation
- Multiposition - Upflow/Horizontal Left/Right



### Model Number Guide

	BC	S	2	M	36	C	00	N	A	1P	-	1	
Blower Coil	BC	S	2	M	36	C	00	N	A	1P	-	1	Revision Code
Single Piece Cabinet	BC	S	2	M	36	C	00	N	A	1P	-	1	Metering Device 1P = Piston Orifice 4X = R410a TXV
Series	BC	S	2	M	36	C	00	N	A	1P	-	1	Voltage - A = 208-230v/60Hz/1Ph
M = Multi-position (Upflow, Horizontal Right or Left Counterflow w/kit)	BC	S	2	M	36	C	00	N	A	1P	-	1	Circuit Protection - N = None
Nominal Capacity 36 = 36,000 Btuh	BC	S	2	M	36	C	00	N	A	1P	-	1	Heat Size 00 = kW Elec. kW Kits Available 18 - 5, 7.5, 10 24 - 5, 7.5, 10 30 - 5, 7.5, 10, 15 36 - 5, 7.5, 10, 15 37 - 5, 7.5, 10, 15 42 - 4, 7.5, 10, 15 48 - 5, 7.5, 10, 15, 20 60 - 5, 7.5, 10, 15, 20
Blower Motor - C - Constant Speed	BC	S	2	M	36	C	00	N	A	1P	-	1	

### R410A TXV

ITEM #	MODEL
894681	BCS2M24C00NA4X
894682	BCS2M30C00NA4X
894683	BCS2M36C00NA4X
894684	BCS2M42C00NA4X
894685	BCS2M48C00NA4X
894686	BCS2M60C00NA4X

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

# ARMSTRONG AIR AIR HANDLERS

www.armstrongair.com

## AIR HANDLERS — ENHANCED

### BCE3

#### Application

- 1-1/2 – 5 ton sizes
- Upflow and horizontal (counterflow capable with kit)
- Sequenced for demand management
- External access to heater circuit breakers

#### Installation

- 1 Piece design for easier installation
- Multiposition - Upflow/Horizontal Left/Right

#### Accessories

- Counterflow kit
- Single point power kit



### Model Number Guide

	BC	E	3	M	36	C	00	N	A	1P	-	1	
Blower Coil	BC												Revision Code
Enhanced		E											Metering Device 1P = Piston Orifice 4X = R410a TXV
Series			3										Voltage - A = 208-230v/60Hz/1Ph
M = Multi-position (Upflow, Horizontal Right or Left Counterflow w/kit)				M									Circuit Protection - N = None
Nominal Capacity 36 = 36,000 Btuh					36								Heat Size 00 = kW Elec. kW Kits Available 18 - 2.5, 5, 7.5, 10 24 - 2.5, 5, 7.5, 10 30 - 2.5, 5, 7.5, 10, 12.5 36 - 2.5, 5, 7.5, 10, 12.5, 15 42 - 2.5, 5, 7.5, 10, 12.5, 15 48 - 5, 7.5, 10, 12.5, 15, 20 60 - 5, 7.5, 10, 12.5, 15, 20
Blower Motor - C = Constant Speed						C							

ITEM #	MODEL
894690	BCE3M18C00NA1P-1
894691	BCE3M24C00NA1P-1
894692	BCE3M30C00NA1P-1
894693	BCE3M36C00NA1P-1
894694	BCE3M42C00NA1P-1
894695	BCE3M48C00NA1P-1
894696	BCE3M60C00NA1P-1

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

# ARMSTRONG AIR AIR HANDLERS

www.armstrongair.com

## AIR HANDLERS — ENHANCED VARIABLE SPEED

### BCS2V

#### Application


- 2 - 5 ton sizes
- Upflow and horizontal (counterflow capable with kit)
- Sequenced for demand management
- External access to heater circuit breakers

#### Installation

- 1 Piece design for easier installation
- Multiposition – Upflow/Horizontal Left/Right

#### Accessories

- Counterflow kit
- Single point power kit
- TXV kit



ITEM #	MODEL
894670	BCS2M24V00NA1P
894672	BCS2M36V00NA1P
894674	BCS2M42V00NA1P
894676	BCS2M48V00NA1P
894678	BCS2M60V00NA1P

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –