

# **COLEMAN MANUFACTURED HOME FURNACES**

www.colemanac.com

# **INDEX**

G/	AS FURNACES	
	ACCESSORIES	2-3
	DGAA-BDTB AND DGAH-BBSB SERIES	2-3
	MG9S™ SERIES — 95.5% AFUE	2-2

For Coleman Manufactured Home Air Conditioners contact your local ECCO Supply™ Representative

Expert Service. Quality Products. Since 1960.



# **COLEMAN MANUFACTURED HOME FURNACES**

www.colemanac.com

# **GAS FURNACES**

### MG9S™ SERIES — 95.5% AFUE

- Approved for Modular Housing and Manufactured Home Application
- Zero clearance feature allows these furnaces to be installed where space is at a premium
- Conversion to propane gas is fast and easy. All models provided with a convertible gas valve and gas orifices for both natural and propane gas.
- · Easily applied to upflow or downflow installation with minimal conversion necessary
- · Compact, easy to install, ideal height 33" tall cabinet
- · Venting applications installed as a 2-pipe (sealed combustion) using outdoor air for combustion
- Hi-tech tubular aluminized steel primary heat exchanger
- Secondary heat exchanger made of resistant stainless steel materials
- Timed on, adjustable off blower capability for maximum comfort
- Airflow leakage less than 1% of nominal airflow at ductblaster conditions
- · Quiet inducer operation



4 speed, direct drive PSC motor

Built-in, high level self diagnostics with fault code displays standard on integrated control module for reliable operation

Blower door safety switch

Patent pending self priming internal condensate trap design for easy installation

Inducer rotates for easy conversion of venting options

1/4 turn knobs provided for easy door removal

Electronic Hot Surface Ignition saves fuel cost with increased dependability and reliability



No knockouts to deal with, making installation easier

ITEM#	MODEL	INPUT BTU/H	OUTPUT BTU/H	CFM	DIMENSIONS (") H × W × D	SHP. WEIGHT (LBS)
834540	MG9S060B12MP11	60,000	57,000	1,200	33 × 16-3/8 × 29-1/2	122
834542	MG9S080B12MP11	80,000	76,000	1,200	33 × 16-3/8 × 29-1/2	126
C834500	MG9S080C16MP11	80,000	76,000	1,600	33 × 19-7/8 × 29-1/2	136
C834500	MG9S100C16MP11	100,000	95,000	1,600	33 × 19-7/8 × 29-1/2	142
C834500	MG9S100C20MP11	100,000	95,000	2,000	33 × 19-7/8 × 29-1/2	145
C834500	MG9S120D20MP11	120,000	114,000	2,000	33 × 23-3/8 × 29-1/2	156

**NOTE:** Furnaces do not include indoor thermostats.

If Coil Cabinet is not installed a Combustible Floor Base is required.

For Coleman Manufactured Home Air Conditioners contact your local ECCO Supply™ Representative



# **COLEMAN MANUFACTURED HOME FURNACES**

www.colemanac.com

# **GAS FURNACES** (cont'd)

## **DGAA-BDTB AND DGAH-BBSB SERIES**

DGAA-BDTB – Series features auto hot surface ignition in "tall" cabinet (with coil cavity), up to 4-ton air conditioning ready – two speed blower operation.

DGAH-BBSB – Series features auto hot surface ignition in "shorty" cabinet (without coil cavity), up to 3-ton air conditioning ready – single speed blower operation.

#### **Additional Features:**

- · Available in two height sizes: the "Shorty" and "Tall"
- Aluminized steel "Tubular" Heat Exchanger design, for more even heat distribution and longer life
- · Attractive white stylish contoured doors are very durable and scratch resistant
- Universal disposal filters clean the air and are easy to replace
- · Adjustable, one step wedgeless roof jack accessory
- Approved for Manufactured Home Application
- · Natural gas ready, unit ships with orifice to field convert to LP



## Downflow / Automatic Ignition — UI/Cul Approved

ITEM#	MODEL	INPUT BTU/H	OUTPUT BTU/H	DIMENSIONS (") H × W × D	SHP. WEIGHT (LBS)	
834505	DGAA056BDTA(B)	56,000	45,000	76 × 19-1/2 × 24	145	
834506	DGAA070BDTA(B)	70,000	56,000	76 × 19-1/2 × 24	145	
834507	DGAA077BDTA(B)	77,000	62,000	76 × 19-1/2 × 24	146	
834509	DGAA090BDTA(B)	90,000	72,000	76 × 19-1/2 × 24	159	
834511	DGAH056BBSB	56,000	45,000	59-1/2 × 19-1/2 × 24	146	
834512	DGAH077BBSB	77,000	62,000	59-1/2 × 19-1/2 × 24	146	

**NOTE:** A 4000 series roof jack must be used for all installations.

For Coleman Manufactured Home Air Conditioners contact your local ECCO Supply™ Representative

## **ACCESSORIES**

ITEM#	MODEL	DESCRIPTION	SHP. WEIGHT (LBS)
C834500	4000-7101/C	Roof Jack for Tall Model DGAA Furnaces – 86"-95"	15.0
C834500	4000-7121/C	Roof Jack for Tall Model DGAA Furnaces – 91"-102"	20.0
834520	4000-7141/C	Roof Jack for Tall Model DGAA Furnaces – 99"-120"	26.0
834523	4000-7151/C	Roof Jack for Tall Model DGAA Furnaces – 106"-132"	30.0
834522	7680B6541	External Roof Jack Extension – 18"	7.0
834516	4000-4241	Hydroment Sealant (High Temperature Caulking Sealant)	1.0
834643	7900A6171	Interior Roof Jack Extension, 17" Height	6.0
834644	7900A6111	Interior Roof Jack Extension, 11" Height	5.0
834548	9155-835/B	Cool Coiling Cabinet	_
834546	9255-7171	Filter Rack 17-1/2" (2 Filters)	3.0
834550	9155-6211	Duct Connector 1" for DGAA/DGAH, MG9S	3.0
834570	7990-6221	Duct Connector 2" for DGAA/DGAH – 2"	3.0

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -