

NAPOLEON GAS FURNACES

www.napoleonheatingandcooling.com

INDEX

HIGH EFFICIENCY GAS FURNACES

9200 SERIES — SINGLE STAGE VARIABLE SPEED	2-5
9500 SERIES — SINGLE STAGE	2-4
SINGLE STAGE WITH PSC MOTOR.....	2-4
SINGLE STAGE WITH PREMIUM X13 ECM MOTOR	2-4
9600 SERIES — 2 STAGE VARIABLE SPEED	2-3
9700 SERIES — 2 STAGE VARIABLE SPEED	2-2

Available in British Columbia and Ontario.

Expert Service. Quality Products. Since 1960.

NAPOLEON GAS FURNACES

www.napoleonheatingandcooling.com

HIGH EFFICIENCY GAS FURNACES

9700 SERIES — 2 STAGE VARIABLE SPEED

Features:

- Up to 97% AFUE
- Upflow only
- Self-diagnostic integrated furnace (IFC) control is mounted between the blower rails for easy accessibility
- Multiple intake/venting, gas pipe and electrical connection options
- Zero clearance with no additional kits, provides installation ease in closets and alcoves
- Direct vent (two pipe) and single vent (one pipe) certified with optional concentric venting
- Integrated furnace control board manages all operational functions and accommodates hook-ups for a humidifier, HRV and electronic air cleaner
- Napoleon® Elite Communicating Thermostat ready
- Interior condensate trap for left or right drainage options
- Clear condensate collector to view furnace performance
- Patented SureView Window for burner viewing area
- Stainless Steel Tubular Triple-Pass Heat Exchanger
- Premium powder coated cabinet and inner doors with stainless steel exterior door
- Interior UV light purification unit with interior LED service lights
- Designed to be Whisper Quiet™



ITEM #	MODEL	DESCRIPTION	WT/LBS.
883331	NUV040T2B	40,000 BTU – 2 Stage, 1/2 HP EON motor	117
883326	NUV060T3B	60,000 BTU – 2 Stage, 1/2 HP EON motor	137
883327	NUV080T3B	80,000 BTU – 2 Stage, 1/2 HP EON motor	144
883328	NUV100T5B	100,000 BTU – 2 Stage, 3/4 HP EON motor	169
883329	NUV120T5B	120,000 BTU – 2 Stage, 1 HP EON motor	175

NOTE: All units are natural gas, upflow installation only. If propane is required please order conversion kit.

OPTIONS AND ACCESSORIES

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883401	W370-0018	Conversion Kit – Natural Gas to Propane	2
883403	W370-0019	Concentric Vent Kit – 2"	5
883404	W370-0020	Concentric Vent Kit – 3"	9
883406	W690-0007	Combination 24V/Heat/Cool Programmable Thermostat	1
883407	NNA-NC1625-A	Media Air Cleaner (MERV11) (16" x 25")	15
883408	W250-0009	Filter MERV11 – 3 pack	20
883413	NNA-NC2025-A	Media Air Cleaner (MERV11) (20" x 25")	15
883414	W250-0010	Filter MERV11 – 3 pack (20" x 25")	20
C883400	NT144HCNPH	1H/1C Non Programmable Thermostat – Horizontal	1
C883400	NT144HCNPV	1H/1C Non Programmable Thermostat – Vertical	1
C883400	NT151HCPV	1H/1C 5/2 day Programmable Thermostat – Vertical	1
C883400	NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	1
C883400	NT853H2CP	3H/2C 7-day Programmable Thermostat – 4" LCD	1
C883400	NT953H2CP	3H/2C 7-day Programmable Thermostat – 12 sq. in. Touchscreen	1

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

NAPOLEON GAS FURNACES

www.napoleonheatingandcooling.com

HIGH EFFICIENCY GAS FURNACES (cont'd)

9600 SERIES — 2 STAGE VARIABLE SPEED

Features:

- Up to 96% AFUE
- Self-diagnostic integrated furnace (IFC) control is mounted between the blower rails for easy accessibility
- Multiple intake/venting, gas pipe and electrical connection options
- Multi-position (upflow, horizontal and downflow) for versatile installations
- Zero clearance in all positions with no additional kits, provides installation ease in closets and alcoves
- Direct vent (two pipe) and single vent (one pipe) certified with optional concentric venting
- Integrated furnace control board manages all operational functions and accommodates hook-ups for a humidifier, HRV and electronic air cleaner
- For use with single or two-stage thermostats
- Easily installed in all four positions with no additional kits required
- Interior condensate trap for left or right drainage options
- Fully convertible to any position with no additional kits
- Patented Surview Window for burner viewing area
- Corrosion resistant Heavy Gauge Aluminized-Steel Tubular Triple-Pass Heat Exchanger
- Galvanneal powder coated paint finished cabinet
- Designed to be Whisper Quiet™



ITEM #	MODEL	DESCRIPTION	WT/LBS.
883321	NPV040T2B	40,000 BTU – 2 Stage, 1/3 HP EON motor	125
883322	NPV060T3B	60,000 BTU – 2 Stage, 1/2 HP EON motor	127
883323	NPV080T3B	80,000 BTU – 2 Stage, 1/2 HP EON motor	134
883330	NPV080T4B	80,000 BTU – 2 Stage, 3/4 HP EON motor	156
883324	NPV100T5B	100,000 BTU – 2 Stage, 3/4 HP EON motor	159
883325	NPV120T5B	120,000 BTU – 2 Stage, 1 HP EON motor	165

NOTE: All units are natural gas. If propane is required please order conversion kit.

OPTIONS AND ACCESSORIES

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883401	W370-0018	Conversion Kit – Natural Gas to Propane	2
883403	W370-0019	Concentric Vent Kit – 2"	5
883404	W370-0020	Concentric Vent Kit – 3"	9
883406	W690-0007	Combination 24V/Heat/Cool Programmable Thermostat	1
883407	NNA-NC1625-A	Media Air Cleaner (MERV11) (16" × 25")	15
883408	W250-0009	Filter MERV11 – 3 pack	20
883413	NNA-NC2025-A	Media Air Cleaner (MERV11) (20" × 25")	15
883414	W250-0010	Filter MERV11 – 3 pack (20" × 25")	20
C883400	NT144HCNPH	1H/1C Non Programmable Thermostat – Horizontal	1
C883400	NT144HCNPV	1H/1C Non Programmable Thermostat – Vertical	1
C883400	NT151HCPV	1H/1C 5/2 day Programmable Thermostat – Vertical	1
C883400	NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	1
C883400	NT853H2CP	3H/2C 7-day Programmable Thermostat – 4" LCD	1
C883400	NT953H2CP	3H/2C 7-day Programmable Thermostat – 12 sq. in. Touchscreen	1

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

NAPOLEON GAS FURNACES

www.napoleonheatingandcooling.com

HIGH EFFICIENCY GAS FURNACES (cont'd)

9500 SERIES — SINGLE STAGE

Features:

- Up to 95% AFUE
- Fully convertible to any position with no additional kits
- Industry proven Heat Exchanger
- Zero clearance galvaneal powder coated paint finished cabinet
- Self diagnostic control board with humidifier and electronic air cleaner options
- Certified for single pipe, direct vent or concentric vent installations
- Designed to be Whisper Quiet™



SINGLE STAGE WITH PSC MOTOR

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883311	NSM040S2B	40,000 BTU – Single Stage, 1/2 HP PSC motor	125
883312	NSM060S3B	60,000 BTU – Single Stage, 1/2 HP PSC motor	127
883313	NSM080S3B	80,000 BTU – Single Stage, 1/2 HP PSC motor	134
883314	NSM100S5B	100,000 BTU – Single Stage, 3/4 HP PSC motor	159
883315	NSM120S5B	120,000 BTU – Single Stage, 3/4 HP PSC motor	165

SINGLE STAGE WITH PREMIUM X13 ECM MOTOR

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883316	NPX040S2B	40,000 BTU – Single Stage, 1/3 HP X13 ECM motor	125
883317	NPX060S3B	60,000 BTU – Single Stage, 1/2 HP X13 ECM motor	127
883318	NPX080S3B	80,000 BTU – Single Stage, 1/2 HP X13 ECM motor	134
883319	NPX100S5B	100,000 BTU – Single Stage, 3/4 HP X13 ECM motor	159
883320	NPX120S5B	120,000 BTU – Single Stage, 3/4 HP X13 ECM motor	165

NOTE: All units are natural gas. If propane is required please order conversion kit.

OPTIONS AND ACCESSORIES

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883401	W370-0018	Conversion Kit – Natural Gas to Propane	2
883403	W370-0019	Concentric Vent Kit – 2"	5
883404	W370-0020	Concentric Vent Kit – 3"	9
883406	W690-0007	Combination 24V/Heat/Cool Programmable Thermostat	1
883407	NNA-NC1625-A	Media Air Cleaner (MERV11) (16" × 25")	15
883408	W250-0009	Filter MERV11 – 3 pack	20
883413	NNA-NC2025-A	Media Air Cleaner (MERV11) (20" × 25")	15
883414	W250-0010	Filter MERV11 – 3 pack (20" × 25")	20

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

NAPOLEON GAS FURNACES

www.napoleonheatingandcooling.com

HIGH EFFICIENCY GAS FURNACES (cont'd)

9200 SERIES — SINGLE STAGE VARIABLE SPEED

Features:

- Up to 92.1% AFUE
- Three position fully convertible to any position (requires a horizontal installation kit to be installed horizontally)
- Industry proven Heat Exchanger
- Zero clearance premium polyester backed pre-painted silver grey cabinet
- Self diagnostic control board with humidifier and electronic air cleaner options
- Certified for single pipe, two pipe or concentric vent installations
- Designed to be Whisper Quiet™



ITEM #	MODEL	DESCRIPTION	WT/LBS.
883301	NBM030S2A	30,000 BTU – Single Stage, 1/6 HP PSC motor	98
883302	NBM040S2A	40,000 BTU – Single Stage, 1/6 HP PSC motor	98
883303	NBM040S3A	40,000 BTU – Single Stage, 1/2 HP PSC motor	109
883304	NBM060S2A	60,000 BTU – Single Stage, 1/2 HP PSC motor	111
883305	NBM060S3A	60,000 BTU – Single Stage, 1/2 HP PSC motor	119
883306	NBM080S3A	80,000 BTU – Single Stage, 1/2 HP PSC motor	125
883307	NBM080S4A	80,000 BTU – Single Stage, 1/2 HP PSC motor	133
883308	NBM100S4A	100,000 BTU – Single Stage, 3/4 HP PSC motor	145
883309	NBM100S5A	100,000 BTU – Single Stage, 3/4 HP PSC motor	151
883310	NBM120S5A	120,000 BTU – Single Stage, 3/4 HP PSC motor	159

NOTE: All units are natural gas. If propane is required please order conversion kit.

OPTIONS AND ACCESSORIES

ITEM #	MODEL	DESCRIPTION	WT/LBS.
883401	W370-0018	Conversion Kit – Natural Gas to Propane	2
883403	W370-0019	Concentric Vent Kit – 2"	5
883404	W370-0020	Concentric Vent Kit – 3"	9
883406	W690-0007	Combination 24V/Heat/Cool Programmable Thermostat	1
883407	NNA-NC1625-A	Media Air Cleaner (MERV11) (16" × 25")	15
883408	W250-0009	Filter MERV11 – 3 pack	20
883409	W370-0027	Horizontal Installation Kit	1
883413	NNA-NC2025-A	Media Air Cleaner (MERV11) (20" × 25")	15
883414	W250-0010	Filter MERV11 – 3 pack (20" × 25")	20

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –