

# ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

## INDEX

<b>B-VENT FIREPLACES</b>		<b>DIRECT VENT GAS FIREPLACES (cont'd)</b>	
<b>TRADITIONAL FRONT OPEN</b>		<b>TRADITIONAL MULTI-SIDED</b>	
MISSION 36.....	13-48	EROS 35ST.....	13-23
MISSION 42.....	13-49	EROS 35PF.....	13-24
RAPTURE 36.....	13-50	LIBRA 40ST.....	13-25
RAPTURE 42.....	13-51	LIBRA 40PF.....	13-26
RAPTURE 50.....	13-52	LIBRA 40CF/L.....	13-27
<b>TRADITIONAL MULTI-SIDED</b>		MONTEBELLO ST.....	13-28
MARIN 40ST.....	13-53	<b>ELECTRIC FIREPLACES</b>	
<b>DIRECT VENT GAS FIREPLACES</b>		<b>CONTEMPORARY LINEAR</b>	
<b>CONTEMPORARY FRONT OPEN</b>		ARCTURUS 54 / ARCTURUS 60.....	
ARIES CD33.....	13-29	<b>TRADITIONAL FRONT OPEN</b>	
ARIES CD35.....	13-30	CAPELLA 27 / CAPELLA 33.....	
ARIES CD40.....	13-31	CAPELLA 36.....	
ARIES CD45.....	13-32	<b>OUTDOOR FIREPLACES</b>	
GEMINI CD35.....	13-33	<b>VENT-FREE SYSTEMS</b>	
GEMINI CD40.....	13-34	BARCELONA LIGHTS 36.....	
MONTEBELLO DLXCD40.....	13-38	BARCELONA LIGHTS 48.....	
MONTEBELLO DLXCD45.....	13-39	BARCELONA LIGHTS 60.....	
SCORPIO CD35.....	13-35	BARCELONA LIGHTS 72.....	
SCORPIO CD40.....	13-36	BERLIN LIGHTS 43.....	
SCORPIO CD45.....	13-37	ODYSSEY 36.....	
<b>CONTEMPORARY LINEAR</b>		ODYSSEY 42.....	
RHAPSODY 42.....	13-43	POLARIS 36 / POLARIS 42.....	
RHAPSODY 54.....	13-44	<b>WOOD-BURNING</b>	
SIRIUS 42.....	13-40	ORACLE 36.....	
SIRIUS 54.....	13-41	ORACLE 42.....	
VENICE LIGHTS.....	13-42	ORACLE 50.....	
<b>DIRECT VENT SYSTEMS</b>		TUSCAN 36 / TUSCAN 42.....	
SECURE VENT™ 4.5/7.5 VENT SYSTEM.....	13-45 – 13-46	<b>WOOD-BURNING FIREPLACES</b>	
SECURE VENT™ 8/11 VENT SYSTEM.....	13-46	<b>CHIMNEY SYSTEMS</b>	
5" – 8".....	13-47	8" WOOD-BURNING CHIMNEY.....	
<b>TRADITIONAL FRONT OPEN</b>		12" WOOD-BURNING CHIMNEY.....	
ALTAIR 40.....	13-13	PureFire™.....	
ALTAIR 45.....	13-14	<b>HIGH EFFICIENCY</b>	
ALTAIR DLX 40.....	13-15	BRENTWOOD – BIS.....	
ALTAIR DLX 45.....	13-16	BRENTWOOD LV – BIS.....	
ARIES 33.....	13-2	LADERA – BIS.....	
ARIES 35.....	13-3	MONTECITO – BIS.....	
ARIES 40.....	13-4	MONTECITO ESTATE – BIS.....	
ARIES 45.....	13-5	VILLA VISTA – BIS.....	
DEVONSHIRE 36.....	13-21	VILLA VISTA CD – BIS.....	
DEVONSHIRE 42.....	13-22	<b>TRADITIONAL FRONT OPEN</b>	
GEMINI 33.....	13-6	CRAFTSMAN 36.....	
GEMINI 35.....	13-7	CRAFTSMAN 42.....	
GEMINI 40.....	13-8	GEORGIAN 36.....	
GEMINI 45.....	13-9	GEORGIAN 42.....	
MONTEBELLO DLX40.....	13-19	GEORGIAN 50.....	
MONTEBELLO DLX45.....	13-20	PLANTATION 48.....	
SCORPIO 35.....	13-10	<b>TRADITIONAL MULTI-SIDED</b>	
SCORPIO 40.....	13-11	CRAFTSMAN 36ST.....	
SCORPIO 45.....	13-12	INGLENOOK 36 CR/CL.....	
SENTINEL 36.....	13-17	MONTEREY 36 PF.....	
SENTINEL 42.....	13-18	WINDSOR 36.....	

Available in Calgary, Alberta

Expert Service. Quality Products. Since 1960.

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN

### ARIES 33

The Aries Traditional direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>33" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
C621000	F1675	Aries33TMN	33" DV, Millivolt, Oak Logs, Top Vent	NG	12,000
C621000	F1676	Aries33TMP	33" DV, Millivolt, Oak Logs, Top Vent	LP	10,000
C621000	F1677	Aries33TEN	33" DV, Elec, Oak Logs, Top Vent	NG	12,000
C621000	F1735	Aries33TEP	33" DV, Elec, Oak Logs, Top Vent	LP	10,000
C621000	F1681	Aries33RMN	33" DV, Millivolt, Oak Logs, Rear Vent	NG	12,000
C621000	F1682	Aries33RMP	33" DV, Millivolt, Oak Logs, Rear Vent	LP	10,000
C621000	F1683	Aries33REN	33" DV, Elec, Oak Logs, Rear Vent	NG	12,000
C621000	F1737	Aries33REP	33" DV, Elec, Oak Logs, Rear Vent	LP	10,000

### Optional Accessories

#### Liner Kits

640166	F1887	MBLK33B	Buff Brick Liner Kit 33
640354	F1886	ABLK33V	Vintage Red Brick Liner Kit 33 Aries

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Unit- mountable Rocker Switch
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640365	F1893	GCKSMF039P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1891	GCKSMF067N	Conversion Kit, Millivolt, Propane to Natural
640366	F1892	GCKSEF039P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1890	GCKSEF067N	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ARIES 35

The Aries Traditional direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
639727	F1687	Aries35TMN	35" DV Millivolt, Oak Logs, Top Vent	NG	14,000
C621000	F1688	Aries35TMP	35" DV Millivolt, Oak Logs Top Vent	LP	12,000
639729	F1689	Aries35TEN	35" DV Elec, Oak Logs, Top Vent	NG	14,000
C621000	F1739	Aries35TEP	35" DV Elec, Oak Logs, Top Vent	LP	12,000
639733	F1693	Aries35RMN	35" DV Millivolt, Oak Logs, Rear Vent	NG	14,000
C621000	F1694	Aries35RMP	35" DV Millivolt, Oak Logs Rear Vent	LP	12,000
639735	F1695	Aries35REN	35" DV Elec, Oak Logs, Rear Vent	NG	14,000
C621000	F1741	Aries35REP	35" DV Elec, Oak Logs, Rear Vent	LP	12,000

### Optional Accessories

#### Liner Kits

640342	F1825	ABLK35V	Vintage Red Brick Liner Kit 35 Aries
640167	F1827	MBLK35B	Buff Brick Liner Kit 35

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Unit- mountable Rocker Switch
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ARIES 40

The Aries Traditional direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
639739	F1699	Aries40TMN	40" DV Millivolt, Oak Logs, Top Vent	NG	16,000
C621000	F1700	Aries40TMP	40" DV Millivolt, Oak Logs Top Vent	LP	15,000
639741	F1701	Aries40TEN	40" DV Elec, Oak Logs, Top Vent	NG	16,000
C621000	F1743	Aries40TEP	40" DV Elec, Oak Logs, Top Vent	LP	15,000
639745	F1705	Aries40RMN	40" DV Millivolt, Oak Logs, Rear Vent	NG	16,000
C621000	F1706	Aries40RMP	40" DV Millivolt, Oak Logs Rear Vent	LP	15,000
639747	F1707	Aries40REN	40" DV Elec, Oak Logs, Rear Vent	NG	16,000
C621000	F1745	Aries40REP	40" DV Elec, Oak Logs, Rear Vent	LP	15,000

### Optional Accessories

#### Liner Kits

640346	F1826	ABLK40V	Vintage Red Brick Liner Kit 40 Aries
640168	F1828	MBLK40B	Buff Brick Liner Kit 40

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Unit- mountable Rocker Switch
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640372	F1772	GCKSMF046P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1770	GCKSMF078N	Conversion Kit, Millivolt, Propane to Natural
C621000	F1768	GCKSEF078N	Conversion Kit, Electronic Ignition, Propane to Natural
640373	F1774	GCKSEF046P	Conversion Kit, Electronic Ignition, Natural to Propane

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ARIES 45

The Aries Traditional direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with beautiful flame, glowing embers and oak logs. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Aries Direct-Vent Fireplace, Top/Rear Combo</b>					
639748	F1711	Aries45DMN	45" DV, Millivolt, Oak Logs, Top/Rear	NG	16,000
C621000	F1712	Aries45DMP	45" DV, Millivolt, Oak Logs, Top/Rear	LP	15,000
C621000	F1713	Aries45DEN	45" DV, Elec, Oak Logs, Top/Rear	NG	16,000
C621000	F1747	Aries45DEP	45" DV, Elec, Oak Logs, Top/Rear	LP	15,000

### Optional Accessories

#### Liner Kits

640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45 Aries
640350	F1889	MBLK45B	Buff Brick Liner Kit 45

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Unit- mountable Rocker Switch
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F1897	GCKSMF052P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1895	GCKSMF086N	Conversion Kit, Millivolt, Propane to Natural
C621000	F1896	GCKSEF052P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1894	GCKSEF086N	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEMINI 33

The Gemini traditional direct-vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured Forest Oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>33" Gemini Direct-Vent Fireplace, Top or Rear Vent</b>					
C621000	F2995	Gemini33TMN-B	33" DV, Millivolt, Forest Oak Logs, Top Vent	NG	14,000
C621000	F2999	Gemini33TMP-B	33" DV, Millivolt, Forest Oak Logs, Top Vent	LP	13,000
C621000	F2997	Gemini33TEN-B	33" DV, Elec, Forest Oak Logs, Top Vent	NG	14,000
C621000	F3001	Gemini33TEP-B	33" DV, Elec, Forest Oak Logs, Top Vent	LP	13,000
C621000	F3000	Gemini33RMN-B	33" DV, Millivolt, Forest Oak Logs, Rear Vent	NG	14,000
C621000	F2996	Gemini33RMP-B	33" DV, Millivolt, Forest Oak Logs, Rear Vent	LP	13,000
C621000	F3002	Gemini33REN-B	33" DV, Elec, Forest Oak Logs, Rear Vent	NG	14,000
C621000	F2998	Gemini33REP-B	33" DV, Elec, Forest Oak Logs, Rear Vent	LP	13,000

### Optional Accessories

#### Liner Kits

640166	F1887	MBLK33B	Buff Brick Liner Kit 33
640354	F1886	ABLK33V	Vintage Red Brick Liner Kit 33 Gemini
640355	F2187	BLK33OTR-H	Old Town Red Brk Liner Kit 33 – Herringbone

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off, Millivolt
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
C621000	F2687	EF-BRCK	EcoFlow Basic Remote Control, On/Off, Electronic
C621000	F2689	EF-TCHSRCK	EcoFlow Touchscreen Remote, Electronic
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2624	GCK-SKT5757NP	EcoFlow Conversion Kit, Electronic, Natural to Propane
C621000	F2626	GCK-SKT4947PN	EcoFlow Conversion Kit, Electronic, Propane to Natural
640364	F2168	GCKSMS043P	Conversion Kit, Millivolt, Natural to Propane
C621000	F2166	GCKSMS073N	Conversion Kit, Millivolt, Propane to Natural

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEMINI 35

The Gemini traditional direct-vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured Forest Oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Gemini Direct-Vent Fireplace, Top/Rear Combo</b>					
639750	F2991	Gemini35DMN-B	35" DV Milli., Forest Oak Logs, Top/Rear Vent	NG	16,000
C621000	F2992	Gemini35DMP-B	35" DV Milli., Forest Oak Logs Top/Rear Vent	LP	15,000
C621000	F2993	Gemini35DEN-B	35" DV Elec, Forest Oak Logs, Top/Rear Vent	NG	16,000
C621000	F2994	Gemini35DEP-B	35" DV Elec, Forest Oak Logs, Top/Rear Vent	LP	15,000

### Optional Accessories

#### Liner Kits

640342	F1825	ABLK35V	Vintage Red Brick Liner Kit 35 Gemini
640167	F1827	MBLK35B	Buff Brick Liner Kit 35
640343	F2188	BLK35OTR-H	Old Town Red Brk Lnr Kit 35-Herringbone

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off, Millivolt
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
C621000	F2687	EF-BRCK	EcoFlow Basic Remote Control, On/Off, Electronic
C621000	F2689	EF-TCHSRCK	EcoFlow Touchscreen Remote, Electronic
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White

#### Common Accessories

617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2492	GCK-SKT5655NP	EcoFlow Conversion Kit, Electronic, Natural to Propane
C621000	F2494	GCK-SKT4847PN	EcoFlow Conversion Kit, Electronic, Propane to Natural
640358	F2173	GCKSMS046P	Conversion Kit, Millivolt, Natural to Propane
C621000	F2171	GCKSMS076N	Conversion Kit, Millivolt, Propane to Natural



# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEMINI 40

The Gemini traditional direct-vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured Forest Oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Gemini Direct-Vent Fireplace, Top/Rear Combo</b>					
639752	F2987	Gemini40DMN-B	40" DV Milli., Forest Oak Logs, Top/Rear Vent	NG	20,000
C621000	F2988	Gemini40DMP-B	40" DV Milli., Forest Oak Logs Top/Rear Vent	LP	19,000
C621000	F2989	Gemini40DEN-B	40" DV Elec, Forest Oak Logs, Top/Rear Vent	NG	20,000
C621000	F2990	Gemini40DEP-B	40" DV Elec, Forest Oak Logs, Top/Rear Vent	LP	19,000
<b>Optional Accessories</b>					
<i>Liner Kits</i>					
640346	F1826	ABLK40V	Vintage Red Brick Liner Kit 40 Gemini		
640168	F1828	MBLK40B	Buff Brick Liner Kit 40		
640347	F2189	BLK40OTR-H	Old Town Red Brk Lnr Kit 40-Herringbone		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Wall and Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off, Millivolt		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
C621000	F2687	EF-BRCK	EcoFlow Basic Remote Control, On/Off, Electronic		
C621000	F2689	EF-TCHSRCK	EcoFlow Touchscreen Remote, Electronic		
640003	80L41	FRS	Rocker Switch – On/Off		
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White		
<i>Common Accessories</i>					
617620	88L53	FGE	Glowing Embers		
617578	80L42	FDVS	Decorative Volcanic Stone		
640128	F1881	SCITPSAB	Touch up paint firebox interior		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
C621000	F2621	GCK-SKT5555NP	EcoFlow Conversion Kit, Electronic, Natural to Propane		
C621000	F2493	GCK-SKT4447PN	EcoFlow Conversion Kit, Electronic, Propane to Natural		
640361	F2174	GCKSMS052P	Conversion Kit, Millivolt, Natural to Propane		
C621000	F2172	GCKSMS086N	Conversion Kit, Millivolt, Propane to Natural		



# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEMINI 45

The Gemini traditional direct-vent combines beauty, efficiency and convenience. A clean faced heat-circulating design with beautiful flame, glowing embers, full-featured Forest Oak logs with grate, and a modulating valve with wall-mounted switch controls for on/off and high/low flame operation. Combination top/rear flue models and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Gemini Direct-Vent Fireplace, Top/Rear Combo</b>					
639754	F2983	Gemini45DMN-B	45" DV Millivolt, Forest Oak Logs, Top/Rear	NG	21,500
C621000	F2984	Gemini45DMP-B	45" DV Millivolt, Forest Oak Logs, Top/Rear	LP	21,500
C621000	F2985	Gemini45DEN-B	45" DV Elec, Forest Oak Logs, Top/Rear	NG	21,500
C621000	F2986	Gemini45DEP-B	45" DV Elec, Forest Oak Logs, Top/Rear	LP	21,500
<b>Optional Accessories</b>					
<i>Liner Kits</i>					
640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45 Gemini		
640350	F1889	MBLK45B	Buff Brick Liner Kit 45		
640351	F2190	BLK45OTR-H	Old Town Red Lnr Kit 45-Herringbone		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Wall and Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off, Millivolt		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
C621000	F2687	EF-BRCK	EcoFlow Basic Remote Control, On/Off, Electronic		
C621000	F2689	EF-TCHSRCK	EcoFlow Touchscreen Remote, Electronic		
640003	80L41	FRS	Rocker Switch – On/Off		
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White		
<i>Common Accessories</i>					
617620	88L53	FGE	Glowing Embers		
617578	80L42	FDVS	Decorative Volcanic Stone		
640128	F1881	SCITPSAB	Touch up paint firebox interior		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
C621000	F2491	GCK-SKT5455NP	EcoFlow Conversion Kit, Electronic, Natural to Propane		
C621000	F2627	GCK-SKT4342PN	EcoFlow Conversion Kit, Electronic, Propane to Natural		
640362	F2180	GCKSMS055P	Conversion Kit, Millivolt, Natural to Propane		
C621000	F2178	GCKSMS089N	Conversion Kit, Millivolt, Propane to Natural		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN *(cont'd)*

### SCORPIO 35

The Scorpio traditional direct-vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, glowing embers, interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Scorpio Direct-Vent Fireplace, Top/Rear Combo</b>					
639718	F2847	Scorpio35DEN-B	35" DV, Electronic Ignition, Top/Rear Vent	NG	20,000
C621000	F2848	Scorpio35DEP-B	35" DV, Electronic Ignition, Top/Rear Vent	LP	19,000

#### Required Accessories (Ordered Separately)

##### Log Sets (Order One)

640004	F2876	CHAROAK35SPO	35 Charred Oak Log Set
C621000	F2878	DFTWOOD35SPO	35 Driftwood Log Set

##### Liners (Order One)

640341	F2224	BLKBP-35	Black Reflective Porcelain Liner 35
640342	F1825	ABLK35V	Vintage Red Stacked Ceramic Liner Kit 35
640167	F1827	MBLK35B	Buff Stacked Ceramic Liner Kit 35
640343	F2188	BLK35OTR-H	Old Town Red Herringbone Ceramic Liner Kit 35

#### Optional Accessories

##### Common Accessories

C621000	F2227	AKT-DV4	Traditional Andiron Kit
617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2621	GCK-SKT5555NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2702	GCK-SKT4442PN	Conversion Kit, Electronic Ignition, Propane to Natural

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### SCORPIO 40

The Scorpio traditional direct-vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, glowing embers, interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Scorpio Direct-Vent Fireplace, Top/Rear Combo</b>					
639720	F2849	Scorpio40DEN-B	40" DV, Electronic Ignition, Top/Rear Vent	NG	24,000
639721	F2850	Scorpio40DEP-B	40" DV, Electronic Ignition, Top/Rear Vent	LP	22,000

#### Required Accessories (Ordered Separately)

##### Log Sets (Order One)

640005	F2877	CHAROAK40-45SPO	40/45 Charred Oak Log Set
C621000	F2879	DFTWOOD40-45SPO	40/45 Driftwood Log Set

##### Liners (Order One)

640344	F2225	BLKBP-40	Black Reflective Porcelain Liner 40
640346	F1826	ABLK40V	Vintage Red Stacked Ceramic Liner Kit 40
640168	F1828	MBLK40B	Buff Stacked Ceramic Liner Kit 40
640347	F2189	BLK40OTR-H	Old Town Red Herringbone Ceramic Liner Kit 40

#### Optional Accessories

##### Common Accessories

C621000	F2227	AKT-DV4	Traditional Andiron Kit
617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2705	GCK-SKT5450NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2703	GCK-SKT4242PN	Conversion Kit, Electronic Ignition, Propane to Natural

# ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### SCORPIO 45

The Scorpio traditional direct-vent combines beauty, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, glowing embers, interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Scorpio Direct-Vent Fireplace, Top/Rear Combo</b>					
639762	F2851	Scorpio45DEN-B	45" DV, Electronic Ignition, Top/Rear Vent	NG	28,000
C621000	F2852	Scorpio45DEP-B	45" DV, Electronic Ignition, Top/Rear Vent	LP	26,000

#### Required Accessories (Ordered Separately)

##### Log Sets (Order One)

640005	F2877	CHAROAK40-45SPO	40/45 Charred Oak Log Set
C621000	F2879	DFTWOOD40-45SPO	40/45 Driftwood Log Set

##### Liners (Order One)

640348	F2226	BLKBP-45	Black Reflective Porcelain Liner
640349	F1888	ABLK45V	Vintage Red Brick Liner Kit 45
640350	F1889	MBLK45B	Buff Brick Liner Kit 45
640351	F2190	BLK45OTR-H	Old Town Red Lnr Kit 45-Herringbone

#### Optional Accessories

##### Common Accessories

C621000	F2227	AKT-DV4	Traditional Andiron Kit
617620	88L53	FGE	Glowing Embers
617578	80L42	FDVS	Decorative Volcanic Stone
640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2706	GCK-SKT5350NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2704	GCK-SKT3842PN	Conversion Kit, Electronic Ignition, Propane to Natural

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ALTAIR 40

The deep firebox of the Altair 40 comes standard with deluxe high-definition logs, tempered glass, wireless wall remote (electronic ignition models), decorative volcanic stone and clean face panels. These fireplaces also include powder coat paint for a robust finish and are available in both millivolt and electronic IPI ignition systems. The electronic models feature seamless battery back-up and can be operated in a continuous pilot mode. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50 and CSA 2.22 standards. Listed by PFS (16-120)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Altair Direct Vent Gas Fireplace, Top/Rear Combo, Front View, Louverless</b>					
C621000	F2644	Altair40DMN-B	40" DV, Millivolt, Black Interior	NG	20,000-28,000
C621000	F2645	Altair40DMP-B	40" DV, Millivolt, Black Interior	LP	18,000-25,000
C621000	F2646	Altair40DEN-B	40" DV, Electronic Ignition, Black Interior	NG	20,000-28,000
C621000	F2647	Altair40DEP-B	40" DV, Electronic Ignition, Black Interior	LP	18,000-25,000
<b>Optional Accessories</b>					
<i>Liners</i>					
C621000	F2914	BPLK40-DVA	Black Reflective Porcelain		
C621000	F2908	EBLK40OTR-S	Ceramic Stack Old Town Red		
C621000	F2909	EBLK40BWN-S	Ceramic Stack Heritage Brown		
C621000	F2910	EBLK40BT-S	Ceramic Black Tie		
C621000	F3428	EBLK40TR-H	Tacoma Red Herringbone Liner		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Blower		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Remote Control Kits</i>					
618525	F2236	RCKIT4001	Remote, On/Off, Receiver & White Wall Plate, Millivolt		
618524	H8860	RC-S-1	Remote, Two Button, On/Off or Timer Mode, Millivolt		
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Common Accessories</i>					
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer, Millivolt		
617578	80L42	FDVS	Decorative Volcanic Stone		
617620	88L53	FGE	Glowing Embers		
617070	H8312	PGE	Platinum Glowing Embers		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
C621000	F2896	GCK-SKT557051NP	Conversion Kit, Electronic, Natural to Propane		
C621000	F2897	GCK-SKT425531PN	Conversion Kit, Electronic, Propane to Natural		
C621000	F2898	GCKSMS557051NP	Conversion Kit, Millivolt, Natural to Propane		
C621000	F2899	GCKSMS425531PN	Conversion Kit, Millivolt, Propane to Natural		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ALTAIR 45

The deep firebox of the Altair 45 comes standard with deluxe high-definition logs, tempered glass, wireless wall remote (electronic ignition models), decorative volcanic stone and clean face panels. These fireplaces also include powder coat paint for a robust finish and are available in both millivolt and electronic IPI ignition systems. The electronic models feature seamless battery back-up and can be operated in a continuous pilot mode. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50 and CSA 2.22 standards. Listed by PFS (16-120)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Altair Direct Vent Gas Fireplace, Top/Rear Combo, Front View, Louverless</b>					
C621000	F2640	Altair45DMN-B	45" DV, Millivolt, Black Interior	NG	21,000-31,000
C621000	F2641	Altair45DMP-B	45" DV, Millivolt, Black Interior	LP	20,000-31,000
C621000	F2642	Altair45DEN-B	45" DV, Electronic Ignition, Black Interior	NG	21,000-31,000
C621000	F2643	Altair45DEP-B	45" DV, Electronic Ignition, Black Interior	LP	20,000-31,000

### Optional Accessories

#### Liners

C621000	F2915	BPLK45-DVA	Black Reflective Porcelain
C621000	F2911	EBLK45OTR-S	Ceramic Stack Old Town Red
C621000	F2912	EBLK45BWN-S	Ceramic Stack Heritage Brown
C621000	F2913	EBLK45BT-S	Ceramic Black Tie
C621000	F3429	EBLK45TR-H	Tacoma Red Herringbone Liner

#### Blower Kits

617548	80L84	FBK-100	Standard Blower
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Remote Control Kits

618525	F2236	RCKIT4001	Remote, On/Off, Receiver & White Wall Plate, Millivolt
618524	H8860	RC-S-1	Remote, Two Button, On/Off or Timer Mode, Millivolt
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic

#### Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer, Millivolt
617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
617070	H8312	PGF	Platinum Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2900	GCK-SKT537051NP	Conversion Kit, Electronic, Natural to Propane
C621000	F2901	GCK-SKT415531PN	Conversion Kit, Electronic, Propane to Natural
C621000	F2902	GCKSMS537051NP	Conversion Kit, Millivolt, Natural to Propane
C621000	F2903	GCKSMS415531PN	Conversion Kit, Millivolt, Propane to Natural

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### ALTAIR DLX 40

The deep firebox of the Altair DLX 40 comes standard with deluxe high-definition logs, ceramic glass, interior illumination, full function remote control, factory installed blower, decorative volcanic stone and clean face panels. These fireplaces also include powder coat paint for a robust finish. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. Listed by PFS (16-120)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Altair DLX Direct Vent Gas Fireplace, Top/Rear Combo, Front View, Louverless</b>					
C621000	F2654	AltairDLX40DEN-B	40" DV, Electronic Ignition, Top/Rear	NG	24,000-36,000
C621000	F2655	AltairDLX40DEP-B	40" DV, Electronic Ignition, Top/Rear	LP	21,000-31,000

#### Required Accessories (Ordered Separately)

##### Liners (Order One)

C621000	F2914	BPLK40-DVA	Black Reflective Porcelain
C621000	F2908	EBLK40OTR-S	Ceramic Stack Old Town Red
C621000	F2909	EBLK40BWN-S	Ceramic Stack Heritage Brown
C621000	F2910	EBLK40BT-S	Ceramic Black Tie
C621000	F3428	EBLK40TR-H	Tacoma Red Herringbone Liner

#### Optional Accessories

##### Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
617070	H8312	PGE	Platinum Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2904	GCK-SKT556151NP	Conversion Kit, Electronic, Natural to Propane
C621000	F2905	GCK-SKT385131PN	Conversion Kit, Electronic, Propane to Natural

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN *(cont'd)*

#### ALTAIR DLX 45

The deep firebox of the Altair DLX 45 comes standard with deluxe high-definition logs, ceramic glass, interior illumination, full function remote control, factory installed blower, decorative volcanic stone and clean face panels. These fireplaces also include powder coat paint for a robust finish. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. Listed by PFS (16-120)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Altair DLX Direct Vent Gas Fireplace, Top/Rear Combo, Front View, Louverless</b>					
C621000	F2652	AltairDLX45TEN-B	45" DV, Electronic Ignition, Top Vent	NG	25,000-42,000
C621000	F2653	AltairDLX45TEP-B	45" DV, Electronic Ignition, Top Vent	LP	22,000-41,000

#### Required Accessories (Ordered Separately)

##### Liners (Order One)

C621000	F2915	BPLK45-DVA	Black Reflective Porcelain
C621000	F2911	EBLK45OTR-S	Ceramic Stack Old Town Red
C621000	F2912	EBLK45BWN-S	Ceramic Stack Heritage Brown
C621000	F2913	EBLK45BT-S	Ceramic Black Tie
C621000	F3429	EBLK45TR-H	Tacoma Red Herringbone Liner

#### Optional Accessories

##### Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
617070	H8312	PGF	Platinum Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2906	GCK-SKT526151NP	Conversion Kit, Electronic, Natural to Propane
C621000	F2907	GCK-SKT325031PN	Conversion Kit, Electronic, Propane to Natural

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN *(cont'd)*

#### SENTINEL 36

The Sentinel direct-vent unit offers a clean design. There are no metal grills; just realistic flames, glowing embers and a great log stack. Refractory panels are available in either classic stacked or herringbone pattern. The Sentinel is equipped with electronic ignition which functions with a wall switch or remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PFS (F09-099)

Uses 5" / 8" Direct Vent Coaxial Chimney

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Sentinel Direct-Vent Fireplace</b>					
C621000	F2288	Sentinel36TEN	36" DV, Fireplace, Herringbone Red	NG	33,500
C621000	F2289	Sentinel36TEN	36" DV, Fireplace, Stacked Red	NG	33,500
C621000	F2290	Sentinel36TEP	36" DV, Fireplace, Herringbone Red	LP	31,000
C621000	F2291	Sentinel36TEP	36" DV, Fireplace, Stacked Red	LP	31,000
C621000	F1577	Sentinel36TEN	36" DV, Fireplace, Herringbone White	NG	33,500
C621000	F1578	Sentinel36TEN	36" DV, Fireplace, Stacked White	NG	33,500
C621000	F1579	Sentinel36TEP	36" DV, Fireplace, Herringbone White	LP	31,000
C621000	F1580	Sentinel36TEP	36" DV, Fireplace, Stacked White	LP	31,000
<b>Optional Accessories</b>					
<i>Blower Kits</i>					
C621000	F2661	LPDBK2	Low Profile Dual Blower II		
<i>Common Accessories</i>					
C621000	F2813	PCD-36S2	Gas Conversion Kit Electronic Ignition – NG to LP		
C621000	F2814	NCD-36S2	Gas Conversion Kit Electronic Ignition – LP to NG		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

#### SENTINEL 42

The Sentinel direct-vent unit offers a clean design which shows you everything you want and nothing you don't. No metal grills; just realistic flames, glowing embers and a great log stack. The industry's finest traditional firebrick is available in either classic herringbone or stacked brick. Equipped with a fully electronic ignition and includes remote control. The Sentinel's operating system is equipped with a fully electronic ignition which functions with a wall switch or remote control which is included with every unit. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PFS (F09-099)

Uses 5" / 8" Direct Vent Coaxial Chimney

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Sentinel Direct-Vent Fireplace</b>					
C621000	F2292	Sentinel42TEN	42" DV, Fireplace, Herringbone Red	NG	41,000
C621000	F2293	Sentinel42TEN	42" DV, Fireplace, Stacked Red	NG	41,000
C621000	F2294	Sentinel42TEP	42" DV, Fireplace, Herringbone Red	LP	37,000
C621000	F2295	Sentinel42TEP	42" DV, Fireplace, Stacked Red	LP	37,000
C621000	F1581	Sentinel42TEN	42" DV, Fireplace, Herringbone White	NG	41,000
C621000	F1582	Sentinel42TEN	42" DV, Fireplace, Stacked White	NG	41,000
C621000	F1583	Sentinel42TEP	42" DV, Fireplace, Herringbone White	LP	37,000
C621000	F1584	Sentinel42TEP	42" DV, Fireplace, Stacked White	LP	37,000

#### Optional Accessories

##### Blower Kits

C621000	F2661	LPDBK2	Low Profile Dual Blower II
---------	-------	--------	----------------------------

##### Common Accessories

C621000	F2815	PCD-42S2	Gas Conversion Kit Electronic Ignition – NG to LP
C621000	F2816	NCD-42S2	Gas Conversion Kit Electronic Ignition – LP to NG

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### MONTEBELLO DLX40

The Montebello DLX Direct-Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello DLX is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. Listed by PFS (F14-106)

Uses 8" / 11" Secure Vent™ Rigid Direct-Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Montebello DLX Direct-Vent Gas Fireplace, Top Vent, Front View, Louverless</b>					
C621000	F2200	Montebello DLX40TEN	40" DV, Electronic Ignition	NG	50,000
C621000	F2204	Montebello DLX40TEP	40" DV, Electronic Ignition	NG	50,000
C621000	F2216	Montebello DLX40TYN	40" DV, Electronic Ignition, Power Vent	NG	50,000

#### Required Accessories (Ordered Separately)

##### Log Sets (Order One)

617276	H8676	LOG-OAK-MDLX4045	Oak Log Set
--------	-------	------------------	-------------

##### Liners (Order One)

617282	H8581	LKP-BK-MDLX40	Porcelain Liner, Black
616991	H2220	BLKH-LSM40	Ceramic Fiber Liner, Buff Herringbone
616850	H4803	BLK-REDH-LSM40	Ceramic Fiber Liner, Red Herringbone
617284	H8697	LKC-BFRS-MDLX40	Ceramic Fiber Liner, Buff Rustic
617286	H8698	LKC-RDRS-MDLX40	Ceramic Fiber Liner, Red Rustic

##### Power Vent Kit (for use with F2216 ONLY)

617064	H7920	LSMPVK	Power Vent Kit
--------	-------	--------	----------------

#### Optional Accessories

##### Freestanding Screen Kits

617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit
616874	H5052	SK-LSM40-2	Classic Screen Kit

##### Andiron Kits

617009	H2227	AKM-LSM	Andiron Kit, Mission
617010	H2228	AKC-LSM	Andiron Kit, Classic

##### Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
617280	H8668	GCK-MDLX40NP	NG to LP Gas Conversion Kit
C621000	H8670	GCK-MDLX40PN	LP to NG Gas Conversion Kit

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### MONTEBELLO DLX45

The Montebello DLX Direct-Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello DLX is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. Listed by PFS (F14-106)

Uses 8" / 11" Secure Vent™ Rigid Direct-Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Montebello DLX Direct-Vent Fireplace, Top Vent, Front View, Louverless</b>					
C621000	F2201	Montebello DLX45TEN	45" DV, Traditional, Electronic Ignition	NG	57,000
C621000	F2203	Montebello DLX45TEP	45" DV, Traditional, Electronic Ignition	LP	56,000
C621000	F2217	Montebello DLX45TYN	45" DV, Traditional, Electronic Ignition, Power Vent	NG	48,000

#### Required Accessories (Ordered Separately)

##### Log Sets (Order One)

617276	H8676	LOG-OAK-MDLX4045	Oak Log Set
--------	-------	------------------	-------------

##### Liners (Order One)

617294	H8696	LKP-BK-MDLX45	Porcelain Liner, Black
616995	H2224	BLKH-LSM45	Ceramic Fiber Liner, Buff Herringbone
616852	H4804	BLK-REDH-LSM45	Ceramic Fiber Liner, Red Herringbone
617296	H8699	LKC-BFRS-MDLX45	Ceramic Fiber Liner, Buff Rustic
617298	H8700	LKC-RDRS-MDLX45	Ceramic Fiber Liner, Red Rustic

##### Power Vent Kit (for use with F2217 ONLY)

617064	H7920	LSMPVK	Power Vent Kit
--------	-------	--------	----------------

#### Optional Accessories

##### Freestanding Screen Kits

616878	H5054	DASK-LSM45-2	Dual Arch Screen Kit
616880	H5055	SK-LSM45-2	Classic Screen Kit

##### Andiron Kits

617009	H2227	AKM-LSM	Andiron Kit, Mission
617010	H2228	AKC-LSM	Andiron Kit, Classic

##### Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	H8671	GCK-MDLX45PN	LP to NG Gas Conversion Kit
617300	H8669	GCK-MDLX45NP	NG to LP Gas Conversion Kit

## ASTRIA FIREPLACES AND CHIMNEY

### DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN *(cont'd)*

#### DEVONSHIRE 36

The Devonshire is a low to the floor, clean faced fireplace with unmatched features. The low profile ember burner features a mature random fire log stack with plenty of flame and strong deep glow. The natural hand detailed refractory panels are available in ivory, red and tan for both stacked brick and herringbone patterns. It utilizes a fully electronic ignition system with 50% turn down capacity. It has the option of operating by wall switch or included remote control, and comes standard with a factory installed blower. Includes ceramic glass. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PSF (F09-099)

Uses P58 5" / 8" Direct Vent Coaxial Chimney

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Direct-Vent Fireplace (Luxury Series)</b>					
C621000	F1547	Devonshire36TEN	36" DV, Herringbone Ivory	NG	46,000
C621000	F1548	Devonshire36TEN	36" DV, Herringbone Red	NG	46,000
C621000	F1546	Devonshire36TEN	36" DV, LedgeStone Tan	NG	46,000
C621000	F1545	Devonshire36TEN	36" DV, Stacked Red	NG	46,000
C621000	F1544	Devonshire36TEN	36" DV, Stacked Ivory	NG	46,000
C621000	F1549	Devonshire36TEP	36" DV, Herringbone Ivory	LP	41,000
C621000	F1550	Devonshire36TEP	36" DV, Herringbone Red	LP	41,000
C621000	F1551	Devonshire36TEP	36" DV, LedgeStone Tan	LP	41,000
C621000	F1553	Devonshire36TEP	36" DV, Stacked Red	LP	41,000
C621000	F1552	Devonshire36TEP	36" DV, Stacked Ivory	LP	41,000

#### Optional Accessories

##### Common Accessories

C621000	F2809	PCDE-36D	Gas Conversion Kit Electronic Ignition – NG to LP
C621000	F2810	NCDE-36D	Gas Conversion Kit Electronic Ignition – LP to NG

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

#### DEVONSHIRE 42

The Devonshire is a low to the floor, clean faced fireplace with unmatched features. The low profile ember burner features a mature random fire log stack with plenty of flame and strong deep glow. The natural hand detailed refractory panels are available in ivory, red and tan for both stacked brick and herringbone patterns. It utilizes a fully electronic ignition system with 50% turn down capacity. It has the option of operating by wall switch or included remote control, and comes standard with a factory installed blower. Includes ceramic glass. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing – ANSI Z21.50 / CSA 2.22 Listed in PSF (F09-099)

Uses P58 5" / 8" Direct Vent Coaxial Chimney

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Direct-Vent Fireplace (Luxury Series)</b>					
C621000	F1554	Devonshire42TEN	42" DV, Herringbone Ivory	NG	56,000
C621000	F1555	Devonshire42TEN	42" DV Herringbone Red	NG	56,000
C621000	F1556	Devonshire42TEN	42" DV LedgeStone Tan	NG	56,000
C621000	F1558	Devonshire42TEN	42" DV, Stacked Red	NG	56,000
C621000	F1557	Devonshire42TEN	42" DV, Stacked Ivory	NG	56,000
C621000	F1559	Devonshire42TEP	42" DV, Herringbone Ivory	LP	50,000
C621000	F1563	Devonshire42TEP	42" DV, Herringbone Red	LP	50,000
C621000	F1561	Devonshire42TEP	42" DV, LedgeStone Tan	LP	50,000
C621000	F1560	Devonshire42TEP	42" DV, Stacked Red	LP	50,000
C621000	F1562	Devonshire42TEP	42" DV, Stacked Ivory	LP	50,000

#### Optional Accessories

##### Common Accessories

C621000	F2811	PCDE-42D	Gas Conversion Kit Electronic Ignition – NG to LP
C621000	F2812	NCDE-42D	Gas Conversion Kit Electronic Ignition – LP to NG



# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED

### EROS 35ST

Virtually anywhere you can imagine a fireplace, the Eros 35ST see-through gas fireplace fits right in without taking up additional floor space. Its compact see-through design is the smallest footprint in the industry, yet it offers the largest viewing area and flame presentation for its size. The deluxe log set features fine, natural details that look real with the fire on or off. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-165)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Eros Direct-Vent Fireplace, Top/Rear Combo, See-Through, Louvered</b>					
C621000	F1660	Eros 35STD MN	35" DVST, Millivolt Black Interior	NG	30,000
C621000	F1661	Eros 35STD MP	35" DVST, Millivolt, Black Interior	LP	30,000
C621000	F1662	Eros 35STD EN	35" DVST, Electronic Ignition, Black Interior	NG	30,000
<b>Optional Accessories</b>					
<i>Liner Kits</i>					
618279	H3207	MBLK-35ST	Ceramic Brick Liner Kit, Buff		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Wall and Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
<i>Common Accessories</i>					
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
640003	80L41	FRS	Rocker Switch – On/Off		
617578	80L42	FDVS	Decorative Volcanic Stone		
617620	88L53	FGE	Glowing Embers		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
640425	H3361	GCK-35STENP	Electronic Natural to Propane (Honeywell)		
618494	H3360	GCK-35STMNP	Millivolt, Natural to Propane (SIT)		
C621000	H2012	GCK-MP35MPN	Millivolt, Propane to Natural (SIT)		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### EROS 35PF

Virtually anywhere you can imagine a fireplace, the Eros 35ST see-through gas fireplace fits right in without taking up additional floor space. Its compact see-through design is the smallest footprint in the industry, yet it offers the largest viewing area and flame presentation for its size. The deluxe log set features fine, natural details that look real with the fire on or off. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS (F14-165)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Eros Direct-Vent Fireplace, Top/Rear Combo, Peninsula, Louvered</b>					
639709	F1663	Eros 35PFDN	35" DVPF, Millivolt Black Interior	NG	30,000
C621000	F1664	Eros 35PFDMP	35" DVPF, Millivolt, Black Interior	LP	28,000
C621000	F1665	Eros 35PFDEN	35" DVPF, Electronic Ignition, Black Interior	NG	30,000
<b>Optional Accessories</b>					
<i>Liner Kits</i>					
618279	H3207	MBLK-35ST	Ceramic Brick Liner Kit, Buff		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Wall and Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
<i>Common Accessories</i>					
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
640003	80L41	FRS	Rocker Switch – On/Off		
617578	80L42	FDVS	Decorative Volcanic Stone		
617620	88L53	FGE	Glowing Embers		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
640425	H3361	GCK-35STENP	Electronic Natural to Propane (Honeywell)		
618494	H3360	GCK-35STMNP	Millivolt, Natural to Propane (SIT)		
C621000	H2012	GCK-MP35MPN	Millivolt, Propane to Natural (SIT)		

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### LIBRA 40ST

The Libra 40ST, direct-vent fireplace offers a multi-view see-through configuration that serves as a primary focal point for two rooms. With an exceptional glass viewing area on two sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40ST creates a beautiful, natural-looking fire that enhances the comfort and elegance of multiple rooms. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Libra Direct Vent Gas Fireplace, Top/Rear Combo, See-Through, Louverless</b>					
C621000	F1585	Libra 40STDMN	40" DV, See-Through, Millivolt	NG	37,000
C621000	F1586	Libra 40STDMP	40" DV, See-Through, Millivolt	LP	34,000
C621000	F1587	Libra 40STDEN	40" DV, See-Through, Electronic Ignition	NG	37,000

#### Optional Accessories

##### Liners

617081	H0779	EBLK-ST	Buff Rustic Ceramic Brick Liner Kit
--------	-------	---------	-------------------------------------

##### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

##### Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate

##### Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat
617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640337	F2314	GCK-40STPFMVNP	Millivolt, Natural to Propane
C621000	F2318	GCK-40STPFMVPN	Millivolt, Propane to Natural
640338	F2316	GCK-40STPFENP	Electronic, Natural to Propane

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### LIBRA 40PF

The Libra 40PF direct-vent fireplace offers a three-sided, peninsula configuration that serves as a primary focal point in the home. With an exceptional glass viewing area on three sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40PF creates a beautiful, natural-looking fire that enhances the comfort and elegance in several rooms. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Libra Direct Vent Gas Fireplace, Top/Rear Combo, Peninsula, Louverless</b>					
C621000	F1588	Libra 40PFDMN	40" DV, Peninsula, Millivolt	NG	37,000
C621000	F1589	Libra 40PFDMP	40" DV, Peninsula, Millivolt	LP	34,000
C621000	F1590	Libra 40PFDEN	40" DV, Peninsula, Electronic Ignition	NG	37,000

### Optional Accessories

#### Liners

617080	H0778	EBLK-PF	Buff Rustic Ceramic Brick Liner Kit
--------	-------	---------	-------------------------------------

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate

#### Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat
617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640337	F2314	GCK-40STPFMVNP	Millivolt, Natural to Propane
C621000	F2318	GCK-40STPFMVPN	Millivolt, Propane to Natural
640338	F2316	GCK-40STPFENP	Electronic, Natural to Propane

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### LIBRA 40CF/L

The Libra 40CR/L direct-vent fireplace offers a two-sided, corner configuration, facing the left (CL) or right side (CR), which serves as a primary focal point in the home. With an exceptional glass viewing area on two sides and the intense flame presentation of a 39,000 BTU pan burner and painted black interior, the Libra 40CR/L creates a beautiful, natural-looking fire that enhances the comfort and elegance. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 standards. PFS (F14-171)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Libra Direct Vent Gas Fireplace, Top/Rear Combo, Peninsula, Louverless</b>					
C621000	F1591	Libra 40CLDMN	40" DV, Corner, Left, Millivolt	NG	31,000
C621000	F1592	Libra 40CLDMP	40" DV, Corner, Left, Millivolt	LP	28,000
C621000	F1593	Libra 40CLDEN	40" DV, Corner, Left, Electronic Ignition	NG	31,000
C621000	F1594	Libra 40CRDMN	40" DV, Corner, Right, Millivolt	NG	31,000
C621000	F1595	Libra 40CRDMP	40" DV, Corner, Right, Millivolt	LP	28,000
C621000	F1596	Libra 40CRDEN	40" DV, Corner, Right, Electronic Ignition	NG	31,000

### Optional Accessories

#### Liners

640171	H0780	EBLK-CL	Buff Rustic Ceramic Brick Liner Kit, Left Open
640172	H0781	EBLK-CR	Buff Rustic Ceramic Brick Liner Kit, Right Open

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate

#### Common Accessories

640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat
617578	80L42	FDVS	Decorative Volcanic Stone
617620	88L53	FGE	Glowing Embers
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640339	F2315	GCK-40CRMVNP	Millivolt, Natural to Propane
C621000	F2319	GCK-40CRMVNP	Millivolt, Propane to Natural
640340	F2317	GCK-40CREVPN	Electronic, Natural to Propane

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### MONTEBELLO ST

The Montebello ST Direct-Vent Fireplace offers the beauty and performance to make it a stunning centerpiece for any home. Premium, split-oak log set and beautiful glowing embers provide fine detailing that replicates the natural look of a real wood fire. The focal point of the Montebello ST is its exceptionally tall, dancing flame seen through an expansive ceramic-glass opening for unmatched clarity and radiance. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. Listed by PFS (14-107)

Uses 8" / 11" Secure Vent™ Rigid Direct-Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Montebello Direct-Vent Gas Fireplace, Top Vent, See Through, Louverless</b>					
639710	F2228	Montebello STTEN	40" DV, See-Through, Electronic	NG	60,000
C621000	F2229	Montebello STTEP	40" DV, See-Through, Electronic	LP	56,000
C621000	F2230	Montebello STTYN	40" DV, See-Through, Power Vent, Electronic	NG	60,000

#### Required Accessories (Ordered Separately)

##### Liners (Order One)

617056	H7942	BLKR-LSM40ST	Buff Rustic
617057	H7943	BLKH-LSM40ST	Buff Herringbone
617058	H7946	BLK-ARCH-LSM40ST	Architectural Stone
617059	H7947	BLK-VT-LSM40ST	Venetian Tile
617060	H8291	BLKB-LSM40ST	Black Rustic
617062	H7948	BLK-BP-LSM40ST	Black Porcelain

##### Power Vent Kit (for use with F2230 ONLY)

617064	H7920	LSMPVK	Power Vent Kit
--------	-------	--------	----------------

##### Outdoor Kits

640330	F2231	LSM40ST-ODKSG	Outdoor Window Kit (Light-Tinted Glass) w/Outdoor Barrier
640331	F2232	LSM40ST-ODKTSF	Outdoor Window Kit (Dark-Tinted Glass) w/Outdoor Barrier

#### Optional Accessories

##### Freestanding Screen Kits (for indoor/outdoor installation use 2)

617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit
616874	H5052	SK-LSM40-2	Classic Screen Kit

##### Andiron Kits (for indoor/outdoor installation use 2)

617009	H2227	AKM-LSM	Andiron Kit, Mission
617010	H2228	AKC-LSM	Andiron Kit, Classic

##### Common Accessories

617578	80L42	FDVS	Decorative Volcanic Stone
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
617070	H8312	PGE	Platinum Glowing Embers
617071	H7951	GCK-NP-LSM40ST	Electronic, Natural to Propane (SIT)
C621000	H7952	GCK-PN-LSM40ST	Electronic, Propane to Natural (SIT)

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN

### ARIES CD33

The Aries Contemporary direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>33" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
C621000	F1672	AriesCD33TMN	33" DV, Contemporary Millivolt, Top Vent	NG	12,000
C621000	F1673	AriesCD33TMP	33" DV, Contemporary Millivolt, Top Vent	LP	10,000
C621000	F1674	AriesCD33TEN	33" DV, Contemporary Elec Top Vent	NG	12,000
C621000	F1734	AriesCD33TEP	33" DV, Contemporary Elec Top Vent	LP	10,000
C621000	F1678	AriesCD33RMN	33" DV, Contemporary Millivolt, Rear Vent	NG	12,000
C621000	F1679	AriesCD33RMP	33" DV, Contemporary Millivolt, Rear Vent	LP	10,000
C621000	F1680	AriesCD33REN	33" DV, Contemporary Elec Rear Vent	NG	12,000
C621000	F1736	AriesCD33REP	33" DV, Contemporary Elec Rear Vent	LP	10,000

#### Optional Accessories

##### Glass Media Kits

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

##### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

##### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	On/Off Wall switch Kit

##### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural

##### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### ARIES CD35

The Aries Contemporary direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
639724	F1684	AriesCD35TMN	35" DV Contemporary Millivolt, Top Vent	NG	14,000
C621000	F1685	AriesCD35TMP	35" DV Contemporary Millivolt, Top Vent	LP	12,000
639726	F1686	AriesCD35TEN	35" DV Contemporary Elec, Top Vent	NG	14,000
C621000	F1738	AriesCD35TEP	35" DV Contemporary Elec, Top Vent	LP	12,000
639730	F1690	AriesCD35RMN	35" DV Contemporary Millivolt, Rear Vent	NG	14,000
C621000	F1691	AriesCD35RMP	35" DV Contemporary Millivolt, Rear Vent	LP	12,000
639732	F1692	AriesCD35REN	35" DV Contemporary Elec, Rear Vent	NG	14,000
C621000	F1740	AriesCD35REP	35" DV Contemporary Elec, Rear Vent	LP	12,000

### Optional Accessories

#### Glass Media Kits

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640370	F1771	GCKSMF042P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1769	GCKSMF076N	Conversion Kit, Millivolt, Propane to Natural
640371	F1773	GCKSEF042P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1767	GCKSEF076N	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### ARIES CD40

The Aries Contemporary direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Aries Direct-Vent Fireplace, Top or Rear Vent</b>					
639736	F1696	AriesCD40TMN	40" DV Contemporary, Millivolt, Top Vent	NG	16,000
C621000	F1697	AriesCD40TMP	40" DV Contemporary, Millivolt, Top Vent	LP	15,000
639738	F1698	AriesCD40TEN	40" DV Contemporary, Elec, Top Vent	NG	16,000
C621000	F1742	AriesCD40TEP	40" DV Contemporary, Elec, Top Vent	LP	15,000
639742	F1702	AriesCD40RMN	40" DV Contemporary, Millivolt, Rear Vent	NG	16,000
C621000	F1703	AriesCD40RMP	40" DV Contemporary, Millivolt, Rear Vent	LP	15,000
639744	F1704	AriesCD40REN	40" DV Contemporary, Elec, Rear Vent	NG	16,000
C621000	F1744	AriesCD40REP	40" DV Contemporary, Elec, Rear Vent	LP	15,000

### Optional Accessories

#### Glass Media Kits

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
640372	F1772	GCKSMF046P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1770	GCKSMF078N	Conversion Kit, Millivolt, Propane to Natural
640373	F1774	GCKSEF078N	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1768	GCKSEF046P	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### ARIES CD45

The Aries Contemporary direct-vent combines beauty, efficiency and value. A clean faced heat-circulating design with a beautiful flame that rises through black crushed glass media. Top and rear dedicated flue models, a new compact horizontal termination, and a choice of millivolt or electronic controls. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standards. PFS report F13-94

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Aries Direct-Vent Fireplace, Top/Rear Combo</b>					
C621000	F1708	AriesCD45DMN	45" DV Contemporary, Millivolt Top/rear Vent	NG	20,000
C621000	F1709	AriesCD45DMP	45" DV Contemporary, Millivolt, Top/Rear Vent	LP	19,000
C621000	F1710	AriesCD45DEN	45" DV Contemporary, Elec, Top/Rear Vent	NG	20,000
C621000	F1746	AriesCD45DEP	45" DV Contemporary, Elec Top/Rear Vent	LP	19,000

### Optional Accessories

#### Glass Media Kits

617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

#### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

#### Wall and Remote Control Kits

618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall mount 4 button timer 30/60/120 minute
640335	H8864	WS-S-STAT	Wall Switch, Thermostat
640003	80L41	FRS	Rocker Switch – On/Off
C621000	85L87	FWSK	On/Off Wall switch Kit

#### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F1897	GCKSMF052P	Conversion Kit, Millivolt, Natural to Propane
C621000	F1895	GCKSMF086N	Conversion Kit, Millivolt, Propane to Natural
C621000	F1896	GCKSEF052P	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F1894	GCKSEF086N	Conversion Kit, Electronic Ignition, Propane to Natural

#### Termination Kits

640151	F1797	SV45HTKCT	Compact Termination SV4.5
640152	F1798	SV45HTKCT20	Compact Termination SV4.5 20" w shield
640153	F1799	SFKIT18CT	Flex Compact Term w 18" compressed vent
640367	F1800	SFKIT24CT	Flex Compact Term w 24" compressed vent
640368	F1801	SFKIT36CT	Flex Compact Term w 36" compressed vent
640369	F1802	SFKIT48CT	Flex Compact Term w 48" compressed vent
640155	F1803	SF45HTKCT	Compact Termination Secure Flex

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### GEMINI CD35

The Gemini contemporary direct-vent combines elegance with performance. A modern design that features a two-piece façade, platinum glass media and black reflective porcelain liners that enhance the glowing flame. The heat-circulating design features a modulating valve with mounted switch controls for on/off and high/low flame operation. All models are equipped with combination top/rear flue, electronic controls and a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Gemini CD Direct-Vent Fireplace Top/Rear Combo</b>					
639722	F2457	GeminiCD35DEN	35" DV, Contemporary Elec, Top/Rear Vent	NG	16,000
<b>Required Accessories (Ordered Separately)</b>					
<i>Façades (Order 1 Base and 1 Panel)</i>					
640213	F2460	FBBK35CD	35" Façade Base – Black		
640214	F2461	FBSS35CD	35" Façade Base – Stainless		
640215	F2464	FPBK35CD	35" Façade Panel – Black		
640216	F2465	FPSS35CD	35" Façade Panel – Stainless		
<b>Optional Accessories</b>					
<i>Glass Media Kits</i>					
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black		
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue		
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum		
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger		
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper		
<i>Contemporary Accessories</i>					
640295	F2487	DRFTWD-GS	Driftwood Log Set – Gulf Shores		
618564	H7536	MTRS	Tumbled River Stone		
<i>Blower Kits</i>					
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch		
<i>Remote Control Kit</i>					
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
<i>Common Accessories</i>					
C621000	F2492	GCKSKT5655NP	Conversion Kit, Electronic Ignition, Natural to Propane		
C621000	F2494	GCKSKT4847PN	Conversion Kit, Electronic Ignition, Propane to Natural		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### GEMINI CD40

The Gemini contemporary direct-vent combines elegance with performance. A modern design that features a two-piece façade, platinum glass media and black reflective porcelain liners that enhance the glowing flame. The heat-circulating design features a modulating valve with mounted switch controls for on/off and high/low flame operation. All models are equipped with combination top/rear flue, electronic controls and a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Gemini CD Direct-Vent Fireplace Top/Rear Combo</b>					
639723	F2459	GeminiCD40DEN	40" DV, Contemporary Elec, Top/Rear Vent	NG	20,000

#### Required Accessories (Ordered Separately)

##### Façades (Order 1 Base and 1 Panel)

640217	F2462	FBBK40CD	40" Façade Base – Black
640218	F2463	FBSS40CD	40" Façade Base – Stainless
640219	F2466	FPBK40CD	40" Façade Panel – Black
640220	F2467	FPSS40CD	40" Façade Panel – Stainless

#### Optional Accessories

##### Glass Media Kits

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

##### Contemporary Accessories

640295	F2487	DRFTWD-GS	Driftwood Log Set – Gulf Shores
618564	H7536	MTRS	Tumbled River Stone

##### Blower Kits

617548	80L84	FBK-100	Standard Single Speed
617550	80L85	FBK-200	Variable Speed with Wall Switch
617552	80L86	FBK-250	Variable Speed with Thermo Snap Switch

##### Remote Control Kit

618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
--------	-------	-----------	--

##### Common Accessories

C621000	F2621	GCKSKT5555NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2493	GCKSKT4447PN	Conversion Kit, Electronic Ignition, Propane to Natural

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

#### SCORPIO CD35

The Scorpio contemporary direct-vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>35" Scorpio CD Direct-Vent Fireplace, Top/Rear Combo</b>					
639719	F3009	ScorpioCD35DEN-B	35" DV Contemporary Elec, Top/Rear	NG	20,000
C621000	F3010	ScorpioCD35DEP-B	35" DV Contemporary Elec, Top/Rear	LP	19,000

#### Optional Accessories

##### Glass Media Kits

C621000	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles – Amber
C621000	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles – Blue
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles – Green

##### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2621	GCK-SKT5555NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2702	GCK-SKT4442PN	Conversion Kit, Electronic Ignition, Propane to Natural

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

#### SCORPIO CD40

The Scorpio contemporary direct-vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Scorpio CD Direct-Vent Fireplace, Top/Rear Combo</b>					
C621000	F3011	ScorpioCD40DEN-B	40" DV Contemporary Elec, Top/Rear	NG	24,000
C621000	F3012	ScorpioCD40DEP-B	40" DV Contemporary Elec, Top/Rear	LP	22,000

#### Optional Accessories

##### Glass Media Kits

C621000	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles – Amber
C621000	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles – Blue
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles – Green

##### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2705	GCK-SKT5450NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2703	GCK-SKT4242PN	Conversion Kit, Electronic Ignition, Propane to Natural

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### SCORPIO CD45

The Scorpio contemporary direct-vent combines elegance, efficiency and performance. A clean faced heat-circulating design with the following standard features: combination top/rear flue, captivating flame appearance, reflective clear glass media, black reflective porcelain liner kit, multi-level interior lighting, ceramic glass, full function remote and variable speed blower. The standard electronic IPI ignition system features seamless battery back-up and can be operated in a continuous pilot mode. All models are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 CAN/CGA 2.17-M91 standards. PFS report F13-094

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Scorpio CD Direct-Vent Fireplace, Top/Rear Combo</b>					
C621000	F3013	ScorpioCD45DEN-B	45" DV Contemporary Elec, Top/Rear	NG	28,000
C621000	F3014	ScorpioCD45DEP-B	45" DV Contemporary Elec, Top/Rear	LP	26,000

#### Optional Accessories

##### Glass Media Kits

C621000	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles – Amber
C621000	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles – Blue
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles – Green

##### Common Accessories

640128	F1881	SCITPSAB	Touch up paint firebox interior
640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	F2706	GCK-SKT5350NP	Conversion Kit, Electronic Ignition, Natural to Propane
C621000	F2704	GCK-SKT3842PN	Conversion Kit, Electronic Ignition, Propane to Natural

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### MONTEBELLO DLXCD40

The Montebello DLXCD40 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that are enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. PFS (F14-106)

Uses 8" / 11" Secure Vent™ Rigid Direct-Vent Components

Power Vent Unit Uses 4.5"/ 7.5" Secure Vent™ Rigid Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" Montebello DLX Direct-Vent Fireplace, Top Vent, Front View, Louverless</b>					
C621000	F2202	Montebello DLXCD40TEN	40" DV, Electronic, Contemp Burner	NG	50,000
C621000	F2206	Montebello DLXCD40TEP	40" DV, Electronic, Contemp Burner	LP	50,000
C621000	F2218	Montebello DLXCD40TYE	40" DV, Elec, Contemp Burner, Power Vent	NG	42,000

#### Optional Accessories

*Glass Media Kits (Contemporary Burners require purchase of 1 Glass Media Kit)*

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

*Power Vent Kit (for use on F2218 only)*

617064	H7920	LSMPVK	Power Vent Kit
--------	-------	--------	----------------

*Freestanding Screen Kits*

617067	H5051	DASK-LSM40-2	Dual Arch Screen Kit
616874	H5052	SK-LSM40-2	Classic Screen Kit

*Andirons*

617009	H2227	AKM-LSM	Andiron Kit, Mission
617010	H2228	AKC-LSM	Andiron Kit, Classic

*Common Accessories*

640129	F1882	SCTPSAB	Touch up paint powder coat exterior
617280	H8668	GCK-MDLX40NP	NG to LP Gas Conversion Kit
C621000	H8670	GCK-MDLX40PN	LP to NG Gas Conversion Kit

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY FRONT OPEN (cont'd)

### MONTEBELLO DLXCD45

The Montebello DLXCD45 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50b-2005 and CSA 2.22b-2005 & CAN/CGA 2.17-M91 standards. PFS (F14-106)

Uses 8" / 11" Secure Vent™ Rigid Direct-Vent Components

Power Vent Unit Uses 4.5" / 7.5" Secure Vent™ Rigid Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>45" Montebello DLX Direct-Vent Fireplace, Top Vent, Front View, Louverless</b>					
C621000	F2205	Montebello DLXCD45TEN	45" DV, Contemporary Burner	NG	57,000
C621000	F2207	Montebello DLXCD45TEP	45" DV, Contemporary Burner	LP	56,000
C621000	F2219	Montebello DLXCD45TYE	45" DV, Contemporary Burner, Power Vent	NG	48,000

#### Optional Accessories

*Glass Media Kits (Contemporary Burners require purchase of 1 Glass Media Kit)*

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

*Power Vent Kit (for use on F2219 only)*

617064	H7920	LSMPVK	Power Vent Kit
--------	-------	--------	----------------

*Freestanding Screen Kits*

616878	H5054	DASK-LSM45-2	Dual Arch Screen Kit
616880	H5055	SK-LSM45-2	Classic Screen Kit

*Andirons*

617009	H2227	AKM-LSM	Andiron Kit, Mission
617010	H2228	AKC-LSM	Andiron Kit, Classic

*Common Accessories*

640129	F1882	SCTPSAB	Touch up paint powder coat exterior
C621000	H8671	GCK-MDLX45PN	LP to NG Gas Conversion Kit
617300	H8669	GCK-MDLX45NP	NG to LP Gas Conversion Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY LINEAR

### SIRIUS 42

The Sirius 42 fireplace brings together the latest in technology and design to provide the ultimate in versatility. Its glossy, smooth porcelain interior showcases a mesmerizing band of flames, produced with advanced Infini-Flame™ technology for energy-efficient warmth. An array of contemporary media and surround options provides a sleek and stylish appearance that can be customized. All units are equipped with a standard barrier that meets 2015 requirements, and are configured for a clean face applications.

Agency Listing: ANSI Z21.88, CSA 233 – PFS (F14-108)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Linear Direct-Vent Fireplace</b>					
617211	F2241	Sirius42TEN	42" Linear	NG	22,000
C621000	F2243	Sirius42TEP	42" Linear	LP	20,000
<b>Optional Accessories</b>					
<i>Surrounds</i>					
640374	F2261	SURRL42B	42" Surround, Black		
640375	F2263	SURRL42BS	42" Surround, Stainless Matte		
C621000	F2665	SURRL42BD	42" Surround, Black Added Depth		
C621000	F2667	SURRL42BSD	42" Surround, Stainless Added Depth		
<i>Glass Media Kits</i>					
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black		
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue		
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum		
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger		
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper		
<i>Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
<i>Common Accessories</i>					
C621000	85L87	FWSK	Wall Switch Kit, White		
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
C621000	H8705	GCK-LDV42PN	LP to NG Conversion Kit		
C621000	H8706	GCK-LDV42NP	NG to LP Conversion Kit		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY LINEAR (cont'd)

### SIRIUS 54

The Sirius 54 fireplace brings together the latest in technology and design to provide the ultimate in versatility. Its glossy, smooth porcelain interior showcases a mesmerizing band of flames, produced with advanced Infi-Flame™ technology for energy-efficient warmth. An array of contemporary media and surround options provides a sleek and stylish appearance that can be customized. All units are equipped with a standard barrier that meets 2015 requirements, and are configured for a clean face applications.

Agency Listing: ANSI Z21.88, CSA 233 – PFS (F14-108)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>54" Linear Direct-Vent Fireplace</b>					
639763	F2245	Sirius54TEN	54" Linear	NG	30,000
C621000	F2247	Sirius54TEP	54" Linear	LP	30,000
<b>Optional Accessories</b>					
<i>Surrounds</i>					
640378	F2260	SURRL54B	54" Surround, Black		
640379	F2262	SURRL54BS	54" Surround, Stainless Matte		
C621000	F2664	SURRL54BD	54" Surround, Black Added Depth		
C621000	F2666	SURRL54BSD	54" Surround, Stainless Added Depth		
<i>Glass Media Kits</i>					
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black		
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue		
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum		
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger		
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper		
<i>Remote Control Kits</i>					
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
<i>Common Accessories</i>					
C621000	85L87	FWSK	Wall Switch Kit, White		
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
617548	80L84	FBK-100	Standard Single Speed		
617550	80L85	FBK-200	Variable Speed with Wall Switch		
C621000	H8701	GCK-LDV54PN	LP to NG Conversion Kit		
640462	H8702	GCK-LDV54NP	NG to LP Conversion Kit		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY LINEAR (cont'd)

### VENICE LIGHTS

The Venice Lights has a 43" opening and comes with clear smooth glass pebbles. Dancing yellow flames are amplified against the glossy black porcelain coated interior walls. Illuminate without the flame using bottom accent lighting. Operate the electronic ignition system with the included deluxe remote control. Customize your unit with glass pebbles in several attractive colors. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>43" Linear Direct-Vent Fireplace</b>					
639716	F1497	VeniceLightsTEN	43" DV, Electronic Ignition	NG	22,000-35,000
C621000	F1498	VeniceLightsTEP	43" DV, Electronic Ignition	LP	24,000-33,000
<b>Optional Accessories</b>					
<i>See-Through Door Conversion</i>					
640384	F2312	LDSTIB	Linear Direct Vent See-Thru Conversion Kit		
640385	F2313	LSDSTOB	Linear Direct Vent Indoor/Outdoor See-Thru Upgrade		
<i>Glass Media Kits</i>					
C621000	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles – Amber		
C621000	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles – Blue		
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles – Green		
640122	F1101	GP43C	6.0 lb. Bag Smooth Glass Pebbles – Clear		
<i>Façades</i>					
640294	F1036	DFT43B	Decorative Face Trim, Black		
C621000	F1037	DFT43AS	Decorative Face Trim, Aged Silver		
C621000	F1038	DFT43AC	Decorative Face Trim, Aged Copper		
<i>Common Accessories</i>					
C621000	F1980	PCDQ-43LDV	NG to LP Gas Conversion Kit		
C621000	F1981	PCDE-43LDV	LP to NG Gas Conversion Kit		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY LINEAR (cont'd)

### RHAPSODY 42

Linear in design and stunningly multifaceted in effect, the Rhapsody 42 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). Factory installed blower. All units are equipped with a standard barrier that meets 2015 requirements and are configured for a clean face application.

Agency Listing: Built to ANSI Z 21.88 and CSA 2.33 Standards – PFS (F14-108)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Rhapsody Linear Direct-Vent Fireplace, Top Vent, Louverless</b>					
639715	F2239	Rhapsody42TEN	42" DV, Linear, Electronic	NG	19,500-27,000

#### Required Accessories (Ordered Separately)

*Firebox Floor (Designer Floors require purchase of 1 Glass Media Kit)*

617101	H8838	RFK-BLP-RAP42	Reflection Floor, Black Porcelain
617100	H8837	DFK-BLS-RAP42	Designer Floor, Black Satin
617099	H8836	DFK-BLP-RAP42	Designer Floor, Black Porcelain
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

*Panel Kits (Includes back & side; Illusion Panels require purchase of Backlight Kit)*

617098	H8835	NPK-BLS-RAP42	Nake Panel Kit, Black Satin Paint
617097	H8834	NPK-BLP-RAP42	Nake Panel Kit, Black Porcelain
617095	H8832	IPK-CBLKP-RAP42	Illusion Panel Cityscape Black Porcelain
617096	H8833	IPK-MBLKP-RAP42	Illusion Panel Metrocape Black Porcelain
617086	H8866	IPBLK-RAP42	Illusion Panel Backlight Kit

#### Optional Accessories

*Surrounds and Bezels (If Surround is selected, a Bezel option is required)*

640380	F2259	CSB-BLS-RAP42	Surround, Black Satin
640381	F2269	BZLB-BLS RAP42	Bezel, Black Satin
C621000	F2267	BZLB-BLNI RAP42	Bezel, Black Nickel
C621000	F2268	BZLB-BRNI RAP42	Bezel, Brushed Nickel

*Power Vent (requires one of each)*

617020	H7387	LPVK-110	Power Vent Kit
617042	H8574	PVK-RHAP	Power Vent Adapter Kit 54-42

*Common Accessories*

617314	H8540	GCK-RAP42NP	NG to LP Conversion Kit (Incl. orifice and regulator)
--------	-------	-------------	---

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – CONTEMPORARY LINEAR (cont'd)

### RHAPSODY 54

Linear in design and stunningly multifaceted in effect, the Rhapsody 54 offers a sophisticated, energy-efficient and easy-to-install heater rated option for any installation that wants a modern feel. Its expansive viewing area showcases dramatic, wavering flames that is enhanced by a porcelain interior liner kit (3 pcs) and reflective glass media. Customize your unit with optional crushed glass media in several attractive colors. These models include the SIT Pro Flame II control system with seamless battery back-up and full function remote. Power vent model requires use of the power vent kit (purchased separately). Factory installed blower. All units are equipped with a standard barrier that meets 2015 requirements and are configured for a clean face application.

Agency Listing: Built to ANSI Z 21.88 and CSA 2.33 Standards – PFS (F14-108)

Uses 4.5" / 7.5" Secure Vent™ Rigid and Secure Flex™ Direct-Vent Components

Item #	Material #	Model #	Description	Fuel	BTU
<b>54" Rhapsody Linear Direct-Vent Fireplace, Top Vent, Louverless</b>					
C621000	F2237	Rhapsody54TEN	54" DV, Linear, Electronic	NG	26,000-37,000

#### Required Accessories (Ordered Separately)

*Firebox Floor (Designer Floors require purchase of 1 Glass Media Kit)*

617036	H8425	RFK-BLP-RAP54	Reflection Floor, Black Porcelain
617037	H8426	DFK-BLS-RAP54	Designer Floor, Black Satin
617038	H8427	DFK-BLP-RAP54	Designer Floor, Black Porcelain
617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

*Panel Kits (Includes back & side; Illusion Panels require purchase of Backlight Kit)*

617034	H8423	NPK-BLS-RAP54	Nake Panel Kit, Black Satin Paint
617033	H8422	NPK-BLP-RAP54	Nake Panel Kit, Black Porcelain
617031	H8420	IPK-CBLKP-RAP54	Illusion Panel Cityscape Black Porcelain
617032	H8421	IPK-MBLKP-RAP54	Illusion Panel Metroscape Black Porcelain
617039	H8429	IPBLK-RAP54	Illusion Panel Backlight Kit

#### Optional Accessories

*Surrounds and Bezels (If Surround is selected, a Bezel option is required)*

640382	F2256	CSB-BLS-RAP54	Surround, Black Satin
640383	F2266	BZLB-BLS RAP54	Bezel, Black Satin
C621000	F2264	BZLB-BLNI RAP54	Bezel, Black Nickel
C621000	F2265	BZLB-BRNI RAP54	Bezel, Brushed Nickel

*Power Vent (requires one of each)*

617020	H7387	LPVK-110	Power Vent Kit
617042	H8574	PVK-RHAP	Power Vent Adapter Kit 54-42

*Common Accessories*

617314	H8540	GCK-RAP42NP	NG to LP Conversion Kit (Incl. orifice and regulator)
--------	-------	-------------	---

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – DIRECT VENT SYSTEMS

### SECURE VENT™ 4.5/7.5 VENT SYSTEM

Item #	Material #	Model #	Description
<b>Secure Vent™ 4.5/7.5 Rigid Vent System</b>			
601800	77L70	SV4.5L6	6" Rigid DV Vent
601801	77L71	SV4.5L12	12" Rigid DV Vent
601803	77L72	SV4.5L24	24" Rigid DV Vent
601804	77L73	SV4.5L36	36" Rigid DV Vent
601805	77L74	SV4.5L48	48" Rigid DV Vent
601808	77L75	SV4.5LA	Adjustable Length Slip Section (2" – 7.5") – rigid
601810	77L76	SV4.5E45	45 Degree Elbow
601811	77L77	SV4.5E90	90 Degree Elbow
601814	77L78	SV4.5F	Roof Flashing – Flat
601815	77L79	SV4.5FA	Roof Flashing 1/12 – 7/12 Pitch
601816	77L80	SV4.5FB	Roof Flashing 7/12 – 12/12 Pitch
601818	77L81	SV4.5SC6	Storm Collars (6 pieces)
C621000	H6183	SV4.5HF5	Horizontal Spacer, Rigid, each
C621000	H2246	SV4.5HF – 10	Horizontal Firestop (Rigid) – 10 Pack
C621000	F2567	SV4.5VFS	Vertical Firestop (Rigid), each
C621000	H2247	SV4.5VF – 10	Vertical Firestop (Rigid) – 10 Pack.
601848	96K92	SV4.5SP	Support Plate
601844	96K93	SV4.5SU	Support Strap
C621000	H5816	SV4.5TWSK10	Through Wall Shield, 10 pack
601847	H3907	SV4.5RSA	Attic Insulation Radiation Shield
<i>Termination Kits (Includes termination, adapter and firestop)</i>			
601849	H1968	SV4.5HT-2	Horizontal Termination Kit
618516	H8914	SV4.5TK90HT2	Horizontal Termination Kit HT2 Includes SV4.5 90 Elbow
618517	H8915	SV4.5TK90SS	Horizontal Termination Kit, Small Square, Includes SV4.5 90 Elbow
601851	H2152	SV4.5GV-1	Vertical Termination, High Wind
C621000	F2568	SV4.5GV-1-SC	Vertical Termination, with Storm Collar
618516	H8914	SV4.5TK90HT2	Horizontal Termination Kit HT2 Includes SV4.5 90 Elbow
618517	H8915	SV4.5TK90SS	Horizontal Termination Kit, Small Square, Includes SV4.5 90 Elbow
601878	99L03	SV4.5HRK36	Horizontal Riser Kit, 36"
601875	99L02	SV4.5HRK14	Horizontal Riser Kit, 14"
<i>94L10 and H5817 Not for use on all models, refer to appliance installation manual</i>			
601874	94L10	SV4.5HTSS	Horizontal Termination – Small Square
601853	H5817	SV4.5-20SSWSK	Small, Square Termination, 20" w/Shield
<b>Secure Flex™ Flexible Vent System</b>			
601830	77L87	SFKIT12	Flex Square Termination with 12" Compressed Flex Vent
601832	77L88	SFKIT18	Flex Square Termination with 18" Compressed Flex Vent
601834	77L89	SFKIT24	Flex Square Termination with 24" Compressed Flex Vent
601836	77L90	SFKIT36	Flex Square Termination with Compressed Flex Vent
601838	77L91	SFKIT48	Flex Square Termination with Compressed Flex Vent
601876	56L74	SFVT30	Vertical Termination for Flex Vent- (Flat to 6/12)
601877	56L75	SFVT45	Vertical Termination for Flex Vent- (6/12 to 12/12)
601820	98K03	SF-12	12' Compressed Flex Vent
601822	60L10	SF-18	18' Compressed Flex Vent
601856	H1969	SF4.5HT-2	Horizontal Termination Kit
C621000	H2248	SF4.5HF-10	Horizontal Firestop (Flex) – 10 Pack
C621000	H2249	SF4.5VF-10	Vertical Firestop (Flex) – 10 pack
C621000	H6184	SF4.5HF5	Firestop Spacer, 5", Flex
C621000	H7748	FVK36	Flex Connector Kit
C621000	F3191	SF4.5ADAPTERKIT	SV4.5 to SF to SV Adapter Kit

(Cont'd on next page)

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



## ASTRIA FIREPLACES AND CHIMNEY

### DIRECT VENT GAS FIREPLACES – DIRECT VENT SYSTEMS (cont'd)

#### SECURE VENT™ 4.5/7.5 VENT SYSTEM (cont'd)

Item #	Material #	Model #	Description
<b>Secure Flex™ Flexible Vent System (cont.)</b>			
<i>These terminations not for use on all models, refer to appliance installation manual.</i>			
618384	94L04	SFKIT12SS	Flex Small Termination w/ 12" Flex Vent
618386	94L05	SFKIT18SS	Flex Small Termination w/ 18" Flex Vent
618390	94L06	SFKIT24SS	Flex Small Termination w/ 24" Flex Vent
618394	94L07	SFKIT36SS	Flex Small Termination w/ Flex Vent
618400	94L08	SFKIT48SS	Flex Small Termination w/ Flex Vent
601858	94L09	SF-HTSS	Horizontal Termination – Small Square for Flex Vent

#### Universal Vent Components (Rigid or Flex)

C621000	10K81	SFMP	Mill Pak
C621000	91L66	SF-GC4.6	Gear Clamp – 4.5" flex (6 pieces)
C621000	91L67	SF-GC7.6	Gear Clamp – 7.5" flex (6 pieces)
601854	H5820	SV4.5-HTSK	Shroud Kit, Horizontal Termination
C621000	87L02	SV4.5HGS	Termination Guard Kit
617763	17M52	SV4.5HGS-1	Termination Guard Kit

### SECURE VENT™ 8/11 VENT SYSTEM

#### Secure Vent™ 8/11 Rigid Vent System

601890	H2250	SV8L6	6" Rigid DV Vent
601891	H2251	SV8L12	12" Rigid DV Vent
601892	H2252	SV8L24	24" Rigid DV Vent
601893	H2253	SV8L36	Rigid DV Vent
601894	H2254	SV8L48	Rigid DV Vent
601895	H2255	SV8LA	Telescopic Section
601896	H2256	SV8E45	45 Degree Elbow
601897	H2257	SV8E90	90 Degree Elbow
601899	H2258	SV8FA	Roof Flashing 1/12-7/12
601900	H2259	SV8FB	Roof Flashing 7/12-12/12
601898	H3236	SV8F	Roof Flashing, Flat
601902	H2260	SV8HF	Horizontal Firestop
601903	H2261	SV8BF	Vertical Firestop
601904	H2262	SV8SU	Support Strap
601905	H2263	SV8SP	Support Plate
601901	H3237	SV8SC6	Storm Collar, 6 Pack
601906	H3908	SV8ARSA	Attic Insulation Radiation Shield
601907	H2265	SV8VTR	Vertical Termination
601908	H2266	SV8HTR	Horizontal Termination

# ASTRIA FIREPLACES AND CHIMNEY

## DIRECT VENT GAS FIREPLACES – DIRECT VENT SYSTEMS (cont'd)

### 5" – 8"

Item #	Material #	Model #	Description
<b>5" – 8" Direct-Vent Coaxial Chimney</b>			
640544	J2209	P58-6	6" Section Double Wall Pipe – Galvanized
640536	J2201	P58-12	12" Section Double Wall Pipe – Galvanized
640538	J2203	P58-24	24" Section Double Wall Pipe – Galvanized
640540	J2205	P58-36	36" Section Double Wall Pipe – Galvanized
640542	J2207	P58-48	48" Section Double Wall Pipe – Galvanized
640526	J2082	PA58-712	Adjustable 7" – 12" Section Double Wall Pipe – Galvanized
640532	J2149	PF58-927	17.5" – 35.5" Section Flex Pipe
640530	J2147	PF58-1236	20.5" – 44.5" Section Flex Pipe
640531	J2148	PF58-1854	26.5" – 62.5" Section Flex Pipe
640522	J2041	OSR58-30	30 degree Offset and Return
640488	J0661	E58-45	45 degree Elbow – Galvanized
640489	J0663	E58-90	90 degree Elbow – Galvanized
640578	J3023	VKGR-58	Ground Floor Vent Kit (Rear Vent Cottage Only)
640576	J3021	VKG-58	Ground Floor Vent Kit
640570	J2989	VKB-58	Basement Vent Kit
640584	J3030	VKS-58	Snorkel Vent Kit
640581	J3027	VKRT-58	Roof Vent Kit (Top Vent Cottage Only)
640580	J3026	VKR-58	Roof Vent Kit
640572	J2991	VKC-58	Corner Vent Kit
640518	J1504	HTS-58	Horizontal Square Termination – Galvanized
640592	J3190	VT-58	Vertical Round Termination – Galvanized
640566	J2329	ST-58-14	14" Snorkel Termination – Galvanized
640567	J2330	ST-58-36	36" Snorkel Termination – Galvanized
640510	J1484	HHTK-58	Horizontal Round Hi-Wind Termination Kit
640516	J1501	HTKS-58	Horizontal Square Termination Kit
640291	J0230	CAK-58	Cold Air Kit (for Citadel II Only)
640562	J2300	SC-58	Storm Collar – Galvanized
640610	J3479	WF-58	Wall Firestop – Galvanized
640498	J0996	FTA-58	Firestop Thimble Kit
640550	J2251	RF-58-6	Roof Flashing – 0 to 6/12 Pitch – Galvanized
640548	J2249	RF-58-12	Roof Flashing – 6/12 to 12/12 Pitch – Galvanized
640588	J3134	VR-58	Vertical Restrictor – Galvanized
640556	J2292	S-58	Vinyl Siding Standoff – Galvanized
640614	J3483	WS-58	Wall Strap
640484	J0373	CS-58	Cathedral Ceiling Support
640494	J0953	FP-58	Firestop Plate
640564	J2316	SF-58	Stucco Flashing – For Use with HTS-58

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## B-VENT FIREPLACES – TRADITIONAL FRONT OPEN

### MISSION 36

The full size Mission B-Vent fireplace features an impressive, multidimensional refractory log arrangement and deep glowing ember bed. A "U" tube dual burner provides random, dancing yellow flames and real wood-fire ambiance. Unit ships smooth faced and includes hidden screen pockets, easy access flue damper and safety shut-off switch and choice of refractory below.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses 6" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" B-Vent Fireplace, Natural Gas, Smooth Face</b>					
C621000	F0857	Mission36TMN	36" MV, Black Interior	NG	40,000
C621000	F0859	Mission36TMN	36" MV, White Stacked Refractory Panels	NG	40,000
C621000	F0861	Mission36TMN	36" MV, White Herringbone Refractory Panels	NG	40,000
C621000	F0858	Mission36TEN	36" Elec, Black Interior	NG	40,000
C621000	F0860	Mission36TEN	36" Elec, White Stacked Refractory Panels	NG	40,000
C621000	F0862	Mission36TEN	36" Elec, White Herringbone Refractory Panels	NG	40,000

### Optional Accessories

#### Glass Doors

640037	F0981	BD36	36" Standard Bi-Fold Glass Door, Black
C621000	F0982	BD36B	36" Standard Bi-Fold Glass Door, Brushed Brass
C621000	F0983	BD36P	36" Standard Bi-Fold Glass Door, Platinum
640047	F0996	FD36	36" Fixed Glass Door, Black Finish
640048	F0997	FD36B	36" Fixed Glass Door, Brushed Brass Finish
C621000	F0998	FD36P	36" Fixed Glass Door, Platinum Finish

#### Wall and Remote Control Kits

618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
C621000	F1080	WRC	Standard Electronic On/Off Remote Control Kit
C621000	F0245	GWMS2	On/Off Wall Switch Kit

#### Fuel Conversion Kits

640408	F1122	PCBM-36	36" Mission : Millivolt – NG to LP
640410	F1124	PCBE-36	36" Mission : Electronic Ignition – NG to LP

#### Perimeter Trim Kits

640086	F1042	PT36	36" Perimeter Trim Kit – Black
C621000	F1044	PT36P	36" Perimeter Trim Kit – Platinum

#### Outside Combustion Air Kits

640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

# ASTRIA FIREPLACES AND CHIMNEY

## B-VENT FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### MISSION 42

The full size Mission B-Vent fireplace features an impressive, multidimensional refractory log arrangement and deep glowing ember bed. A "U" tube dual burner provides random, dancing yellow flames and real wood-fire ambiance. Unit ships smooth faced and includes hidden screen pockets, easy access flue damper and safety shut-off switch and choice of refractory below.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses 6" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" B-Vent Fireplace, Natural Gas, Smooth Face</b>					
C621000	F0863	Mission42TMN	42" MV, Black Interior	NG	45,000
C621000	F0865	Mission42TMN	42" MV, White Stacked Refractory Panels	NG	45,000
C621000	F0867	Mission42TMN	42" MV, White Herringbone Refractory Panels	NG	45,000
C621000	F0864	Mission42TEN	42" Elec, Black Interior	NG	45,000
C621000	F0866	Mission42TEN	42" Elec, White Stacked Refractory Panels	NG	45,000
C621000	F0868	Mission42TEN	42" Elec, White Herringbone Refractory Panels	NG	45,000

### Optional Accessories

#### Glass Doors

C621000	F0984	BD42	42" Standard Bi-Fold Glass Door, Black finish
C621000	F0985	BD42B	42" Standard Bi-Fold Glass Door, Brushed Brass finish
C621000	F0986	BD42P	42" Standard Bi-Fold Glass Door, Platinum finish
640050	F0999	FD42	42" Fixed Glass Door, Black finish
640051	F1000	FD42B	42" Fixed Glass Door, Brushed Brass finish
C621000	F1001	FD42P	42" Fixed Glass Door, Platinum finish

#### Wall and Remote Control Kits

618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
C621000	F1080	WRC	Standard Electronic On/Off Remote Control Kit
C621000	F0245	GWMS2	On/Off Wall Switch Kit

#### Fuel Conversion Kits

640412	F1126	PCBM-42	42" Mission : Millivolt – NG to LP
640414	F1128	PCBE-42	42" Mission : Electronic Ignition – NG to LP

#### Perimeter Trim Kits

640089	F1045	PT42	42" Perimeter Trim Kit – Black
C621000	F1047	PT42P	42" Perimeter Trim Kit – Platinum

#### Outside Combustion Air Kits

640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### B-VENT FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

#### RAPTURE 36

The Rapture 36 vented gas fireplace uses the Mosaic Masonry™ authentic firebrick wall system. Fully unitized ember bed ramp burner and log module feature a low profile. Includes hand forged andirons, full insulation and decorative mesh pull screens. Fireplace chassis and burner modules and brick liners are sold separately.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses Standard 8" Wood-Burning Pipe or Locally Sourced 8" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Masonry B-Vent Fireplace (Luxury Series)</b>					
639757	F0793	Rapture36	36" B-Vent Gas Chassis		
<b>Required Accessories (Ordered Separately)</b>					
<i>Burner/Log Module (Order One)</i>					
639755	F0796	GTA36TEN	Rapture 36" BV Burner Log Module	NG	53,000
C621000	F0797	GTA36TEP	Rapture 36" BV Burner Log Module	LP	52,000
<i>Mosaic Masonry Firebrick Wall Systems</i>					
C621000	F0802	Mosiac36M4	Split Stacked Warm Red Masonry Firebrick Walls		
C621000	F0803	Mosiac36M5	Split Herringbone Warm Red Masonry Firebrick Walls		
639756	F0804	Mosiac36M4	Split Stacked Ivory Masonry Firebrick Walls		
C621000	F0805	Mosiac36M5	Split Herringbone Ivory Masonry Firebrick Walls		
<i>Transition Collar</i>					
640677	F0930	BTC-8	"B" Vent Transition Collar – 8" Chimney		
<b>Optional Accessories</b>					
<i>Glass Doors (For use with Mosaic Brick Only)</i>					
640062	F1011	BDMO36E	36" Mosaic Masonry Bi-Fold Door, Ebony Finish		
C621000	F1012	BDMO36G	36" Mosaic Masonry Bi-Fold Door, Pewter Finish		
C621000	F1013	BDMO36C	36" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

## B-VENT FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### RAPTURE 42

The Rapture 42 vented gas fireplace uses the Mosaic Masonry™ authentic firebrick wall system. Fully unitized ember bed ramp burner and log module feature a low profile. Includes hand forged andirons, full insulation and decorative mesh pull screens. Fireplace chassis and burner modules and brick liners are sold separately.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses Standard 8" Wood-Burning Pipe or Locally Sourced 8" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Masonry B-Vent Fireplace (Luxury Series)</b>					
C621000	F0794	Rapture42	42" B-Vent Gas Chassis		
<b>Required Accessories (Ordered Separately)</b>					
<i>Burner/Log Module (Order One)</i>					
C621000	F0798	GTA42TEN	Rapture 42" BV Burner Log Module	NG	62,000
C621000	F0799	GTA42TEP	Rapture 42" BV Burner Log Module	LP	59,000
<i>Mosaic Masonry Firebrick Wall Systems</i>					
C621000	F0806	Mosiac42M4	Split Stacked Warm Red Masonry Firebrick Walls		
C621000	F0807	Mosiac42M5	Split Herringbone Warm Red Masonry Firebrick Walls		
C621000	F0808	Mosiac42M4	Split Stacked Ivory Masonry Firebrick Walls		
C621000	F0809	Mosiac42M5	Split Herringbone Ivory Masonry Firebrick Walls		
<i>Transition Collar</i>					
640677	F0930	BTC-8	"B" Vent Transition Collar – 8" Chimney		
<b>Optional Accessories</b>					
<i>Glass Doors (For use with Mosaic Brick Only)</i>					
640064	F1014	BDMO42E	42" Mosaic Masonry Bi-Fold Door, Ebony Finish		
C621000	F1015	BDMO42G	42" Mosaic Masonry Bi-Fold Door, Pewter Finish		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## B-VENT FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### RAPTURE 50

The Rapture 50 vented gas fireplace uses the Mosaic Masonry™ authentic firebrick wall system. Fully unitized ember bed ramp burner and log module feature a low profile. Includes hand forged andirons, full insulation and decorative mesh pull screens. Fireplace chassis and burner modules and brick liners are sold separately.

Agency Listing: Built to ANSI Z21.50 – CSA 2.22

Uses Standard 8" Wood-Burning Pipe or Locally Sourced 8" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>50" Masonry B-Vent Fireplace (Luxury Series)</b>					
C621000	F0795	Rapture50	50" B-Vent Gas Chassis		
<b>Required Accessories (Ordered Separately)</b>					
<i>Burner/Log Module (Order One)</i>					
C621000	F0800	GTA50TEN	Rapture 50" BV Burner Log Module	NG	66,000
C621000	F0801	GTA50TEP	Rapture 50" BV Burner Log Module	LP	63,000
<i>Mosaic Masonry Firebrick Wall Systems</i>					
C621000	F0810	Mosiac50M4	Split Stacked Warm Red Masonry Firebrick Walls		
C621000	F0811	Mosiac50M5	Split Herringbone Warm Red Masonry Firebrick Walls		
C621000	F0812	Mosiac50M4	Split Stacked Ivory Masonry Firebrick Walls		
C621000	F0813	Mosiac50M5	Split Herringbone Ivory Masonry Firebrick Walls		
<i>Transition Collar</i>					
640677	F0930	BTC-8	"B" Vent Transition Collar – 8" Chimney		
<b>Optional Accessories</b>					
<i>Glass Doors (For use with Mosaic Brick Only)</i>					
640066	F1020	BDMO50E	50" Mosaic Masonry Bi-Fold Door, Ebony Finish		
C621000	F1021	BDMO50G	50" Mosaic Masonry Bi-Fold Door, Pewter Finish		
C621000	F1022	BDMO50C	50" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish		

## ASTRIA FIREPLACES AND CHIMNEY

### B-VENT FIREPLACES – TRADITIONAL MULTI-SIDED

#### MARIN 40ST

The Marin 40ST radiant see-through B-Vent features a powder coat finish, deluxe split oak log set with burner and a painted black interior and variable flame control valve. Embers, flexible gas connector, volcanic stone, and tempered glass are also included. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.50 Standard. PFS (F14-172)

Uses 6" B-Vent

Item #	Material #	Model #	Description	Fuel	BTU
<b>40" B-Vent Fireplace, See-Through, Radiant</b>					
C621000	F0869	Marin 40STMN	40" BV, See-Through, Millivolt	NG	34,000
<b>Optional Accessories</b>					
<i>Outside Air Kits</i>					
616140	81L87	FOAK-4	Outside Air Kit (4")		
616142	81L88	FOAK-4LD	Outside Air Kit Less Duct (4")		
<i>Remote Control Kits</i>					
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off Or Timer Mode		
<i>Common Accessories</i>					
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White		
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
617578	80L42	FDVS	Decorative Volcanic Stone		
617620	88L53	FGE	Glowing Embers		
640129	F1882	SCTPSAB	Touch up paint powder coat exterior		
C621000	H2198	GCKEBVMNP	Millivolt, Natural to Propane		



## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN

#### CRAFTSMAN 36

The Craftsman wood-burners have realistic white refractory panels in stacked or herringbone patterns. Hidden screen pockets, easy access damper, and gas log ready feature. Added full length nailing flanges, drywall stops and dual access pre-wired "J" boxes. Available in fully insulated models.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace, Radiant and Louvered</b>			
C621000	F0705	Craftsman36P2	36" Radiant White Stacked Refractory
C621000	F0706	Craftsman36P2	36" Radiant Insulated White Stacked Refractory
C621000	F0707	Craftsman36P3	36" Radiant White Herringbone Refractory
C621000	F0708	Craftsman36P2	36" Louvered White Stacked Refractory
640165	F0709	Craftsman36P2	36" Louvered Insulated White Stacked Refractory
C621000	F0710	Craftsman36P3	36" Louvered White Herringbone Refractory
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
640037	F0981	BD36	36" Standard Bi-Fold Glass Door, Black finish
C621000	F0982	BD36B	36" Standard Bi-Fold Glass Door, Brushed Brass finish
C621000	F0983	BD36P	36" Standard Bi-Fold Glass Door, Platinum finish
<i>Blower Kits</i>			
640108	F1083	BK3	3-Blade Fan WB & VF only
640106	F1081	BK	Variable Speed Blower with Manual Control
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### CRAFTSMAN 42

The Craftsman wood-burners have realistic white refractory panels in stacked or herringbone patterns. Hidden screen pockets, easy access damper, and gas log ready feature. Added full length nailing flanges, drywall stops and dual access pre-wired "J" boxes. Available in fully insulated models.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>42" Wood-Burning Fireplace, Radiant and Louvered</b>			
C621000	F0711	Craftsman42P2	42" Radiant White Stacked Refractory
C621000	F0712	Craftsman42P2	42" Radiant Insulated White Stacked Refractory
C621000	F0713	Craftsman42P3	42" Radiant White Herringbone Refractory
C621000	F0714	Craftsman42P2	42" Louvered White Stacked Refractory
C621000	F0715	Craftsman42P2	42" Louvered Insulated White Stacked Refractory
C621000	F0716	Craftsman42P3	42" Louvered White Herringbone Refractory
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
C621000	F0984	BD42	42" Standard Bi-Fold Glass Door, Black finish
C621000	F0985	BD42B	42" Standard Bi-Fold Glass Door, Brushed Brass finish
C621000	F0986	BD42P	42" Standard Bi-Fold Glass Door, Platinum finish
<i>Blower Kits</i>			
640108	F1083	BK3	3-Blade Fan WB & VF only
640106	F1081	BK	Variable Speed Blower with Manual Control
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEORGIAN 36

Georgian models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns. These insulated fireplaces come complete with hidden ash clean out, a rugged steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace</b>			
C621000	F0693	Georgian36	36" Fireplace (Interior selection sold separate)
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry™ Brick</i>			
C621000	F0334	Mosaic36M2	Warm Red Full Stacked
C621000	F0335	Mosaic36M4	Warm Red Split Stacked
C621000	F0336	Mosaic36M2	Ivory Full Stacked
C621000	F0337	Mosaic36M4	Ivory Split Stacked
C621000	F0338	Mosaic36M3	Warm Red Full Herringbone
C621000	F0339	Mosaic36M5	Warm Red Split Herringbone
C621000	F0340	Mosaic36M3	Ivory Full Herringbone
C621000	F0341	Mosaic36M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0358	Estate36P2	Stacked Rust
C621000	F0359	Estate36P2	Stacked Cappuccino
C621000	F0360	Estate36P2	Stacked Creamer
C621000	F0361	Estate36P2	Stacked Gray
C621000	F0362	Estate36P3	Herringbone Rust
C621000	F0363	Estate36P3	Herringbone Cappuccino
C621000	F0364	Estate36P3	Herringbone Creamer
C621000	F0365	Estate36P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry™ only)</i>			
640062	F1011	BDMO36E	36" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1012	BDMO36G	36" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1013	BDMO36C	36" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640053	F1002	BDG36	36" Bi-Fold Door, Black
C621000	F1003	BDG36B	36" Bi-Fold Door, Brushed Brass
C621000	F1004	BDG36P	36" Bi-Fold Door, Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEORGIAN 42

Georgian models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns. These insulated fireplaces come complete with hidden ash clean out, a rugged steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>42" Wood-Burning Fireplace</b>			
C621000	F0694	Georgian42	42" Fireplace (Interior selection sold separate)
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry™ Brick</i>			
C621000	F0342	Mosaic42M2	Warm Red Full Stacked
C621000	F0343	Mosaic42M4	Warm Red Split Stacked
C621000	F0344	Mosaic42M2	Ivory Full Stacked
C621000	F0345	Mosaic42M4	Ivory Split Stacked
C621000	F0346	Mosaic42M3	Warm Red Full Herringbone
C621000	F0347	Mosaic42M5	Warm Red Split Herringbone
C621000	F0348	Mosaic42M3	Ivory Full Herringbone
C621000	F0349	Mosaic42M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0366	Estate42P2	Stacked Rust
C621000	F0367	Estate42P2	Stacked Cappuccino
C621000	F0368	Estate42P2	Stacked Creamer
C621000	F0369	Estate42P2	Stacked Gray
C621000	F0370	Estate42P3	Herringbone Rust
C621000	F0371	Estate42P3	Herringbone Cappuccino
C621000	F0372	Estate42P3	Herringbone Creamer
C621000	F0373	Estate42P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry™ only)</i>			
640064	F1014	BDMO42E	42" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1015	BDMO42G	42" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1016	BDMO42C	42" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640056	F1005	BDG42	42" Bi-Fold Door, Black
C621000	F1006	BDG42B	42" Bi-Fold Door, Brushed Brass
C621000	F1007	BDG42P	42" Bi-Fold Door, Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### GEORGIAN 50

Georgian models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns. These insulated fireplaces come complete with hidden ash clean out, a rugged steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>50" Wood-Burning Fireplace</b>			
C621000	F0695	Georgian50	50" Fireplace (Interior selection sold separate)
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry™ Brick</i>			
C621000	F0350	Mosaic50M2	Warm Red Full Stacked
C621000	F0351	Mosaic50M4	Warm Red Split Stacked
C621000	F0352	Mosaic50M2	Ivory Full Stacked
C621000	F0353	Mosaic50M4	Ivory Split Stacked
C621000	F0354	Mosaic50M3	Warm Red Full Herringbone
C621000	F0355	Mosaic50M5	Warm Red Split Herringbone
C621000	F0356	Mosaic50M3	Ivory Full Herringbone
C621000	F0357	Mosaic50M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0374	Estate50P2	Stacked Rust
C621000	F0375	Estate50P2	Stacked Cappuccino
C621000	F0376	Estate50P2	Stacked Creamer
C621000	F0377	Estate50P2	Stacked Gray
C621000	F0378	Estate50P3	Herringbone Rust
C621000	F0379	Estate50P3	Herringbone Cappuccino
C621000	F0380	Estate50P3	Herringbone Creamer
C621000	F0381	Estate50P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry™ only)</i>			
640066	F1020	BDMO50E	50" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1021	BDMO50G	50" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1022	BDMO50C	50" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640059	F1008	BD50	50" Bi-Fold Door, Black
C621000	F1009	BD50B	50" Bi-Fold Door, Brushed Brass
C621000	F1010	BD50P	50" Bi-Fold Door, Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## WOOD-BURNING FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### PLANTATION 48

The Plantation features revolutionary Mosaic Masonry™ system available in ivory "half-split" firebrick in a custom herringbone pattern for a naturally rich look. Even more impressive, the hearth floor is only 1-1/2" above the ground\*. (\* Installation on combustible subfloor requires Hearth Spacer Model HS48) These fully insulated models come complete with heavy duty log grate and rugged forged andiron. Barometric dampers are factory installed on both sides standard (Use of two AK4 fresh air kits recommended).

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>48" Wood-Burning Fireplace (Luxury Series)</b>			
C621000	F0691	Plantation48M3	48" Masonry Fireplace, Warm Red Split Herringbone Brick
C621000	F0692	Plantation48M3	48" Masonry Fireplace, Ivory Split Herringbone Brick
<b>Optional Accessories</b>			
<i>Hearth Spacer</i>			
C621000	F0971	HS48	48" Combustible Floor Protective Hearth Spacer
<i>Glass Doors</i>			
C621000	F1017	BDMO48EA	48" Masonry Ceramic Glass Bi-Fold Door, Ebony
C621000	F1018	BDMO48GA	48" Masonry Ceramic Glass Bi-Fold Door, Pewter
C621000	F1019	BDMO48CA	48" Masonry Ceramic Glass Bi-Fold Door, Bronze
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – TRADITIONAL MULTI-SIDED

#### CRAFTSMAN 36ST

Craftsman 36" See-Thru wood-burners feature a smooth face for real masonry appearance. The Craftsman is a true builder See-Thru designed for tight installations. This fully insulated model features smooth white refractory panels and textured charcoal powder coat finish. All models require 2" minimum clearance to combustibles.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace, See-Through</b>			
C621000	F0702	CraftsmanSTP2	36" Radiant, Insulated, See-Thru, White Stacked Brick
<b>Optional Accessories</b>			
<i>Glass Doors (requires 2)</i>			
640071	F1025	DBP368ST	36" See Thru WB Bi-Fold Door (1 side), Black
C621000	F1026	DC368ST	36" See Thru WB Bi-Fold Door (1 side), Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

#### WINDSOR 36

The Windsor 36" See-Thru wood-burners both feature a smooth face for real masonry appearance. The Windsor is a true builder See-Thru designed for tight installations. Features smooth white refractory panels and textured charcoal powder coat finish standard. All models require 2" minimum clearance to combustibles.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace, See-Through</b>			
C621000	F0703	WindsorSTP2	36" Radiant, See-Thru, White Stacked Brick
<b>Optional Accessories</b>			
<i>Glass Doors (requires 2)</i>			
640071	F1025	DBP368ST	36" See Thru WB Bi-Fold Door (1 side), Black
C621000	F1026	DC368ST	36" See Thru WB Bi-Fold Door (1 side), Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit



## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

#### MONTEREY 36 PF

The Monterey is a large Peninsula (3-sided) wood-burner with flush face for a custom style installation. The Monterey comes standard with smooth white bottom and end refractory panels and textured charcoal powder coat finish.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace, Peninsula</b>			
C621000	F0704	MontereyPFP2	36" Radiant Insulated Peninsula, White Stacked Refractory
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
640073	F1027	DBPPN36	36" Peninsula WB Bi-Fold Door (3 pcs.), Black
C621000	F1028	DCPN36	36" Peninsula WB Bi-Fold Door (3 pcs.), Platinum
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## WOOD-BURNING FIREPLACES – TRADITIONAL MULTI-SIDED (cont'd)

### INGLENOOK 36 CR/CL

The Inglenook corner fireplaces offer space saving design to accommodate any open cornered wall. This unit comes in clean faced and louvered circulating models. These fully insulated models include smooth white refractory panels and a textured charcoal powder coat finish.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>36" Wood-Burning Fireplace, Corner Right and Left</b>			
C621000	F0698	InglenookCRP2	36" Radiant Right Corner, White Stacked Refractory
C621000	F0699	InglenookCLP2	36" Radiant Left Corner, White Stacked Refractory
C621000	F0700	InglenookCRP2	36" Louvered Right Corner, White Stacked Refractory
C621000	F0701	InglenookCLP2	36" Louvered Left Corner, White Stacked Refractory
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
C621000	F1023	VDBP36C	36" Corner WB Bi-Fold Door & End Panel, Black
C621000	F1024	DC36L/R/LS/RS	36" Corner WB Bi-Fold Door & End Panel, Platinum
<i>Fan Kits</i>			
C621000	F1087	VCBK4R	2-Fan Kit Right Corners Only
<i>Outside Combustion Air Kits</i>			
640114	F1091	AK4	4" Air Kit with Collar, Hood & 3' Flex
640115	F1092	AK4X	4" Air Kit, Collar & Hood Only
C621000	F1093	AK4F	Outside Air Kit Collar, Hood & 3' Flex for Floor Venting
C621000	F1094	AK4B	50 piece Bulk Outside Air Kit – Collar Only Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY

### LADERA – BIS

Add a touch of modern elegance with this clean-faced EPA Certified fireplace. Featuring a black steel door, ceramic glass, efficient air wash system, decorative log retainers, smooth refractories, insulated firebox top and sides, and insulated heat activated factory installed 175 cfm blower. It also includes double air combustion control, an outside air kit, and an outside air coupler.

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>36" Ladera™, EPA Certified Wood-Burning Fireplace, Front Open, Circulating</b>			
616302	H7162	LADERA-BK	Ladera Fireplace, Black Door
<b>Optional Accessories</b>			
<i>Fire Screen</i>			
665036	BNZN	BNZN	Rigid fire screen
<i>Cast Surrounds</i>			
640249	H7303	CSK	Cast Surround Kit
640256	H7757	CSK-DK	Cast Surround Decorative Keystone
<i>Gravity Venting Kit</i>			
665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
<i>Extra Gravity Kit Components</i>			
C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.
<i>Forced Air Heating Kit** (5" installed on the side of the fireplace)</i>			
665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

### VILLA VISTA – BIS

High-efficiency, compact and EPA-Certified best describe this wood-burning fireplace. Featuring ceramic glass, and large textured refractories. Required accessories include the black arch shaped cast iron door and our choice of louver kit. Also includes an efficient air wash system, decorative steel log retainers, and double air combustion control.

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>38" Villa Vista™, EPA Certified Wood-Burning Fireplace, Front Open, Circulating</b>			
616318	H3250	Villa Vista	EPA Certified Wood-Burning Fireplace

#### Required Accessories (Order Separately)

##### Doors (One required)

C621000	F1862	BVCBK	Arch Shape Door, Black
---------	-------	-------	------------------------

##### Louver Kits (One required)

665094	DEL SOL	DEL SOL	Del Sol Louver Kit
665095	DIAMANTE	DIAMANTE	Diamante Louver Kit
665098	STRADA	STRADA	Strada Louver Kit

#### Optional Accessories

##### Blower Kits

665120	VRUW	VRUW	Variable Speed Control for UZY5
665030	UZY5	UZY5	Blower

##### Panel Kit

665056	BPCF	BPCF	Clean Face Panel Kit (Requires Gravity Kit)
--------	------	------	---

##### Gravity Venting Kit

665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
--------	-------	----------	---

##### Extra Gravity Kit Components

C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.

##### Forced Air Heating Kit\*\* (5" installed on the side of the fireplace)

665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

### VILLA VISTA CD – BIS

High-efficiency EPA-Certified wood-burning fireplace. Featuring a standard door, ceramic glass, and large smooth refractories as well as an efficient air wash system, and decorative steel log retainers. Required accessories include your choice of louver kit.

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>38" Villa Vista CD, EPA Certified Wood-Burning Fireplace, Front Open, Circulating</b>			
C621000	F3363	Villa Vista CD	EPA Certified Wood-Burning Fireplace

#### Required Accessories (Order Separately)

##### Louver Kits (One required)

C621000	F3366	WCD-GRILL-HOLLISTER	Hollister Louver Kit
C621000	F3367	WCD-GRILL-SLEEK	Sleek Louver Kit
C621000	F3368	WCD-GRILL-MADERA	Madera Louver Kit

#### Optional Accessories

##### Blower Kits

665120	VRUW	VRUW	Variable Speed Control for UZY5
665030	UZY5	UZY5	Blower

##### Panel Kit

C621000	F3365	WCD-CF-KIT	Clean Face Kit (Requires Gravity Kit)
---------	-------	------------	---------------------------------------

##### Gravity Venting Kit

665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
--------	-------	----------	---

##### Extra Gravity Kit Components

C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.

##### Forced Air Heating Kit\*\* (5" installed on the side of the fireplace)

665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

### BRENTWOOD – BIS

This EPA Certified fireplace features ceramic glass and a black paint finish. This unit includes added insulated firebox top and sides, a herringbone brick liner, dual handle ash drawer, decorative log retainer, outside air coupler, ASHT collar, outside air ducting kit and coupler. Blower is optional.

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>36" Brentwood™, EPA Certified Wood-Burning Fireplace, Front Open, Circulating</b>			
616310	H4825	Brentwood SP	Brentwood SP

#### Required Accessories (Order Separately)

##### Doors

C621000	F1859	BWBK	Black Cast Iron Door
---------	-------	------	----------------------

#### Optional Accessories

##### Fire Screen

665093	BUCEBWZN	BUCEBWZN	Rigid fire screen
--------	----------	----------	-------------------

##### Blower Kits

665030	UZY5	UZY5	Blower
665120	VRUW	VRUW	Variable Speed Control for UZY5

##### Panel Kit

C621000	H0518	BWZF	Panel for Clean Face Option (must use gravity kit)
---------	-------	------	--

##### Gravity Venting Kit

665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
--------	-------	----------	---

##### Extra Gravity Kit Components

C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.

##### Forced Air Heating Kit\*\* (5" installed on the side of the fireplace)

665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

#### BRENTWOOD LV – BIS

Add a touch of modern elegance with this clean-faced EPA Certified fireplace. Featuring a black steel door, ceramic glass, efficient air wash system, decorative log retainers, smooth refractories, and a pre-wired 175 cfm blower. It also includes double air combustion control, an outside air kit and an outside air coupler.

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>Brentwood™ LV, EPA Certified Wood-Burning Fireplace, Front Open, Clean-Faced</b>			
C621000	H8295	Brentwood LV	Clean Face Fireplace, Black Doors

#### Required Accessories (Order Separately)

<i>Face Kit (Choose one)</i>			
C621000	LOUVRECF	LOUVRECF	Louver kit
665138	CAPPINGCF	CAPPINGCF	Clean face kit (Note : Requires gravity vent Kit installation)

#### Optional Accessories

<i>Fire Screen</i>			
640024	BUCFZN	BUCFZN	Rigid fire screen
<i>Gravity Venting Kit</i>			
665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
<i>Extra Gravity Kit Components</i>			
C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.
<i>Forced Air Heating Kit** (5" installed on the side of the fireplace)</i>			
665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

### MONTECITO – BIS

EPA Certified and Washington state approved. This gorgeous non-catalytic combustion controlled wood-burner includes an insulated firebox top and sides, decorative cast iron log retainer, textured refractories, choice of doors, efficient air wash system, outside air adapter, outside air kit, heat activated factory installed 200 cfm blower, double air combustion control (all in one).

Approved for use with 6" Chimney – Security Brand Models Secure Temp ASHT+ and Secure Temp S-2100+; and DuraVent Brand Models DuraTech and DuraTech Canada (DTC); and Oliver MacLeod Brand Models Projet Nova Temp HT6103+ and Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>Montecito™, EPA Certified Wood-Burning Fireplace, Front Open, Circulating</b>			
616322	H4841	MONTE	Montecito EPA Certified
<b>Required Accessories (Order Separately)</b>			
<i>Façades</i>			
616324	F2320	MFBK	Montecito Façade Black
616327	H4845	MFMC	Montecito Façade Hammered Steel
<i>Doors</i>			
616328	F1857	MCBK	Montecito Door Black
C621000	F1858	MCMC	Montecito Door Hammered Steel
C621000	F1859	BWBK	Black Cast Iron Door
<b>Optional Accessories</b>			
<i>Fire Screen</i>			
665093	BUCEBWZN	BUCEBWZN	Rigid fire screen
<i>Gravity Venting Kit</i>			
665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
<i>Extra Gravity Kit Components</i>			
C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.
<i>Forced Air Heating Kit** (5" installed on the side of the fireplace)</i>			
665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.



# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – HIGH EFFICIENCY (cont'd)

### MONTECITO ESTATE – BIS

An EPA-certified wood hearth with powerful catalytic combustion, insulation, ceramic glass and a 350 cfm blower to keep hot air streaming. Textured white stacked refractory, cast iron log retainers, efficient air wash system, outside air kit and an outside air coupler are all standard. Intricate façades and steel double doors available in two unique finishes.

Approved for use with 7" Chimney – Security Brand Model Secure Temp S-2100+; and DuraVent Brand Model DuraPlus HTC and Oliver MacLeod Brand Models Projet Nova Temp HT6000+

Item #	Material #	Model #	Description
<b>Montecito Estate™, EPA Certified Wood-Burning Fireplace, Front Open</b>			
C621000	F2845	MontecitoEstateCAT	Montecito Estate CAT EPA Wood FP, White Stacked

#### Required Accessories (Order Separately)

##### Façades

C621000	F2859	MONEST-FAC-BLK	Montecito Estate CAT Façade Black
C621000	F2860	MONEST-FAC-HMRD	Montecito Estate CAT Façade Hammered Steel

##### Doors

C621000	F2855	MONEST-DOOR-BLK	Montecito Estate CAT Door Black
C621000	F2856	MONEST-DOOR-HMRD	Montecito Estate CAT Door Hammered Steel

#### Optional Accessories

##### Gravity Venting Kit

665131	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)
--------	-------	----------	---

##### Extra Gravity Kit Components

C621000	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.
C621000	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.
665162	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")
C621000	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" – 5")
C621000	H8954	8KL2	Length 2ft.
C621000	H8953	8KL1	Length 1ft.
C621000	H8952	7B26ZR	Radiation Shield, 8" I.D.

##### Forced Air Heating Kit\*\* (5" installed on the side of the fireplace)

665100	BISFWK-1	BISFWK-1	Starter Kit: for Wall or floor installations. Includes blower (BISZY); flex adapter and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)
C621000	5FLEX15	5FLEX15	Flex 5" I.D. × 15' long
C621000	5FLEX25	5FLEX25	Flex 5" I.D. × 25' long
C621000	HCTW	HCTW	Heating/Cooling thermostat – 120 volt

\*\* The forced air kit was not included in the EPA emissions testing for this fireplace, therefore cannot be sold as EPA certified.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – CHIMNEY SYSTEMS

### 8" WOOD-BURNING CHIMNEY

Item #	Material #	Model #	Description
<b>8" Standard Wood-Burning Chimney Lengths and Fittings (8" Inner Diam. – 12-3/8" Outer Diam)</b>			
C621000	F0895	12-8DM	12" Section Double Wall Pipe Snap Lock
C621000	F0896	18-8DM	18" Section Double Wall Pipe Snap Lock
C621000	F0897	24-8DM	24" Section Double Wall Pipe Snap Lock
C621000	F0898	36-8DM	36" Section Double Wall Pipe Snap Lock
C621000	F0899	48-8DM	48" Section Double Wall Pipe Snap Lock
640712	H9198	12-8DM-FMI-LHP	12" Conversion pipe from 8DM to FTF8
C621000	F0900	30E-8DM	30 Degree Offset and Return
C621000	F0901	60E-8DM	60 Degree Offset and Return (for Rapture only)
C621000	F0902	12S-8DM	Chimney Support (For Use With Chimney Heights In Excess of 30')
C621000	F0903	FS-8DM-24	2" Clearance Firestop Spacer (24 ea.)
640660	F0904	FS-8DM	2" Clearance Firestop Spacer (1 ea.)
640661	F0905	30FS-8DM	30 Degree Firestop Spacer (1 ea.)
C621000	F0906	3600FS-8DM-24	1" Clearance Firestop Spacer (24 ea.)
C621000	F0907	3600FS-8DM-1	1" Clearance Firestop Spacer (1 ea.)
640664	F0908	V6FS-8DM *	Roof Flashing 0 to 6/12 Pitch (24" Base)
640665	F0909	V6F-8DM *	Roof Flashing 0 to 6/12 Pitch (30" Base)
640666	F0910	V12F-8DM *	Roof Flashing 6/12 to 12/12 Pitch
615333	F0911	38FST *	Firestop Thimble (Use when penetrating a joist)
640668	F0912	FST30 *	Firestop Thimble (Use when offsetting through a joist)
640669	F0913	38RS *	Roof Support (Use with flashing)
C621000	F0914	SC1-20	Storm Collar (20 ea.)
640671	F0915	SC1-1	Storm Collar (1 ea.)
C621000	F0916	RT-8DM	Round Top with Mesh Screen
C621000	F0917	RTT-8DM *	Round Top with Slip Section & Mesh
C621000	F0918	RLT-8DM	Round Top with Louvered Screen
C621000	F0919	RLTT-8DM *	Round Top with Slip Section & Louvers
C621000	F0920	ET-8DM *	Square Top
C621000	F0921	ETL-8DM *	Square Top with Slip Section
C621000	F0922	ETO-8DM *	Square Top with Mesh
C621000	F0923	ETLO-8DM *	Square Top with Mesh and Slip Section
C621000	F0924	RT-8DM-K	Round Top with Mesh Screen – Black
C621000	F0925	RLT-8DM-K	Round Top with Louvers – Black
C621000	J0618	ET-8DM-K *	Square Top – Black
C621000	F0926	ETL-8DM-K *	Square Top with Slip Section – Black
C621000	F0927	ADS-8DM *	Anti-Draft Shield for Round Top Only
C621000	F0928	SLK	Shroud Leg Spacer Kit
640678	F0929	CAK-8	Cold Air Collar Kit – 8" Chimney
640677	F0930	BTC-8	"B" Vent Transition Collar – 8" Chimney
C621000	F0931	ECA-8	European Copper Term. Adapter Kit – 8"

\* When ordered alone, this part cannot ship via parcel delivery services.

## ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

### WOOD-BURNING FIREPLACES – CHIMNEY SYSTEMS (cont'd)

#### 8" WOOD-BURNING CHIMNEY (cont'd)

Item #	Material #	Model #	Description
<b>8" Hi-Temp Wood-Burning Chimney Lengths and Fittings (8" Inner Diam. – 12-3/8" Outer Diam)</b>			
640640	F0881	12-8HT	12" Section Hi-Temp Double Wall Pipe Snap Lock
640641	F0882	18-8HT	18" Section Hi-Temp Double Wall Pipe Snap Lock
640642	F0883	24-8HT	24" Section Hi-Temp Double Wall Pipe Snap Lock
640643	F0884	36-8HT	36" Section Hi-Temp Double Wall Pipe Snap Lock
640644	F0885	48-8HT	48" Section Hi-Temp Double Wall Pipe Snap Lock
640645	F0886	30E-8HT	30 Degree Hi-Temp Offset and Return
640646	F0887	12S-8HT	Hi-Temp Chimney Support (For Use With Chimney Heights In Excess of 30')
640647	F0888	RT-8HT	Hi-Temp Round Top with Mesh Screen
640648	F0889	RTT-8HT *	Hi-Temp Round Top with Mesh Screen and Slip Section
640649	F0890	RLT-8HT	Hi-Temp Round Top with Louvered Screen
640650	F0891	RLTT-8HT *	Hi-Temp Round Top with Louvered Screen and Slip Section
640651	F0892	ET-8HT *	Hi-Temp Pyramid Top with Slip Section
640652	F0893	ETL-8HT *	Hi-Temp Large Pyramid Top with Slip Section (use with all 8" systems)
C621000	F0894	AP-8HT	Hi-Temp Anchor Plate/Collar Assembly (for masonry fireplaces)

\* When ordered alone, this part cannot ship via parcel delivery services. Recommended for outdoor and coastal areas.

# ASTRIA FIREPLACES AND CHIMNEY

## WOOD-BURNING FIREPLACES – CHIMNEY SYSTEMS (cont'd)

### 12" WOOD-BURNING CHIMNEY

Item #	Material #	Model #	Description
<b>12" Standard Wood-Burning Chimney Lengths and Fittings (12-3/8" Inner Diam. – 15" Outer Diam)</b>			
C621000	F0932	12-12DM	12" Section Double Wall Pipe Snap Lock
C621000	F0933	18-12DM	18" Section Double Wall Pipe Snap Lock
C621000	F0934	24-12DM	24" Section Double Wall Pipe Snap Lock
C621000	F0935	36-12DM	36" Section Double Wall Pipe Snap Lock
C621000	F0936	48-12DM *	48" Section Double Wall Pipe Snap Lock
640681	F0937	30E-12DM	30 Degree Offset and Return
C621000	F0938	12S-12DM	Chimney Support above 30'
C621000	F0939	FS-10-12	2" Clearance Firestop Spacer (12 pack)
640684	F0940	FS-10	2" Clearance Firestop Spacer (1ea)
640685	F0941	30FS-10	30 Degree Firestop Spacer (1)
640686	F0942	V6F-10DM *	Roof Flashing 0 to 6/12 Pitch
640687	F0943	V12F-10DM *	Roof Flashing 6/12 to 12/12 Pitch
640688	F0944	FST10 *	Firestop Thimble
C621000	F0945	SC2-20	Storm Collar (20 pack)
640690	F0946	SC2-1	Storm Collar (1 ea.)
640691	F0947	RLT-12D	Round Top Termination with Louvered Screen
C621000	F0948	STL-12D *	Square Top Termination with Slip Section
C621000	F0949	STL-12DMP *	Square Top Termination with Slip Section (Pre-Painted Black)
C621000	F0950	SLK	Shroud Leg Spacer Kit (for UL approval of field fabricated term covers)
640695	F0951	CAK-12	Cold Air Collar Kit – 12" Chimney
C621000	F0952	ECA-12	European Copper Term. Adapter Kit 12"

\* When ordered alone, this part cannot ship via parcel delivery services.

### 12" Hi-Temp Wood-Burning Chimney Lengths and Fittings (12-3/8" Inner Diam. – 15" Outer Diam)

640697	F0953	12-12HT	12" Section Hi-Temp Double Wall Pipe Snap Lock
640698	F0954	18-12HT	18" Section Hi-Temp Double Wall Pipe Snap Lock
640700	F0955	24-12HT	24" Section Hi-Temp Double Wall Pipe Snap Lock
640701	F0956	36-12HT	36" Section Hi-Temp Double Wall Pipe Snap Lock
640702	F0957	48-12HT *	48" Section Hi-Temp Double Wall Pipe Snap Lock
640703	F0958	30E-12HT	30 Degree Hi-Temp Offset and Return
640704	F0959	12S-12HT	Hi-Temp Chimney Support above 30'
640705	F0960	RLT-12HT *	Hi-Temp Round Top Termination with Louvered Screen
640706	F0961	AP-12HT	Hi-Temp Anchor Plate/Collar Assembly (Masonry Fireplaces)

\* When ordered alone, this part cannot ship via parcel delivery services. Recommended for outdoor and coastal areas.

### PureFire™

Item #	Material #	Model #	Description
<b>PureFire™ Aftermarket Adjustable Emission Control Hoods</b>			
C621000	F0878	AH1924P	Hood – Adjusts to fireplace back wall measuring 19"-24"
C621000	F0879	AH2231P	Hood – Adjusts to fireplace back wall measuring 22"-31"
C621000	F0880	AH3143P	Hood – Adjusts to fireplace back wall measuring 31"-43"

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

www.ihp.us.com

## ELECTRIC FIREPLACES – TRADITIONAL FRONT OPEN

### CAPELLA 27

Standard features include energy saving LED lights with multi-color flame, charred split-oak log set, glowing ember bed, ember crystals, decorative log grate, smoked glass interior, 5,000 BTU electric heater/blower, unit-mounted control switches, charcoal finish and remote control.

Built to UL2021 and CSA 214173-1482763 standards

Item #	Material #	Model #	Description
<b>27" Electric Fireplace, Front View, Radiant</b>			
C621000	F1335	Capella 27	27" Electric Fireplace

### CAPELLA 33

Standard features include energy saving LED lights with multi-color flame, charred split-oak log set, glowing ember bed, ember crystals, decorative log grate, smoked brick pattern interior, dual output electric heater/blower (5,000 BTU 100 v2c / 10,000 220 v2c), charcoal finish and remote control.

Built to UL2021 and CSA 214173-1482763 standards

Item #	Material #	Model #	Description
<b>33" Electric Fireplace, Front View, Radiant</b>			
C621000	F1336	Capella 33	33" Electric Fireplace

#### Optional Accessories

##### Glass Enclosure Panels

616760	H3430	GEP-33BL	Black on Bronze Tinted Glass
C621000	H3433	GEP-33PB	Brass on Bronze Tinted Glass
616768	H3434	GEP-33BS	Stainless on Bronze Tinted Glass

##### Decorative Front Face Panels

C621000	H3604	FFEP-33M	Mission Style
C621000	H3605	FFEP-33IA	Interlocking Arch

##### Surround Trim Kits

616770	H3435	TK3-33BL	3-Piece Trim Kit, Black
C621000	H3436	TK3-33PB	3-Piece Trim Kit, Brass
616754	H1932	TK3-33BS	3-piece Trim Kit, Stainless

##### Common Accessories

617189	H1645	PCK	Power Cord Kit, 3-Prong 110V, Standard
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## ELECTRIC FIREPLACES – TRADITIONAL FRONT OPEN (cont'd)

### CAPELLA 36

Standard features include energy saving LED lights with multi-color flame, charred split-oak log set, glowing ember bed, ember crystals, decorative log grate, smoked brick pattern interior, dual output electric heater/blower (5,000 BTU 100 v2c / 10,000 220 v2c), charcoal finish and remote control.

Built to UL2021 and CSA 214173-1482763 standards

Item #	Material #	Model #	Description
<b>36" Electric Fireplace, Front View, Radiant</b>			
C621000	F1337	Capella 36	36" Electric Fireplace
<b>Optional Accessories</b>			
<i>Glass Enclosure Panels</i>			
617179	H1535	GEP-36BL	Black on Bronze Tinted Glass
617180	H1536	GEP-36PB	Brass on Bronze Tinted Glass
617181	H1537	GEP-36BS	Stainless on Bronze Tinted Glass
<i>Decorative Front Face Panels</i>			
616778	H3606	FFEP-36M	Mission Style
C621000	H3607	FFEP-36IA	Interlocking Arch
<i>Surround Trim Kits</i>			
617182	H1538	TK3-36BL	3-piece Trim Kit, Black
C621000	H1539	TK3-36PB	3-piece Trim Kit, Brass
617184	H1540	TK3-36BS	3-piece Trim Kit, Stainless
<i>Common Accessories</i>			
617189	H1645	PCK	Power Cord Kit, 3-Prong 110V, Standard
C621000	85L87	FWSK	Wall Switch Kit, On/Off, White
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

### ELECTRIC FIREPLACES – CONTEMPORARY LINEAR

#### ARCTURUS 54

Standard features include energy savings LED lights with contemporary multi-state color flame, ember crystals, 5,000 BTU electric heater/blower, unit mounted control switches, charcoal finish and remote control.

Item #	Material #	Model #	Description
<b>54" Linear Electric Fireplace, Front View, Radiant</b>			
639717	F1338	ARCTURUS54	54" Linear Electric Fireplace

#### ARCTURUS 60

Standard features include energy savings LED lights with contemporary multi-state color flame, ember crystals, 5,000 BTU electric heater/blower, unit mounted control switches, charcoal finish and remote control.

Item #	Material #	Model #	Description
<b>60" Linear Electric Fireplace, Front View, Radiant</b>			
C621000	F1339	ARCTURUS60	60" Linear Electric Fireplace

# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – WOOD-BURNING

### TUSCAN 36

The Tuscan series wood-burning fireplaces have the White Stacked or Herringbone Refractory Panels. Added features include: hidden screen pockets, easy access damper, full length nailing flanges, drywall stops, dual access pre-wired "J" boxes, stainless steel facing, grate and mesh screens.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>36" Outdoor Wood-Burning Fireplace</b>			
663410	F0540	Tuscan36P2	36" Fireplace White Stacked Refractory Panels
C621000	F0541	Tuscan36P3	36" Fireplace White Herringbone Refractory Panels
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
640039	F0987	BDO36	36" Outdoor Bi-Fold Glass Door, Black Finish
C621000	F0988	BDO36B	36" Outdoor Bi-Fold Glass Door, Brushed Brass Finish
C621000	F0989	BDO36P	36" Outdoor Bi-Fold Glass Door, Platinum Finish
<i>Drain Pan</i>			
C621000	F1089	DP36	36" Drain Pan w/ 1" Stainless Decorative Face Ext.
<i>Heat Deflection Hood</i>			
C621000	F1052	HS36	36" Stainless Steel Hood w/4" Brow

### TUSCAN 42

The Tuscan 42 series wood-burning fireplaces offers the choice of white refractory panels in stacked or herringbone patterns. Standard features include: hidden screen pockets, easy access damper, full length nailing flanges, drywall stops, dual access pre-wired "J" box, stainless steel facing and mesh screens. All models come standard with 12" vent collar and can be converted to 8" standard chimney using the starter collar (20" length) provided.

Agency Approvals – UL 127

Uses Standard (8DM) and Hi-Temp (8HT) Wood-Burning Chimney. For Canada use 8HT Chimney.

Item #	Material #	Model #	Description
<b>42" Outdoor Wood-Burning Fireplace</b>			
C621000	F0542	Tuscan42P2	42" Fireplace White Stacked Refractory Panels
663411	F0543	Tuscan42P3	42" Fireplace White Herringbone Refractory Panels
<b>Optional Accessories</b>			
<i>Glass Doors</i>			
640038	F0990	BDO42	42" Outdoor Bi-Fold Glass Door, Black Finish
C621000	F0991	BDO42B	42" Outdoor Bi-Fold Glass Door, Brushed Brass Finish
C621000	F0992	BDO42P	42" Outdoor Bi-Fold Glass Door, Platinum Finish
<i>Drain Pan</i>			
640113	F1090	DP42	42" Drain Pan w/ 1" Stainless Decorative Face Ext.
<i>Heat Deflection Hood</i>			
C621000	F1053	HS42	42" Stainless Steel Hood w/4" Brow

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## OUTDOOR FIREPLACES – WOOD-BURNING (cont'd)

### ORACLE 36

Oracle models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split Brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns (Both options are required and sold separately). These insulated fireplaces come complete with a rugged stainless steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>36" Outdoor Wood-Burning Fireplace</b>			
C621000	F0535	Oracle36	36" Outdoor WB Box only, Brick Liner Required
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry Brick</i>			
C621000	F0334	Mosaic36M2	Warm Red Full Stacked
C621000	F0335	Mosaic36M4	Warm Red Split Stacked
C621000	F0336	Mosaic36M2	Ivory Full Stacked
C621000	F0337	Mosaic36M4	Ivory Split Stacked
C621000	F0338	Mosaic36M3	Warm Red Full Herringbone
C621000	F0339	Mosaic36M5	Warm Red Split Herringbone
C621000	F0340	Mosaic36M3	Ivory Full Herringbone
C621000	F0341	Mosaic36M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0358	Estate36P2	Stacked Rust
C621000	F0359	Estate36P2	Stacked Cappuccino
C621000	F0360	Estate36P2	Stacked Creamer
C621000	F0361	Estate36P2	Stacked Gray
C621000	F0362	Estate36P3	Herringbone Rust
C621000	F0363	Estate36P3	Herringbone Cappuccino
C621000	F0364	Estate36P3	Herringbone Creamer
C621000	F0365	Estate36P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry Brick only)</i>			
640062	F1011	BDMO36E	36" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1012	BDMO36G	36" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1013	BDMO36C	36" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640053	F1002	BDG36	36" Bi-Fold Door, Black
C621000	F1003	BDG36B	36" Bi-Fold Door, Brushed Brass
C621000	F1004	BDG36P	36" Bi-Fold Door, Platinum

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – WOOD-BURNING (cont'd)

### ORACLE 42

Oracle models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split Brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns (Both options are required and sold separately). These insulated fireplaces come complete with a rugged stainless steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>42" Outdoor Wood-Burning Fireplace</b>			
C621000	F0536	Oracle42	42" Outdoor WB Box only, Brick Liner Required
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry Brick</i>			
C621000	F0342	Mosaic42M2	Warm Red Full Stacked
C621000	F0343	Mosaic42M4	Warm Red Split Stacked
C621000	F0344	Mosaic42M2	Ivory Full Stacked
C621000	F0345	Mosaic42M4	Ivory Split Stacked
C621000	F0346	Mosaic42M3	Warm Red Full Herringbone
C621000	F0347	Mosaic42M5	Warm Red Split Herringbone
C621000	F0348	Mosaic42M3	Ivory Full Herringbone
C621000	F0349	Mosaic42M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0366	Estate42P2	Stacked Rust
C621000	F0367	Estate42P2	Stacked Cappuccino
C621000	F0368	Estate42P2	Stacked Creamer
C621000	F0369	Estate42P2	Stacked Gray
C621000	F0370	Estate42P3	Herringbone Rust
C621000	F0371	Estate42P3	Herringbone Cappuccino
C621000	F0372	Estate42P3	Herringbone Creamer
C621000	F0373	Estate42P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry Brick only)</i>			
640064	F1014	BDMO42E	42" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1015	BDMO42G	42" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1016	BDMO42C	42" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640056	F1005	BDG42	42" Bi-Fold Door, Black
C621000	F1006	BDG42B	42" Bi-Fold Door, Brushed Brass
C621000	F1007	BDG42P	42" Bi-Fold Door, Platinum

# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – WOOD-BURNING (cont'd)

### ORACLE 50

Oracle models feature our industry leading 30" tall opening height. Choose between our revolutionary Mosaic Masonry™ brick interior available in Ivory, Full or Split Brick, Stacked or Herringbone patterns; or our hand crafted Estate Refractory Panels available in Rust, Cappuccino, Creamer or Gray, Stacked or Herringbone patterns (Both options are required and sold separately). These insulated fireplaces come complete with a rugged stainless steel grate and decorative andirons.

Agency Approvals – UL 127

Uses Standard (12DM) and Hi-Temp (12HT) Wood-Burning Chimney. For Canada use 12HT Chimney.

Item #	Material #	Model #	Description
<b>50" Outdoor Wood-Burning Fireplace</b>			
C621000	F0537	Oracle50	50" Fireplace (Interior selection sold separately)
<b>Required Accessories (Ordered Separately)</b>			
<i>Mosaic Masonry Brick</i>			
C621000	F0350	Mosaic50M2	Warm Red Full Stacked
C621000	F0351	Mosaic50M4	Warm Red Split Stacked
C621000	F0352	Mosaic50M2	Ivory Full Stacked
C621000	F0353	Mosaic50M4	Ivory Split Stacked
C621000	F0354	Mosaic50M3	Warm Red Full Herringbone
C621000	F0355	Mosaic50M5	Warm Red Split Herringbone
C621000	F0356	Mosaic50M3	Ivory Full Herringbone
C621000	F0357	Mosaic50M5	Ivory Split Herringbone
<i>Estate Panel Kits</i>			
C621000	F0374	Estate50P2	Stacked Rust
C621000	F0375	Estate50P2	Stacked Cappuccino
C621000	F0376	Estate50P2	Stacked Creamer
C621000	F0377	Estate50P2	Stacked Gray
C621000	F0378	Estate50P3	Herringbone Rust
C621000	F0379	Estate50P3	Herringbone Cappuccino
C621000	F0380	Estate50P3	Herringbone Creamer
C621000	F0381	Estate50P3	Herringbone Gray
<b>Optional Accessories</b>			
<i>Glass Doors (for use with Mosaic Masonry Brick only)</i>			
640066	F1020	BDMO50E	50" Mosaic Masonry Bi-Fold Door, Ebony Finish
C621000	F1021	BDMO50G	50" Mosaic Masonry Bi-Fold Door, Pewter Finish
C621000	F1022	BDMO50C	50" Mosaic Masonry Bi-Fold Door, Oiled Bronze Finish
<i>Glass Doors (for use with Estate Panels only)</i>			
640059	F1008	BD50	50" Bi-Fold Door, Black
C621000	F1009	BD50B	50" Bi-Fold Door, Brushed Brass
C621000	F1010	BD50P	50" Bi-Fold Door, Platinum

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## OUTDOOR FIREPLACES – VENT-FREE SYSTEMS

### ODYSSEY 36

The Odyssey Series features clean face (radiant), brush stainless steel faces and mesh screens. Integrated ceramic fiber logs, glowing ember bed, millivolt (remote ready) ignition system and refractory panels available in red or white, stacked or herringbone patterns all standard. The controls and gas connections are hidden under the hearth to eliminate clutter and maximize the real wood-burning feel.

Agency Listing: Built to ANSI Z21.97, CAN 1-2.21 M85

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Outdoor Vent-Free Fireplace</b>					
C621000	F0584	Odyssey36ZNM	36" Millivolt, White Stacked Liner	NG	28,000-41,000
C621000	F0585	Odyssey36ZPM	36" Millivolt, White Stacked Liner	LP	28,000-41,000
C621000	F0586	Odyssey36ZNM	36" Millivolt, White Herringbone Liner	NG	28,000-41,000
C621000	F0587	Odyssey36ZPM	36" Millivolt, White Herringbone Liner	LP	28,000-41,000
<b>Optional Accessories</b>					
<i>Glass Doors</i>					
640039	F0987	BDO36	36" Outdoor Bi-Fold Glass Door, Black Finish		
C621000	F0988	BDO36B	36" Outdoor Bi-Fold Glass Door, Brushed Brass Finish		
C621000	F0989	BDO36P	36" Outdoor Bi-Fold Glass Door, Platinum Finish		
<i>Drain Pan</i>					
C621000	F1089	DP36	36" Drain Pan w/ 1" Stainless Decorative Face Ext.		
<i>Outdoor Panel Cover</i>					
C621000	F1034	OC36	36" Outdoor Fireplace Panel Cover		
<i>Heat Deflection Hood</i>					
C621000	F1052	HS36	36" Stainless Steel Hood w/4" Brow		
<i>Remote Controls</i>					
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
C621000	F1078	TRC	Thermostatic On/Off Remote Control Kit		
C621000	F1079	TSRC	Receiver and Touch Screen Remote Control Kit		
<i>Gas Conversion Kits</i>					
C621000	F1134	PCVM-36O	Gas Conversion Kit Electronic Ignition – NG to LP		
C621000	F1135	NCVM-36O	Gas Conversion Kit Electronic Ignition – LP to NG		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

## OUTDOOR FIREPLACES – VENT-FREE SYSTEMS (cont'd)

### ODYSSEY 42

Odyssey models feature brick liners in White or Red, Stacked and Herringbone. This fireplace features a 24" tall opening with screen pockets. Stainless steel facing, grate and screen mesh are standard. Integrated vent free millivolt gas log system with hidden gas control valve.

Agency Listing: Built to ANSI Z21.97, CAN 1-2.21 M85

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Outdoor Vent-Free Fireplace</b>					
C621000	F0592	Odyssey42ZNM	42" Millivolt, White Stacked Liner	NG	32,000-47,000
C621000	F0593	Odyssey42ZPM	42" Millivolt, White Stacked Liner	LP	32,000-47,000
C621000	F0594	Odyssey42ZNM	42" Millivolt, White Herringbone Liner	NG	32,000-47,000
C621000	F0595	Odyssey42ZPM	42" Millivolt, White Herringbone Liner	LP	32,000-47,000
<b>Optional Accessories</b>					
<i>Glass Doors</i>					
640038	F0990	BDO42	42" Outdoor Bi-Fold Glass Door, Black Finish		
C621000	F0991	BDO42B	42" Outdoor Bi-Fold Glass Door, Brushed Brass Finish		
C621000	F0992	BDO42P	42" Outdoor Bi-Fold Glass Door, Platinum Finish		
<i>Drain Pan</i>					
640113	F1090	DP42	42" Drain Pan w/ 1" Stainless Decorative Face Ext.		
<i>Outdoor Panel Cover</i>					
C621000	F1035	OC42	42" Outdoor Fireplace Panel Cover		
<i>Heat Deflection Hood</i>					
C621000	F1053	HS42	42" Stainless Steel Hood w/4" Brow		
<i>Remote Controls</i>					
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
C621000	F1078	TRC	Thermostatic On/Off Remote Control Kit		
C621000	F1079	TSRC	Receiver and Touch Screen Remote Control Kit		
<i>Gas Conversion Kits</i>					
C621000	F1136	PCVM-42O	Gas Conversion Kit Electronic Ignition – NG to LP		
C621000	F1137	NCVM-42O	Gas Conversion Kit Electronic Ignition – LP to NG		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – VENT-FREE SYSTEMS (cont'd)

### POLARIS 36

The Polaris 36 models feature white refractory panels available in stacked and herringbone patterns. This fireplace features a 28" tall opening with screen pockets, stainless steel facing, grate and mesh screens. Integrated low profile vent free ceramic fiber logs with electronic ignition are also standard features.

Agency Approvals: ANSI Z21.97, CAN 1-2.21 M85

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Outdoor Vent-Free Fireplace</b>					
C621000	F0576	Polaris36ZEN	36" White Stacked	NG	50,000
C621000	F0577	Polaris36ZEN	36"White Herringbone	NG	50,000
C621000	F0578	Polaris36ZEP	36" White Stacked	LP	46,000
C621000	F0579	Polaris36ZEP	36" White Herringbone	LP	46,000

#### Optional Accessories

##### Bi-Fold Glass Doors

616822	H4645	36LBFOD-BS	Outdoor Bi-Fold Door with Frame and Hoods, Brushed Stainless
--------	-------	------------	--

##### Outdoor Cover (Cannot be used with doors in place)

616826	H4647	36-EODC	Stainless Steel Outdoor Weather Cover
--------	-------	---------	---------------------------------------

##### Deluxe Hood

C621000	H4818	ODGHK36	Deluxe Brushed Stainless Hood Kit
---------	-------	---------	-----------------------------------

##### Common Accessories

616830	H4651	DPSS36	Drain Pan
--------	-------	--------	-----------

### POLARIS 42

The Polaris 42 models feature white refractory panels available in stacked and herringbone patterns. This fireplace features a 28" tall opening with screen pockets, stainless steel facing, grate and mesh screens. Integrated low profile vent free ceramic fiber logs with electronic ignition are also standard features.

Agency Listing: Built to ANSI Z21.97, CAN 1-2.21 M85

Item #	Material #	Model #	Description	Fuel	BTU
<b>42" Outdoor Vent-Free Fireplace</b>					
C621000	F0580	Polaris42ZEN	42" White Stacked	NG	50,000
C621000	F0581	Polaris42ZEN	42" White Herringbone	NG	50,000
C621000	F0582	Polaris42ZEP	42" White Stacked	LP	46,000
C621000	F0583	Polaris42ZEP	42" White Herringbone	LP	46,000

#### Optional Accessories

##### Bi-Fold Glass Doors

616824	H4646	42LBFOD-BS	Outdoor Bi-Fold Door with Frame and Hoods, Brushed Stainless
--------	-------	------------	--

##### Outdoor Cover (Cannot be used with doors in place)

616828	H4648	42-EODC	Stainless Steel Outdoor Weather Cover
--------	-------	---------	---------------------------------------

##### Deluxe Hood

C621000	H4819	ODGHK42	Deluxe Brushed Stainless Hood Kit
---------	-------	---------	-----------------------------------

##### Common Accessories

616832	H4652	DPSS42	Drain Pan
--------	-------	--------	-----------

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## ASTRIA FIREPLACES AND CHIMNEY

[www.ihp.us.com](http://www.ihp.us.com)

### OUTDOOR FIREPLACES – VENT-FREE SYSTEMS (cont'd)

#### BERLIN LIGHTS 43

Stainless steel vent-free fireplaces built for the outdoors. Linear design and contemporary burner are highlighted by emerald green glass pebbles and halogen accent lighting. A glass weather shield is included to resist the outdoor elements. The Berlin Lights comes standard with remote control and enables the user to adjust flame height remotely.

Agency Approvals – Z21.11.2 / CAN 1-2.21-M85

Item #	Material #	Model #	Description	Fuel	BTU
<b>43" Luminary Linear Outdoor Vent-Free Fireplace</b>					
C621000	F0555	BerlinLights43ZEN	43" Electronic Ignition, Stainless	NG	40,000
C621000	F0556	BerlinLights43ZEP	43" Electronic Ignition, Stainless	LP	40,000
<b>Optional Accessories</b>					
<i>See-Through Conversion Kit</i>					
C621000	F1029	LVOST	43" Linear Outdoor Vent-Free See-Thru Conversion Kit		
<i>Glass Media Kits</i>					
C621000	F1097	GP43A	6.0 lb. Bag Smooth Glass Pebbles, Amber		
C621000	F1098	GP43B	6.0 lb. Bag Smooth Glass Pebbles, Blue		
640120	F1099	GP43G	6.0 lb. Bag Smooth Glass Pebbles, Green		
640122	F1101	GP43C	6.0 lb. Bag Smooth Glass Pebbles, Clear		

# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – VENT-FREE SYSTEMS

### BARCELONA LIGHTS 36

The Barcelona Lights Series allows flexibility in installation. Unit ships in a single-sided configuration with see-through kit included. Available in contemporary linear configuration, the Barcelona Lights includes full spectrum adjustable LED interior lights and wall-mounted control box with on/off, high/low ignition controls. Diamond Crystal large crushed glass media included. Customize with optional Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media. Optional on/off, high/low, CPI/IPI remote control unit available.

Agency Listing: Built to ANSI Z21.97 and CSA 2.41. Listed by UL MH#60069

Item #	Material #	Model #	Description	Fuel	BTU
<b>36" Barcelona Lights</b>					
C621000	F3442	BarcelonaLights36ZEN	36" Vent Free Outdoor Linear, Elec.	NG	18,500-31,000
<b>Optional Accessories</b>					
<i>Glass Media</i>					
C621000	F3507	GLO-Black	Onyx Black Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3508	GLO-Crystal	Diamond Crystal Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3509	GLO-Sapphire	Sapphire Blue Large Crushed Glass Media, 5.0 lb. Bag		
<i>Remote Controls</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Conversion Kit</i>					
C621000	F3502	LPK1	Conversion Kit, 36" Electronic, Natural to Propane		

### BARCELONA LIGHTS 48

The Barcelona Lights Series allows flexibility in installation. Unit ships in a single-sided configuration with see-through kit included. Available in contemporary linear configuration, the Barcelona Lights includes full spectrum adjustable LED interior lights and wall-mounted control box with on/off, high/low ignition controls. Diamond Crystal large crushed glass media included. Customize with optional Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media. Optional on/off, high/low, CPI/IPI remote control unit available.

Agency Listing: Built to ANSI Z21.97 and CSA 2.41. Listed by UL MH#60069

Item #	Material #	Model #	Description	Fuel	BTU
<b>48" Barcelona Lights</b>					
C621000	F3443	BarcelonaLights48ZEN	48" Vent Free Outdoor Linear, Elec.	NG	24,500-43,500
<b>Optional Accessories</b>					
<i>Glass Media</i>					
C621000	F3507	GLO-Black	Onyx Black Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3508	GLO-Crystal	Diamond Crystal Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3509	GLO-Sapphire	Sapphire Blue Large Crushed Glass Media, 5.0 lb. Bag		
<i>Remote Controls</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Conversion Kit</i>					
C621000	F3503	LPK2	Conversion Kit, 48" Electronic, Natural to Propane		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



# ASTRIA FIREPLACES AND CHIMNEY

## OUTDOOR FIREPLACES – VENT-FREE SYSTEMS (cont'd)

### BARCELONA LIGHTS 60

The Barcelona Lights Series allows flexibility in installation. Unit ships in a single-sided configuration with see-through kit included. Available in contemporary linear configuration, the Barcelona Lights includes full spectrum adjustable LED interior lights and wall-mounted control box with on/off, high/low ignition controls. Diamond Crystal large crushed glass media included. Customize with optional Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media. Optional on/off, high/low, CPI/IPI remote control unit available.

Agency Listing: Built to ANSI Z21.97 and CSA 2.41. Listed by UL MH#60069

Item #	Material #	Model #	Description	Fuel	BTU
<b>60" Barcelona Lights</b>					
C621000	F3444	BarcelonaLights60ZEN	60" Vent Free Outdoor Linear, Elec.	NG	36,000-50,000
<b>Optional Accessories</b>					
<i>Glass Media</i>					
C621000	F3507	GLO-Black	Onyx Black Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3508	GLO-Crystal	Diamond Crystal Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3509	GLO-Sapphire	Sapphire Blue Large Crushed Glass Media, 5.0 lb. Bag		
<i>Remote Controls</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Conversion Kit</i>					
C621000	F3504	LPK3	Conversion Kit, 60" Electronic, Natural to Propane		

### BARCELONA LIGHTS 72

The Barcelona Lights Series allows flexibility in installation. Unit ships in a single-sided configuration with see-through kit included. Available in contemporary linear configuration, the Barcelona Lights includes full spectrum adjustable LED interior lights and wall-mounted control box with on/off, high/low ignition controls. Diamond Crystal large crushed glass media included. Customize with optional Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media. Optional on/off, high/low, CPI/IPI remote control unit available.

Agency Listing: Built to ANSI Z21.97 and CSA 2.41. Listed by UL MH#60069

Item #	Material #	Model #	Description	Fuel	BTU
<b>72" Barcelona Lights</b>					
C621000	F3445	BarcelonaLights72ZEN	72" Vent Free Outdoor Linear, Elec.	NG	42,000-65,000
<b>Optional Accessories</b>					
<i>Glass Media</i>					
C621000	F3507	GLO-Black	Onyx Black Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3508	GLO-Crystal	Diamond Crystal Large Crushed Glass Media, 5.0 lb. Bag		
C621000	F3509	GLO-Sapphire	Sapphire Blue Large Crushed Glass Media, 5.0 lb. Bag		
<i>Remote Controls</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WWRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Conversion Kit</i>					
C621000	F3505	LPK4	Conversion Kit, 72" Electronic, Natural to Propane		