

# GAS BARBEQUE HOOKUPS

www.wngp.com and www.fairviewfittings.com

## INDEX

BARBEQUE HOSE ASSEMBLIES — NATURAL GAS .....	14-5
GAS BARBEQUE OUTLET BOXES — NATURAL GAS	
DOUBLE GAS — STAINLESS STEEL* .....	14-3
MODEL G0101-SS — STAINLESS STEEL .....	14-3
MODEL G0102-5W* — 2 LBS .....	14-2
MODEL G0101-5W* .....	14-2
MODEL GR0101-SS* — RECESSED .....	14-2
GAS PRESSURE REGULATORS FOR 2 LB SYSTEMS .....	14-5
GAS SYSTEM REGULATOR OUTLETS.....	14-4
NG — OUTLET — 2 LBS — DUAL* .....	14-5
NGO-3* .....	14-4
NG-OUTLET-2LB* .....	14-4
NG-OUTLET-DUAL* .....	14-4
QUICK DISCONNECT COUPLER — LPG/NATURAL GAS.....	14-5
QUICK DISCONNECT NIPPLE — BRASS.....	14-5

**\* CAUTION! Gas Outlets are to be installed by Licensed Gas Fitter only.**

*Expert Service. Quality Products. Since 1960.*

## GAS BARBEQUE HOOKUPS

www.wngp.com, www.fairviewfittings.com

### GAS BARBEQUE OUTLET BOXES — NATURAL GAS

#### MODEL G0101-5W\*

- Available in white or grey UV rated PVC
- CGA Approved for indoor/outdoor use
- 75,000 BTU Natural Gas
- 118,000 BTU Propane
- 3/8" NPT connection bottom or back
- 3/8" 1-1/2" Safety Kwik Disconnect
- Temperature Rating: Approved to -40°C



ITEM #	MODEL	DESCRIPTION	SIZE (")
709996	G0101-5W	Gas Outlet Box – White	6 H × 4-1/2 W × 2-1/2 D

#### MODEL G0102-5W\* — 2 LBS

- Available in white or grey UV rated PVC
- CGA/AGA Approved outdoor use only
- 60,000 BTU Natural Gas
- 3/8" NPT connection bottom or back
- 3/8" Safety Kwik Disconnect
- Temperature Rating: Approved to -40°C



ITEM #	MODEL	DESCRIPTION	SIZE (")
709997	G0101-#2-5W	Gas Outlet Box – White	6 H × 4-1/2 W × 2-1/2 D

#### MODEL GR0101-SS\* — RECESSED

- Available in Weather Durable Brushed Stainless Steel
- CSA Approved for indoor/outdoor use
- 75,000 BTU Natural Gas
- 118,000 BTU Propane
- 3/8" NPT Connection
- 3/8" Kwik Disconnect
- Lockable Door
- Temperature Rating: Approved to -40°C



ITEM #	MODEL	DESCRIPTION	SIZE (")
709999	GR0101-SS	Stainless Steel Gas Outlet Box	3-1/2 × 5-1/2" × 3-1/2 (Rough in Box) 4-1/4" × 6-1/2" × 1/2" (Door)

**\* CAUTION! Gas Outlets are to be installed by Licensed Gas Fitter only.**

## GAS BARBEQUE HOOKUPS

www.wngp.com, www.fairviewfittings.com

### GAS BARBEQUE OUTLET BOXES — NATURAL GAS (cont'd)

#### MODEL G0101-SS\* — STAINLESS STEEL

- Direct connection to existing residential gas systems
- Clean, compact design conceals unsightly pipes and valves
- Easy accessible kwik disconnect safety shut-offs with easy access
- C/W standoffs for siding installations on PVC boxes
- CSA approved for indoor/outdoor use
- Temperature Rating: Approved to -40°C
- Capacity: 3/8" – 75,000 BTU (NG), 1/2" – 90M BTU (NG), 3/4" – 245 BTU (NG)
- Inlet Connection: 3/8" or 1/2" NPT bottom or back
- Hose Connection: 3/8" / 1/2" / 3/4" Kwik Disconnect



This outlet box is an ideal means of safely and securely connecting your natural gas or propane barbeque, patio heater, stove or dryer directly to your existing home's gas supply. The unit is completely enclosed in a UV/fire-protected PVC or stainless steel box, and is equipped with an extra safety feature that ensures the gas supply is shut off before appliances can be disconnected. This provides the owner with not only peace of mind, but also a practical and clean method of concealing unsightly pipes and valves.

ITEM #	MODEL	DESCRIPTION	SIZE (")
709976	G0101-SS	Gas Outlet Box	7 × 5-1/4 × 2-1/4

#### DOUBLE GAS — STAINLESS STEEL \*

- G0101-2#-DBL-SS Available in brushed stainless steel
- Direct connection to existing 2# residential gas systems for indoor/outdoor use
- Clean, compact design conceals unsightly pipes and valves
- 2 – 3/8" Kwik Disconnect safety shut-offs with easy access
- C/W standoffs for siding installations
- CSA approved for indoor/outdoor use
- Temperature Rating: Approved to -40°C
- Capacity: 75,000 BTU natural gas
- Inlet Connection: 1/2" IPS Rear



The ideal method of connecting multiple outdoor barbeques, patio heaters, etc.

This unit is the ultimate outdoor gas connection, designed with a 1/2" inlet to provide ample capacity to service all your outdoor appliances.

ITEM #	MODEL	DESCRIPTION	SIZE (")
709947	G0101-2#-DBL-SS	Double Gas Outlet Box	7 × 5-1/4 × 2-1/4

**\* CAUTION! Gas Outlets are to be installed by Licensed Gas Fitter only.**

## GAS BARBEQUE HOOKUPS


www.wngp.com, www.fairviewfittings.com

### GAS SYSTEM REGULATOR OUTLETS

#### NG-OUTLET-2LB\*

- Heavy Duty 20 gauge stainless steel outlet cover
- Brass Adapters
- CSA Approved Brass Ball Valve
- GAS-FLO® Brand Quick Disconnect Coupler
- Appliance Attachment (Nipple) And Dust Plug
- Weather resistant caution label
- 2 lb. to 7" water column gas regulator

ITEM #	MODEL	DESCRIPTION	SIZE (")
709995	NG-OUTLET-2LB	Stainless Steel Outlet Box	6-1/4 H × 3-1/2 W × 2-1/2 D



#### NGO-3\*

- Stainless Steel outlet cover
- CSA Convenience Outlet (Valve with Coupler)
- Appliance Attachment (Nipple)
- Outlet Dust Plug
- Thermal Protection Device shuts off flow of gas at 250°F, 121°C
- Natural Gas CSA Rated 60,000 BTU/H @ .6" w.c. Pressure Drop
- Propane Gas CSA Rated 80,000 BTU/H @ .6" w.c. Pressure Drop

ITEM #	MODEL	DESCRIPTION	SIZE (")
709994	NGO-3	Stainless Steel Outlet Box	6-1/4 H × 3-1/2 W × 2-1/2 D



#### NG-OUTLET-DUAL\*

- Heavy Duty 20 Gauge Stainless Steel Outlet Cover
- CSA Certified Brass Ball Valves
- GLAS-FLO® Brand Quick Disconnect Couplers
- Brass Adapters
- Back Mount Only
- Outlet Dust Plugs
- Standoff Spacers
- Lockable
- Weather Resistant Caution Label

ITEM #	MODEL	DESCRIPTION	SIZE (")
709990	NG-Outlet-Dual	Stainless Steel Dual Outlet Box	7-1/4 H × 4 W × 3-1/8 D



**\* CAUTION! Gas Outlets are to be installed by Licensed Gas Fitter only.**

## GAS BARBEQUE HOOKUPS

[www.wngp.com](http://www.wngp.com), [www.fairviewfittings.com](http://www.fairviewfittings.com)

### GAS SYSTEM REGULATOR OUTLETS (cont'd)

#### NG — OUTLET — 2 LBS — DUAL\*

- Heavy Duty 20-gauge stainless steel outlet cover
- CSA certified brass ball valves
- GAS-FLO® Brand 3/8" Quick Disconnect Couplers
- Brass Adapters
- Back Mount Only
- Outlet Dust Plugs
- Standoff Spacers
- Lockable
- Weather Resistant Caution Label



Left Mount

ITEM #	MODEL	DESCRIPTION	SIZE (")
709964	NG-OUTLET-2LB-DUAL-R	Right mount	8-1/4 × 9 × 2-3/4
709965	NG-OUTLET-2LB-DUAL-L	Left mount	8-1/4 × 9 × 2-3/4

### BARBEQUE HOSE ASSEMBLIES — NATURAL GAS

- 3/8" Type I Rubber Hose
- 3/8" Female S.A.E. Swivel × 3/8" Male Pipe



ITEM #	MODEL	DESCRIPTION
709987	1620FS6MP6	10 ft. Hose
709992	Generic	10 ft. Hose
709988	Generic	15 ft. Hose



### GAS PRESSURE REGULATORS FOR 2 LB SYSTEMS

ITEM #	MODEL	DESCRIPTION
709986	R90	1/2" 2 lb. Regulator Capacity at 2 lb.: 280 MBTU



### QUICK DISCONNECT COUPLER — LPG/NAT. GAS

ITEM #	MODEL	DESCRIPTION
709470	QD-GMC6-6F	3/8" coupler × 3/8" female pipe 1/2 PSI
709472	QD-GMC8-8F	1/2" coupler × 1/2" female pipe 1/2 PSI



### QUICK DISCONNECT NIPPLE — BRASS

ITEM #	MODEL	BODY SIZE (")	PIPE
709474	QD-GMN6-6F	3/8	3/8 FPT
709476	QD-GMN8-8F	1/2	1/2 FPT



#### Quick Disconnect BTU Capacity

(Flow capacities are based on 0.64 specific gravity @ 0.3" w.c. pressure drop)

1/4	3/8	1/2	3/4	1	1-1/4
50,000	85,000	120,000	260,000	310,000	500,000

**\* CAUTION! Gas Outlets are to be installed by Licensed Gas Fitter only.**