

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

INDEX

DIRECT-VENT GAS INSERTS

BELLEVUE 27	13-17
BELLEVUE 32	13-18
MADISON PARK 27	13-22
MADISON PARK 32	13-23
MADISON PARK 34	13-24
RAVENNA™	13-19 – 13-20
RAVENNA™ CD	13-21

DIRECT-VENT GAS STOVES

EPIC™	13-15
SEREFINA™	13-16

PELLET INSERTS

WINSLOW™ PI40	13-27 – 13-28
---------------------	---------------

PELLET STOVES

MONTAGE™	13-25
WINSLOW™ PS40	13-26

WOOD-BURNING INSERTS

CANYON™	13-14
LEGACY™	13-13
MONTLAKE™ 230	13-9
MONTLAKE™ 300	13-10
PERFORMER™	13-12
STRIKER™	13-11

WOOD-BURNING STOVES

CANYON™	13-7
GRANDVIEW™ 230	13-2
GRANDVIEW™ 300	13-3
LEGACY™	13-6
PERFORMER ST	13-5
STRIKER	13-4
TAHOMA	13-8

Available in Calgary, Alberta

Expert Service. Quality Products. Since 1960.

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING STOVES

GRANDVIEW™ 230

The new Grandview 230 freestanding wood stove offers a more efficient approach to home heating, utilizing our TFT™ (Thermal Fin Technology) to add more heat to your home. This stove comes standard with a 2.3 cu.ft combustion chamber, ceramic glass, interior brick and baffle, air wash system and a 6" flue outlet.

Agency Listing: Built to UL# 1482 – ULC #S627 (100439700PRT-001)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607038	H8338	GV230	Grandview 230, Medium

Required Accessories (Ordered Separately – Choose Pedestal or Legs)

<i>Pedestal</i>			
607802	H8343	PED-GV	Pedestal, Black
<i>Legs</i>			
607808	H8339	LEG-COSTL-BLK	Coastal Legs, Black
607810	H8340	LEG-COSTL-BRNKL	Coastal Legs, Brushed Nickel
607812	H8341	LEG-COSTL-NKL	Coastal Legs, Nickel
607814	H8342	LEG-LKVIEW-BLK	Lakeview Legs, Black
607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel

Optional Accessories

<i>Ash Drawers</i>			
607804	H8344	ASHDR-KIT-PED-GV	Pedestal Ash Drawer Kit
607806	H8345	ASHDR-KIT-LEG-GV	Leg Ash Drawer Kit
<i>Louvers</i>			
607816	H8348	LVP-GV230-BLK	Louvers, Black
607818	H8349	LVR-GV230-BRNKL	Louvers, Brushed Nickel
<i>Door Trim</i>			
607820	H8346	DRTRM-GV230-NKL	Face Plate, Nickel
607822	H8347	DRTRM-GV230-BRNKL	Face Plate, Brushed Nickel
<i>Blowers</i>			
607824	H8350	BLWR-GV-700-SS	Blower
<i>Outside Air Kits</i>			
665112	UZIAD	UZIAD	4" Flex Adaptor
665114	UZI	UZI	Outside Air Kit (4" I.D. × 10 ft. long insulated flex)
<i>Common Accessories</i>			
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5308	W-LEGF-LBRKT	Leg Fastening L-Brackets
C621000	H7638	BELLA-LLK	Leveling Legs

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING STOVES (cont'd)

GRANDVIEW™ 300

The new Grandview 300 freestanding wood stove offers a more efficient approach to home heating, utilizing our TFT™ (Thermal Fin Technology) to add more heat to your home. This stove comes standard with a 3.0 cu.ft combustion chamber, ceramic glass, interior brick and baffle, air wash system and a 6" flue outlet.

Agency Listing: Built to UL# 1482 – ULC #S627 (100439700PRT-001)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607039	H8958	GV300	Grandview 300, Large
Required Accessories (Ordered Separately – Choose Pedestal or Legs)			
<i>Pedestal</i>			
607802	H8343	PED-GV	Pedestal, Black
<i>Legs</i>			
607808	H8339	LEG-COSTL-BLK	Coastal Legs, Black
607810	H8340	LEG-COSTL-BRNKL	Coastal Legs, Brushed Nickel
607812	H8341	LEG-COSTL-NKL	Coastal Legs, Nickel
607814	H8342	LEG-LKVIEW-BLK	Lakeview Legs, Black
607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel
Optional Accessories			
<i>Ash Drawers</i>			
607804	H8344	ASHDR-KIT-PED-GV	Pedestal Ash Drawer Kit
607806	H8345	ASHDR-KIT-LEG-GV	Leg Ash Drawer Kit
<i>Louvers</i>			
C621000	H8959	LVP-GV300-BLK	Louvers, Black
640006	H8960	LVR-GV300-BRNKL	Louvers, Brushed Nickel
<i>Door Trim</i>			
607820	H8346	DRTRM-GV230-NKL	Face Plate, Nickel
607822	H8347	DRTRM-GV230-BRNKL	Face Plate, Brushed Nickel
<i>Blowers</i>			
607824	H8350	BLWR-GV-700-SS	Blower
<i>Outside Air Kits</i>			
665112	UZIAD	UZIAD	4" Flex Adaptor
665114	UZI	UZI	Outside Air Kit (4" I.D. × 10 ft. long insulated flex)
<i>Common Accessories</i>			
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5308	W-LEGF-LBRKT	Leg Fastening L-Brackets
C621000	H7638	BELLA-LLK,	Leveling Legs

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING STOVES (cont'd)

STRIKER

The non-catalytic freestanding wood stove offers a black painted finish with nickel nameplate, 1.6 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 6" flue outlet. This stove can be installed using either a pedestal or leg configuration in a variety of finishes.

Agency Listing: Built to UL #1482 – ULC #S627 Omni (050-S-03b-2)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607010	H7884	S160T-B	Stove/Traditional Black Door/Nickel Nameplate
607012	H7883	S160A-B	Stove/Arch Black Door/Nickel Nameplate

Required Accessories (Ordered Separately – Choose Pedestal or Legs)

<i>Pedestal</i>			
607218	71108	WS-PED	Pedestal
607220	71109	WS-PED-ASHD	Ash Drawer Pedestal
<i>Legs</i>			
607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel
607204	70003	LEG-CAS-B	Cascade Steel, Black
<i>Heat Shield (Required with legs)</i>			
607230	71110	WSHS-160	Heat Shield

Optional Accessories

<i>Arch Faceplates</i>			
C621000	71062	ARCH-FP-N-SM	Arch, Nickel
607244	71144	ARCH-FP-BN-SM	Arch, Brushed Nickel
<i>Traditional Faceplates</i>			
C621000	71059	TRAD-FP-N-SM	Traditional, Nickel
C621000	71145	TRAD-FP-BN-SM	Traditional, Brushed Nickel
<i>Blowers</i>			
607233	H7917	BLWR-FSB700-SS	Blower
<i>Outside Air Kits</i>			
607222	71111	OUTAIDK-L	Outside Air Kit/Leg
607224	71112	OUTAIDK-P	Outside Air Kit/Pedestal
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5308	W-LEGF-LBRKT	Leg Fastening L – Brackets (4 included) (Tie down kit to be used in mobile or modular homes)

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING STOVES (cont'd)

PERFORMER ST

The Performer 210 non-catalytic freestanding wood stove offers a unique T-top design with a black painted finish with nickel nameplate, 2.1 cu.ft. combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 6" flue outlet. This stove can be installed using either a pedestal or leg configuration in a variety of finishes.

Agency Listing: Built to UL #1428 – ULC #S627 OMNI (050-S-03b-2)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607026	H7886	ST210A-B	Stove/Step Top/Arch Black Door/Nickel Nameplate
Required Accessories (Ordered Separately – Choose Pedestal or Legs)			
<i>Pedestal</i>			
607246	71113	WL-PED	Pedestal
607248	71114	WL-PED-ASHD	Ash Drawer Pedestal
<i>Legs</i>			
607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel
607204	70003	LEG-CAS-B	Cascade Steel, Black
<i>Heat Shield (Required with legs)</i>			
607232	71115	WSHS-210	Heat Shield
Optional Accessories			
<i>Arch Faceplates</i>			
C621000	71062	ARCH-FP-N-SM	Arch, Nickel
607244	71144	ARCH-FP-BN-SM	Arch, Brushed Nickel
<i>Blowers</i>			
607233	H7917	BLWR-FSB700-SS	Blower
<i>Outside Air Kits</i>			
607222	71111	OUTAIRK-L	Outside Air Kit/Leg
607224	71112	OUTAIRK-P	Outside Air Kit/Pedestal
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING STOVES (cont'd)

LEGACY™

This large non-catalytic wood stove offers a black painted finish with nickel nameplate, 2.6 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and an 8" flue outlet (adaptable to 6"). This stove can be installed using either a pedestal or leg configuration in a variety of finishes.

Agency Listing: Built to UL #1428 – ULC #S627 OMNI (0500-S02b-2)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607034	H7887	SS260T-B	Stove/T-Top/Traditional Black Door/Nickel Nameplate

Required Accessories (Ordered Separately – Choose Pedestal or Legs)

<i>Pedestal</i>			
607246	71113	WL-PED	Pedestal
607248	71114	WL-PED-ASHD	Ash Drawer Pedestal
<i>Legs</i>			
607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel
607204	70003	LEG-CAS-B	Cascade Steel, Black
<i>Heat Shield (Required with legs)</i>			
607252	71116	WSHS-260	Heat Shield

Optional Accessories

<i>Traditional Faceplates</i>			
C621000	71084	TRAD-FP-N-LG	Traditional, Nickel
C621000	71146	TRAD-FP-BN-LG	Traditional, Brushed Nickel
<i>Blowers</i>			
607233	H7917	BLWR-FSB700-SS	Blower
<i>Outside Air Kits</i>			
607222	71111	OUTAIRK-L	Outside Air Kit/Leg
607224	71112	OUTAIRK-P	Outside Air Kit/Pedestal
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
607708	71134	Reducer 8-6"	Pipe Reducer from 8" to 6" Stainless
C621000	H5308	W-LEGF-LBRKT	Leg Fastening L-Brackets (4 included) (Tie down kit to be used in mobile or modular homes)

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING STOVES (cont'd)

CANYON™

This extra large non-catalytic freestanding wood stove offers a black painted finish with nickel nameplate, 3.1 cu.ft. combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and an 8" flue outlet (adaptable to 6"). This stove can be installed using either a pedestal or leg configuration in a variety of finishes.

Agency Listing: Built to UL #1428 – ULC #S627 OMNI (0500-S09b-2)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
607016	H7888	ST310T-B	Stove/Step-Top/Traditional Black Door/Nickel Nameplate

Required Accessories (Ordered Separately – Choose Pedestal or Legs)

Pedestal

607246	71113	WL-PED	Pedestal
607248	71114	WL-PED-ASHD	Ash Drawer Pedestal

Legs

607202	70000	LEG-OLY-B	Olympic Sculptured, Black
C621000	70002	LEG-OLY-N	Olympic Sculptured, Nickel
607206	70008	LEG-OLY-BRN	Olympic Sculptured, Brushed Nickel
607204	70003	LEG-CAS-B	Cascade Steel, Black

Heat Shield

607226	71117	WSHS-310	Heat Shield
--------	-------	----------	-------------

Optional Accessories

Traditional Faceplates

C621000	71084	TRAD-FP-N-LG	Traditional, Nickel
C621000	71146	TRAD-FP-BN-LG	Traditional, Brushed Nickel

Blowers

607233	H7917	BLWR-FSB700-SS	Blower
--------	-------	----------------	--------

Outside Air Kits

607222	71111	OUTAIRK-L	Outside Air Kit/Leg
607224	71112	OUTAIRK-P	Outside Air Kit/Pedestal

Common Accessories

C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
607708	71134	Reducer 8-6"	Pipe Reducer from 8" to 6" Stainless
C621000	H5308	W-LEGF-LBRKT	Leg Fastening L – Brackets (4 included) (Tie down kit to be used in mobile or modular homes)

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING STOVES (cont'd)

TAHOMA

This non-catalytic freestanding wood stove offers a black painted finish, a solid pedestal base, nickel nameplate, 2.1 cu.ft. combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and an 6" flue outlet.

Agency Listing: Built to UL #1428 – ULC #S627 OMNI (0500-S09b-2)

Item #	Material #	Model #	Description
Wood-Burning Freestanding Stove			
608000	F2629	Tahoma 2100	EPA Phase II Freestanding Stove, Cast Door

Optional Accessories

Blowers

608001	H8873	BLWR-ES-S150	Blower
--------	-------	--------------	--------

Outside Air Kits

640286	H8874	OUTAIRKIT-ES	Outside Air Kit
665112	UZIAD	UZIAD	4" Flex Adaptor
665114	UZI	UZI	Outside Air Kit (4" I.D. × 10 ft. long insulated flex)

Common Accessories

617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
--------	-------	--------	---------------------------------

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING INSERTS

MONTLAKE™ 230

The new Montlake 230 wood insert offers a more efficient approach to home heating, utilizing our TFT™ (Thermal Fin Technology) to add more heat to your home. This insert comes standard with a 2.3 cu.ft. combustion chamber, ceramic glass, interior brick and baffle, 150 cfm blower, air wash system and a 6" flue outlet.

Agency Listing: Built to UL #1428-2010, ULC #S628-1993

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
607044	H8658	ML230	Wood Insert
Required Accessories (Ordered Separately)			
<i>Top (One Required)</i>			
607826	H8673	Top-Steel-ML230	Steel Top
607828	H8674	Top-Cast Iron-ML230	Cast Top
<i>Surround Panels</i>			
607830	H8677	ML230-FP2614	26-1/2" x 41" Black
607832	H8678	ML230-FP2648	26-1/2" x 48" Black
607834	H8679	ML230-FP3141	31" x 41" Black
607836	H8680	ML230-FP3148	31" x 48" Black
607838	H8681	ML230-FPTRIM3348	33" x 48" Black Trimmable
Optional Accessories			
<i>Decorative Trim</i>			
607820	H8346	DRTRM-GV-ML-NKL	Face Plate, Nickel
607822	H8347	DRTRM-GV-ML-BRNKL	Face Plate, Brushed Nickel
C621000	H9138	LVR-ML BRNKL	Louver, Brushed Nickel (For Cast Iron Top Only)
C621000	H9139	STN-BKT-ML	Stove Panel Bracket Kit
<i>Raised Hearth Cover Plate</i>			
607840	H8675	ZC-SUPPORT-ML230	ZC-SUPPRT-ML230
<i>Outside Air Kits</i>			
665112	UZIAD	UZIAD	4" Flex Adaptor
665114	UZI	UZI	Outside Air Kit (4" I.D. x 10 ft. long insulated flex)

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING INSERTS (cont'd)

MONTLAKE™ 300

The new Montlake 300 wood insert offers a more efficient approach to home heating, utilizing our TFT™ (Thermal Fin Technology) to add more heat to your home. This insert comes standard with a 3.0 cu.ft. combustion chamber, ceramic glass, interior brick and baffle, dual 150 cfm blower, air wash system and a 6" flue outlet.

Agency Listing: Built to UL #1428-2010, ULC #S628-1993

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
C621000	F2027	ML300	Wood Insert

Required Accessories (Ordered Separately)

Top (one Required)

C621000	F2028	Top-Steel-ML300	Steel Top
C621000	F2029	Top-Cast Iron-ML300	Cast Top

Surround Panels

C621000	F2021	ML300-FP2614	29-1/2" x 42-1/2" Black
C621000	F2022	ML300-FP2648	29" x 49-1/2" Black
C621000	F2023	ML300-FP3141	33" x 42-1/2" Black
C621000	F2024	ML300-FP3148	33" x 49-1/2" Black
C621000	F2025	ML300-FPTRIM3348	34" x 50" Black Trimmable

Optional Accessories

Decorative Trim

607820	H8346	DRTRM-GV-ML-NKL	Face Plate, Nickel
607822	H8347	DRTRM-GV-ML-BRNKL	Face Plate, Brushed Nickel
C621000	H9138	LVR-ML BRNKL	Louver, Brushed Nickel (For Cast Iron Top Only)
C621000	H9139	STN-BKT-ML	Stove Panel Bracket Kit

Raised Hearth Cover Plate

C621000	F2026	ZC-SUPPORT-ML300	ZC SUPPORT – MONTLAKE 300
---------	-------	------------------	---------------------------

Outside Air Kits

665112	UZIAD	UZIAD	4" Flex Adaptor
665114	UZI	UZI	Outside Air Kit (4" I.D. x 10 ft. long insulated flex)

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING INSERTS (cont'd)

STRIKER™

This non-catalytic wood insert offers a black painted finish with nickel nameplate, 1.6 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 6" flue outlet.

Agency Listing: Built to UL #1428 – UL Agency Info

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
607018	H7889	C160T-B	Insert/Traditional Black Door/Nickel Nameplate
607022	H7890	C160A-B	Insert/Arch Black Door/Nickel Nameplate
Required Accessories (Ordered Separately)			
<i>Surround Panels 26-1/2" x 40"</i>			
607216	71042	WFPT0740-S	Top Surround 7-1/2" x 40"
607212	71035	WFPS0819	Side Surrounds 8-3/8" x 19"
<i>Surround Panels 26-1/2" x 48"</i>			
C621000	71043	WFPT0748-S	Top Surround 7-1/2" x 48"
C621000	71036	WFPS1219	Side Surrounds 12-3/8" x 19"
<i>Surround Panels 30-1/2" x 40"</i>			
C621000	71044	WFPT1140-S	Top Surround 11-1/2" x 40"
607212	71035	WFPS0819	Side Surrounds 8-3/8" x 19"
<i>Surround Panels 30-1/2" x 48"</i>			
C621000	71045	WFPT1148-S	Top Surround 11-1/2" x 48"
C621000	71036	WFPS1219	Side Surrounds 12-3/8" x 19"
Optional Accessories			
<i>Surround Trim</i>			
607278	71021	WFT2640-B	Black 26-3/4" x 40"
C621000	71022	WFT2648-B	Black 26-3/4" x 48"
C621000	71025	WFT3040-B	Black 30-3/4" x 40"
C621000	71026	WFT3048-B	Black 30-3/4" x 48"
C621000	71074	WFT2640-N	Nickel 26-3/4" x 40"
C621000	71075	WFT2648-N	Nickel 26-3/4" x 48"
C621000	71078	WFT3040-N	Nickel 30-3/4" x 40"
C621000	71079	WFT2948-N	Nickel 30-3/4" x 48"
<i>Arch Faceplates (Faceplate Only)</i>			
C621000	71062	ARCH-FP-N-SM	Arch, Nickel
607244	71144	ARCH-FP-BN-SM	Arch, Brushed Nickel
<i>Traditional Faceplates (Faceplate Only)</i>			
C621000	71059	TRAD-FP-N-SM	Traditional, Nickel
C621000	71145	TRAD-FP-BN-SM	Traditional, Brushed Nickel
<i>Blowers *</i>			
607236	H7907	WSINS-BLWR-B-SS	Blower Back
C621000	H7909	WSINS-BLWR-N-SS	Blower, Nickel
C621000	H7910	WSINS-BLWR-BN-SS	Blower, Brushed Nickel
* NOTE: All blowers now include a snap switch for thermal activation.			
<i>Offset Box</i>			
C621000	H6832	OFFADJFLUEBX6SM	6" Flue/6" Exhaust, 0" – 6"
C621000	H6833	OFFADJFLUEBX6LG	6" Flue/6" Exhaust, 6" – 12"
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	71128	SM-FSCRW-N	Small Surround Screws Nickel (7 needed)
C621000	71129	FRNT-SPPT	Front Support (0-8")
607702	71161	WINS-6FC	6" Positive Flue Connector Ring Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

WOOD-BURNING INSERTS (cont'd)

PERFORMER™

This non-catalytic wood insert offers a black painted finish with nickel nameplate, 2.1 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 6" flue outlet.

Agency Listing: Built to UL #1428 – UL Agency Info

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
607020	H7891	C160T-B	Insert/Traditional Black Door/Nickel Nameplate
607032	H7892	C160A-B	Insert/Arch Black Door/Nickel Nameplate

* For Brushed Nickel Finish – Order Brushed Nickel, Faceplate Only (replacement part).

Required Accessories (Ordered Separately)

<i>Surround Panels 26-1/2" x 40"</i>			
607214	71038	WFPT0740-L	Top Surround 7-1/2" x 40"
607210	71033	WFPS0718	Side Surrounds 7-1/2" x 18-3/4"
<i>Surround Panels 26-1/2" x 48"</i>			
C621000	71039	WFPT0748-L	Top Surround 7-1/2" x 48"
C621000	71034	WFPS1118	Side Surrounds 11-1/2" x 18-3/4"
<i>Surround Panels 30-1/2" x 40"</i>			
C621000	71040	WFPT1140-L	Top Surround 11-1/2" x 40"
607210	71033	WFPS0718	Side Surrounds 7-1/2" x 18-3/4"
<i>Surround Panels 30-1/2" x 48"</i>			
C621000	71041	WFPT1148-L	Top Surround 11-1/2" x 48"
C621000	71034	WFPS1118	Side Surrounds 11-1/2" x 18-3/4"

Optional Accessories

<i>Surround Trim</i>			
607278	71021	WFT2640-B	Black 26-3/4" x 40"
C621000	71022	WFT2648-B	Black 26-3/4" x 48"
C621000	71025	WFT3040-B	Black 30-3/4" x 40"
C621000	71026	WFT3048-B	Black 30-3/4" x 48"
C621000	71074	WFT2640-N	Nickel 26-3/4" x 40"
C621000	71075	WFT2648-N	Nickel 26-3/4" x 48"
C621000	71078	WFT3040-N	Nickel 30-3/4" x 40"
C621000	71079	WFT2948-N	Nickel 30-3/4" x 48"
<i>Arch Faceplates (Faceplate Only)</i>			
C621000	71062	ARCH-FP-N-SM	Arch, Nickel
607244	71144	ARCH-FP-BN-SM	Arch, Brushed Nickel
<i>Traditional Faceplates (Faceplate Only)</i>			
C621000	71059	TRAD-FP-N-SM	Traditional, Nickel
C621000	71145	TRAD-FP-BN-SM	Traditional, Brushed Nickel
<i>Blowers *</i>			
607236	H7907	WSINS-BLWR-B-SS	Blower Back
C621000	H7909	WSINS-BLWR-N-SS	Blower, Nickel
C621000	H7910	WSINS-BLWR-BN-SS	Blower, Brushed Nickel
* NOTE: All blowers now include a snap switch for thermal activation.			
<i>Offset Box</i>			
C621000	H6832	OFFADJFLUEBX6SM	6" Flue/6" Exhaust, 0" – 6"
C621000	H6833	OFFADJFLUEBX6LG	6" Flue/6" Exhaust, 6" – 12"
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5295	LG-FSCRW-N	Large Surround Screws Nickel (7 needed)
C621000	H5296	FRNT-SPPT	Front Support 40" – 48" Width / 8" – 0" Height
607702	71161	WINS-6FC	6" Positive Flue Connector Ring Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING INSERTS (cont'd)

LEGACY™

This large non-catalytic wood insert offers a black painted finish with nickel nameplate, 2.6 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 6" flue outlet.

Agency Listing: Built to UL #1428 – ULC #S628 OMNI (050-S-02b-2)

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
C621000	H7893	C260T-B	Insert/Traditional Black Door/Nickel Nameplate
<i>* For Brushed Nickel Finish – Order Brushed Nickel, Faceplate Only (replacement part).</i>			

Required Accessories (Ordered Separately)

<i>Surround Panels 29" × 40"</i>			
607214	71038	WFPT0740-L	Top Surround 7-1/2" × 40"
607270	71031	WFPS0621	Side Surrounds 6" × 21-5/8"
<i>Surround Panels 29" × 48"</i>			
C621000	71039	WFPT0748-L	Top Surround 7-1/2" × 48"
C621000	71032	WFPS1021	Side Surrounds 10" × 21-5/8"
<i>Surround Panels 33" × 40"</i>			
C621000	71040	WFPT1140-L	Top Surround 11-1/2" × 40"
607270	71031	WFPS0621	Side Surrounds 6" × 21-5/8"
<i>Surround Panels 33" × 48"</i>			
C621000	71041	WFPT1148-L	Top Surround 11-1/2" × 48"
C621000	71032	WFPS1021	Side Surrounds 10" × 21-5/8"

Optional Accessories

<i>Surround Trim</i>			
C621000	71023	WFT2940-B	Black 29" × 40"
C621000	71024	WFT2948-B	Black 29" × 48"
C621000	71027	WFT3340-B	Black 33" × 40"
C621000	71028	WFT3348-B	Black 33" × 48"
C621000	71076	WFT2940-N	Nickel 29" × 40"
C621000	71077	WFT2948-N	Nickel 29" × 48"
C621000	71080	WFT3340-N	Nickel 33" × 40"
C621000	71081	WFT3348-N	Nickel 33" × 48"
<i>Traditional Faceplates (Faceplate Only)</i>			
C621000	71084	TRAD-FP-N-LG	Traditional, Nickel
C621000	71146	TRAD-FP-BN-LG	Traditional, Brushed Nickel
<i>Blowers *</i>			
C621000	H7912	WLINS-BLWR-B-SS	Blower, Black
C621000	H7914	WLINS-BLWR-N-SS	Blower, Nickel
C621000	H7915	WLINS-BLWR-BN-SS	Blower, Brushed Nickel
<i>* NOTE: All blowers now include a snap switch for thermal activation.</i>			
<i>Offset Box</i>			
C621000	H6834	OFFADJFLUEBX8SM	8" Flue/6" Exhaust, 0" – 6"
C621000	H6835	OFFADJFLUEBX8LG	8" Flue/6" Exhaust, 6" – 12"
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5295	LG-FSCRW-N	Large Surround Screws Nickel (7 needed)
607708	71134	Reducer 8-6"	Pipe Reducer from 8" to 6" Stainless
C621000	71162	WINS-8FC	8" Positive Flue Connector Ring Kit
607706	71163	WINS-8/6REDCR	8"- 6" Positive Flue Connector Kit w/Reducer

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

WOOD-BURNING INSERTS (cont'd)

CANYON™

This large non-catalytic wood insert offers a black painted finish with nickel nameplate, 3.1 cu.ft combustion chamber, ceramic fiber insulating blanket, air wash system, ceramic glass and a 8" flue outlet.

Agency Listing: Built to UL #1428 – ULC #S628 OMNI (050-S-10b-4)

Item #	Material #	Model #	Description
Wood-Burning Fireplace Insert			
607030	H7894	C310T-B	Insert/Traditional Black Door/Nickel Nameplate
<i>* For Brushed Nickel Finish – Order Brushed Nickel, Faceplate Only (replacement part).</i>			

Required Accessories (Ordered Separately)

<i>Surround Panels 29" x 40"</i>			
607214	71038	WFPT0740-L	Top Surround 7-1/2" x 40"
607270	71031	WFPS0621	Side Surrounds 6" x 21-5/8"
<i>Surround Panels 29" x 48"</i>			
C621000	71039	WFPT0748-L	Top Surround 7-1/2" x 48"
C621000	71032	WFPS1021	Side Surrounds 10" x 21-5/8"
<i>Surround Panels 33" x 40"</i>			
C621000	71040	WFPT1140-L	Top Surround 11-1/2" x 40"
607270	71031	WFPS0621	Side Surrounds 6" x 21-5/8"
<i>Surround Panels 33" x 48"</i>			
C621000	71041	WFPT1148-L	Top Surround 11-1/2" x 48"
C621000	71032	WFPS1021	Side Surrounds 10" x 21-5/8"

Optional Accessories

<i>Surround Trim</i>			
C621000	71023	WFT2940-B	Black 29" x 40"
C621000	71024	WFT2948-B	Black 29" x 48"
C621000	71027	WFT3340-B	Black 33" x 40"
C621000	71028	WFT3348-B	Black 33" x 48"
C621000	71076	WFT2940-N	Nickel 29" x 40"
C621000	71077	WFT2948-N	Nickel 29" x 48"
C621000	71080	WFT3340-N	Nickel 33" x 40"
C621000	71081	WFT3348-N	Nickel 33" x 48"
<i>Traditional Faceplates (Faceplate Only)</i>			
C621000	71084	TRAD-FP-N-LG	Traditional, Nickel
C621000	71146	TRAD-FP-BN-LG	Traditional, Brushed Nickel
<i>Blowers *</i>			
C621000	H7912	WLINS-BLWR-B-SS	Blower, Black
C621000	H7914	WLINS-BLWR-N-SS	Blower, Nickel
C621000	H7915	WLINS-BLWR-BN-SS	Blower, Brushed Nickel
<i>* NOTE: All blowers now include a snap switch for thermal activation.</i>			
<i>Offset Box</i>			
C621000	H6834	OFFADJFLUEBX8SM	8" Flue/6" Exhaust, 0" – 6"
C621000	H6835	OFFADJFLUEBX8LG	8" Flue/6" Exhaust, 6" – 12"
<i>Common Accessories</i>			
C621000	71054	Paint Nickel (1/2 Pint)	Paint Nickel (1/2 Pint)
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
C621000	H5295	LG-FSCRW-N	Large Surround Screws Nickel (7 needed)
607708	71134	Reducer 8-6"	Pipe Reducer from 8" to 6" Stainless
C621000	71162	WINS-8FC	8" Positive Flue Connector Ring Kit
607706	71163	WINS-8/6REDCR	8"- 6" Positive Flue Connector Kit w/Reducer
C621000	H5296	FRNT-SPPT	Front Support

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS STOVES

EPIC™

The Epic freestanding gas stove is heater rated and comes standard with an exciting flame presentation ceramic glass, high glow ceramic logs, a 150 CFM blower. Other optional trims finishes are also available, and are sold separately. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33-M98 standard. PFS Report (14-161)

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Freestanding Gas Stove					
C621000	F2325	EPIC 33/40	Epic Stove	NG	40,000
Optional Accessories					
<i>Trim Kits</i>					
608232	75350	EPIC-TRIM-BN	Brushed Nickel Trim		
608254	75351	EPIC-TRIM-BKN	Black Nickel Trim		
<i>Common Accessories</i>					
C621000	H8974	RT-AC	Remote Thermostat, Alternating Current		
618522	H8865	RC-S-TOUCH	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
C621000	75355	EPIC-CK-LP TO NG	Conversion Kit LP to NG		
C621000	75352	EPIC-CK-NG to LP	Conversion Kit NG to LP		

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS STOVES (cont'd)

SEREFINA™

The Serefina offers the beauty of cast iron with the performance of direct-vent gas freestanding stove. This stove offers a variable flame control, ceramic fiber split-oak logs, ceramic glass and a variety of accessories. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA-2.33. PFS Report (14-162)

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Freestanding Gas Stove					
607037	F2326	CI1500DVF	Cast Iron Direct-Vent FS, Painted Black	NG	28,000
C621000	F2327	CI1502DVF	Cast Iron Direct-Vent FS, Midnight Blue	NG	28,000
C621000	F2328	CI1504DVF	Cast Iron Direct-Vent FS, Majolica Brown	NG	28,000
C621000	F2329	CI1506DVF	Cast Iron Direct-Vent FS, Hunter Green	NG	28,000
C621000	F2330	CI1508DVF-2	Cast Iron Direct-Vent FS, Ivory White	NG	28,000
C621000	F2331	CI2500DVF	Cast Iron Direct-Vent FS, Painted Black	NG	38,500
C621000	F2332	CI2502DVF	Cast Iron Direct-Vent FS, Midnight Blue	NG	38,500
C621000	F2333	CI2504DVF	Cast Iron Direct-Vent FS, Majolica Brown	NG	38,500
C621000	F2334	CI2506DVF	Cast Iron Direct-Vent FS, Hunter Green	NG	38,500
C621000	F2335	CI2508DVF	Cast Iron Direct-Vent FS, Ivory White	NG	38,500
Optional Accessories					
<i>Ceramic Brick Liner Kits</i>					
617074	H0773	BLK-CI15	Brick Liner Kit, CI1500		
617076	H0774	BLK-CI25	Brick Liner Kit, CI2500		
<i>Blower Kits</i>					
C621000	H0767	BK-CI	CI1500 & CI2500		
<i>Remote Control Kits</i>					
618522	H8865	RC-S-Touch	Remote, Touch Screen, Thermostat, On/Off		
617124	H8861	RC-S-Stat	Remote, LCD Stat, Thermostat, On/Off		
618524	H8860	RC-S-1	Remote, Two Button, timer, On/Off or Timer Mode		
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate		
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer		
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat		
<i>Warming Shelves</i>					
C621000	H0757	WS-CI150	Warming Shelves, Painted Black, CI1500		
C621000	H0758	WS-CI152	Warming Shelves, Midnight Blue, CI1502		
C621000	H0759	WS-CI154	Warming Shelves, Majolica Brown, CI1504		
C621000	H0760	WS-CI156	Warming Shelves, Hunter Green, CI1506		
C621000	H2159	WS-CI158-2	Warming Shelves, Ivory White, CI1508		
C621000	H0762	WS-CI250	Warming Shelves, Painted Black, CI2500		
C621000	H0763	WS-CI252	Warming Shelves, Midnight Blue, CI2500		
C621000	H0764	WS-CI254	Warming Shelves, Majolica Brown, CI2500		
C621000	H0765	WS-CI256	Warming Shelves, Hunter Green, CI2500		
C621000	H2158	WS-CI258-2	Warming Shelves, Ivory White, CI2500		
<i>Common Accessories</i>					
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black		
C621000	H3705		CI1500 Gas Conversion Kit NG to LP		
C621000	H3706		CI2500 Gas Conversion Kit NG to LP		

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

IRONSTRIKE STOVES AND INSERTS

DIRECT-VENT GAS INSERTS

BELLEVUE 27

The Bellevue 27 features a 5-piece set of fiber oak logs, a variable speed blower, and electronic ignition. Black interior panels included. Installation's made simple with our new Full Front Façades which serve as a façade, but are large enough to eliminate the need of a surround in most applications. Accent with one of three unique Decorative Accent Trims. Pair with wireless control of your choice. Equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard.

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
C621000	F3406	BELLEVUE27	Bellevue 27, Med DV Gas Insert	NG	25,000
Required Accessories (Ordered Separately)					
<i>Full Front Façades</i>					
C621000	F3408	FPMD-BDVI27	Full Front Façade, 3-Sided, 26" × 37"		
C621000	F3409	FPLG-BDVI27	Full Front Façade, 3-Sided, 30" × 41"		
Optional Accessories					
<i>Decorative Accent Trims</i>					
C621000	F3039	FAC-FRNT-AS-DVI27	Frontier, Decorative Accent Trim, Aged Silver		
C621000	F3042	FAC-HILN-AS-DVI27	Highliner, Decorative Accent Trim, Aged Silver		
C621000	F3045	FAC-IRON-AS-DVI27	Iron Rail, Decorative Accent Trim, Aged Silver		
<i>Surround Panels</i>					
640722	H9135	FP-3846-4S-MPDVI27	4 Sided Surround, Trimmable, 46" × 38" (for use with F3408 Full Front Façade Only)		
<i>Wall and Remote Control Kits</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Common Accessories</i>					
C621000	F3410	BI27-CK-LP to NG	Conversion Kit Propane to Natural		
C621000	F3411	BI27-CK-NG to LP	Conversion Kit Natural to Propane		

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS INSERTS (cont'd)

BELLEVUE 32

The Bellevue 32 features a 5-piece set of fiber oak logs, a variable speed blower, and electronic ignition. Black interior panels included. Installation's made simple with our new Full Front Façades which serve as a façade, but are large enough to eliminate the need of a surround in most applications. Accent with one of three unique Decorative Overlays. Pair with wireless control of your choice. Equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard.

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
C621000	F3025	BELLEVUE32	Bellevue 32, Med DV Gas Insert	NG	28,000
Required Accessories (Ordered Separately)					
<i>Full Front Façades</i>					
C621000	F3133	FP4125-BDVI32	Full Front Façade-Surround, 41" x 25"		
C621000	F3134	FP4332-BDVI32	Full Front Façade-Surround, 43" x 32"		
Optional Accessories					
<i>Decorative Accent Trims</i>					
C621000	F3040	FAC-FRNT-AS-DVI32	Frontier, Decorative Accent Trim, Aged Silver		
C621000	F3043	FAC-HILN-AS-DVI32	Highliner, Decorative Accent Trim, Aged Silver		
C621000	F3046	FAC-IRON-AS-DVI32	Iron Rail, Decorative Accent Trim, Aged Silver		
<i>Surround Panels</i>					
C621000	F2311	FP-4638-4S-MPDVI32	4 Sided Surround, Trimmable, 46" x 38" (for use with F3133 Full Front Façade Only)		
<i>Wall and Remote Control Kits</i>					
C621000	F2687	EF-BRCK	Remote, On/Off, Hi/Low, Electronic		
C621000	F2660	EF-WRCK	Remote, Wireless Wall Mount, On/Off, Hi/Low, Electronic		
<i>Common Accessories</i>					
C621000	F3124	BI32-CK-LP to NG	Conversion Kit Propane to Natural		
C621000	F3125	BI32-CK-NG to LP	Conversion Kit Natural to Propane		

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

IRONSTRIKE STOVES AND INSERTS

DIRECT-VENT GAS INSERTS (cont'd)

RAVENNA™

The Ravenna is the insert of choice and fits most masonry and factory-built fireplaces. This insert comes standard with an IPI electronic ignition system that offers a manual hi-low flame control, ceramic glass, ceramic logs and a 155 CFM blower. The Ravenna is also offered with our Total Comfort Control (TCC) system which comes standard with a remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard. ELT(100501897PRT-001). PFS Report (14-192)

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
C621000	H8400	RDV-40-MV	Ravenna Millivolt	NG	40,000
607040	H8450	RDV-IPI	Ravenna – IPI	NG	40,000
607042	H8451	RDV-TCC	Ravenna – IPI – Total Comfort Control	NG	40,000

Required Accessories (Ordered Separately)

Panel Kits

608234	H7979	RDV-BCK-STD	Tan Brick
608235	H7980	RDV-BRK-RED	Red Brick
608236	H7981	RDV-BRK-ARCH	Architectural Stone
C621000	H8453	RDV-ZG	Zen Garden

Contemporary Face (Order One)

640274	F2322	RDV-CONF-BLK	Contemporary Face, Black
640275	F2323	RDV-CONF-MNK	Contemporary Face, Mink

Surround Panels

608202	H8553	RDV-DBV-FP2941-D1	29" × 41" Black Trim (One-piece)
C621000	H8554	RDV-DBV-FP2941-D1	29" × 41" Black Trim (includes black trim)
C621000	H8555	RDV-DBV-FP2948-D	29" × 48" Black Trim (includes black trim)
C621000	H8556	RDV-DBV-FP3341-D	33" × 41" Black Trim (includes black trim)
C621000	H8557	RDV-DBV-FP3348-D	33" × 48" Black Trim (includes black trim)
617118	H8520	RDV-DBV-FP2941-C1	29" × 41" Black Trim (One-piece) No Switch
617119	H8521	RDV-DBV-FP2941-C	29" × 41" Black Trim (includes black trim) No Switch
617120	H8522	RDV-DBV-FP2948-C	29" × 48" Black Trim (includes black trim) No switch
617121	H8523	RDV-DBV-FP3341-C	33" × 41" Black Trim (includes black trim) No switch
617122	H8524	RDV-DBV-FP3348-C	33" × 48" Black Trim (includes black trim) No Switch

Surround Trim

C621000	H5143	GFT2941-B	Trim/Black 29" × 41"
C621000	H5145	GFT2948-B	Trim/Black 29" × 48"
C621000	H5144	GFT3341-B	Trim/Black 33" × 41"
C621000	H5146	GFT3348-B	Trim/Black 33" × 48"
667492	75037	GFT2941-N	Trim/Nickel 29" × 41"
667496	75039	GFT2948-N	Trim/Nickel 29" × 48"
C621000	75041	GFT3341-N	Trim/Nickel 33" × 41"
C621000	75043	GFT3348-N	Trim/Nickel 33" × 48"

Pillar Cast

608210	F2324	PILCST-GLASS-BAR	PILCST-Glass, RDV
608208	75092	PILCST-PILRS2	Back, Pillars, Top (Box 2 of 3)
608212	75094	PILCST-GRL-TRD3	Grille/Bars Traditional (Box 3 of 3)
608206	75091	PILCST-GRL-FIL3	Grille/Filigree Ornate (Box 3 of 3)

Cast Black Surround Panels (Order Both – for use with Pillar Cast Face ONLY)

608214	75156	RDV-DBV-PCFP3044-TOP, 30" × 44" Top (Box 1 of 2)
608216	75157	RDV-DBV-PCFP3044-SIDE, 30" × 44" Top (Box 2 of 2)

(Cont'd on next page)

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS INSERTS (cont'd)

RAVENNA™ (cont'd)

Optional Accessories (Cont'd)

Finish Panels/Front Supports

C621000	75253	RDV-DBV ZC STD SPPT	ZC Lower Finish Panel/Reg Face Support
C621000	75251	GFHKET-B	ZC Front Support Ext. Trim, Black
C621000	75063	GFHKET-N	ZC Front Support Ext. Trim, Nickel

Common Accessories

640261	H8452	GT-RMT-KIT	GT-Remote Kit-OnOff Thermostat
617126	H8159	TSPK-B	Grille/Filigree Ornate (Box 3 of 3)
C621000	75273	GASINS-RSCP-B	Round Black On/Off Switch Cover Plate
C621000	H8456	RDV-CK-HILO-LP to NG	LP to NG Conversion Kit – HI/LO
640448	H8457	RDV-CK-HILO-NG to LP	NG to LP Conversion Kit – HI/LO
617127	H8458	RDV-CK-TCC-LP to NG	LP to NG Conversion Kit – TCC
640450	H8459	RDV-CK-TCC-NG to LP	NG to LP Conversion Kit – TCC

Orifice Replacement (for Conversion from 40,000 to 33,000 BTU)

C621000	H5924		Orifice Main Burner NG #36, EPIC33-RDV
C621000	H5925		Orifice Main Burner LP #51, EPIC31-RDV33

IRONSTRIKE STOVES AND INSERTS

DIRECT-VENT GAS INSERTS (cont'd)

RAVENNA™ CD

This model standard with our Total Comfort Control (TCC) system, IPI electronic ignition, thermostat remote control, ceramic glass, 155 CFM blower and a variety of glass media (sold separately) to make this an addition to most any space. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard. ELT(100501897PRT-001), PFS Report (14-192)

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Fireplace Insert (Elite Series)					
617115	H8854	RDV-CD	Ravenna – Contemporary Design	NG	32,000

Required Accessories (Ordered Separately)

Contemporary Face (Order One)

640274	F2322	RDV-CONTF-BLK	Contemporary Face – Black
640275	F2323	RDV-CONTF-MNK	Contemporary Face – Mink

Glass Media

617023	H8412	CRSHGL-RBLK	Glass Media, 5LB Bag, Reflective Black
617035	H8424	CRSHGL-RBLU	Glass Media, 5LB Bag, Reflective Blue
617024	H8413	CRSHGL-P	Glass Media, 5LB Bag, Platinum
617040	H8538	CRSHGL-GF	Glass Media, 5LB Bag, Goldfinger
617041	H8539	CRSHGL-C	Glass Media, 5LB Bag, Copper

Panel Kits (Includes Back and Side Panels)

617116	H8855	RDV-BLK-PCLPNL	Porcelain Panels, Black
--------	-------	----------------	-------------------------

Optional Accessories

Surround Panels

617118	H8520	RDV-DBV-FP2941-C1	29" x 41" Black Trim (One-piece) No switch
617119	H8521	RDV-DBV-FP2941-C	29" x 41" Black Trim (includes black trim) No switch
617120	H8522	RDV-DBV-FP2948-C	29" x 48" Black Trim (includes black trim) No switch
617121	H8523	RDV-DBV-FP3341-C	33" x 41" Black Trim (includes black trim) No switch
617035	H8424	RDV-DBV-FP3348-C	33" x 48" Black Trim (includes black trim) No switch

Common Accessories

617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black
617127	H8458	RDV-CK-TCC-LP to NG	LP to NG Conversion Kit – TCC
617128	H8858	RDV-CK-CD-NG to LP	NG to LP Conversion Kit – RDV-CD

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS INSERTS (cont'd)

MADISON PARK 27

The Madison Park 27 (MPDVI27) includes high definition logs, standard variable speed blower, standard interior light, electronic ignition and fully featured total comfort control remote control. The Madison Park CD 27 includes media burner system, standard variable speed blower, electronic ignition and fully featured total comfort control remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard. PFS Report (14-098)

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
639760	H9122	MPI27	Small Insert	NG	30,000
639761	H9123	MPI27CD	Small Insert, Contemporary		30,000

Required Accessories (Ordered Separately)

Façades

C621000	F2863	FAC-FV-PBK-MPDVI27	Façade, Full View
640714	H9124	FAC-CD-PBK-MPDVI327	Façade, Contemporary, Black
640715	H9125	FAC-SF-PBK-MPDVI27	Façade, Sante Fe, Black
640716	H9126	FAC-ART-PBK-MPDVI27	Façade, Deco, Black

Liner Kits

640717	H9127	LKM-BK-MPDVI27	Liner Kit, Black Paint
640718	H9128	LKP-BK-MPDVI27	Liner Kit Porcelain, Black Enamel
640719	H9129	LKC-T-RD-MPDVI27	Liner Kit Ceramic, Trad. Red
640720	H9130	LKC-T-BF-MPDVI27	Liner Kit Ceramic, Trad. Buff

Glass Media Kits (for use with Madison Park CD only)

616609	H9021	GB-SKY	Glass Media, 5LB Bag, Disk, Sky
616610	H9022	GB-MIDNIGHT	Glass Media, 5LB Bag, Disk, Midnight
616612	H9024	GB-SUNSET	Glass Media, 5LB Bag, Disk, Sunset
616613	H9025	GB-CLOUD	Glass Media, 5LB Bag, Disk, Cloud

Surround Panels

C621000	H9131	FP2637-MPDVI27	3 Sided Flange, 26" x 37"
C621000	H9132	FP2641-MPDVI27	3 Sided Flange, 26" x 41"
C621000	H9133	FP3037-MPDVI27	3 Sided Flange, 30" x 37"
C621000	H9134	FP3041-MPDVI27	3 Sided Flange, 30" x 41"
640722	H9135	FP3846-4S-MPDVI27	4 Sided Flange Trimmable, 38" x 46"

Optional Accessories

Decorative Accent Trims (for use with Full View Façade Only)

C621000	F3039	FAC-FRNT-AS-DVI27	Frontier, Decorative Accent Trim, Aged Silver
C621000	F3042	FAC-HILN-AS-DVI27	Highliner, Decorative Accent Trim, Aged Silver
C621000	F3045	FAC-IRON-AS-DVI27	Iron Rail, Decorative Accent Trim, Aged Silver

Common Accessories

C621000	H9162	MPI27-CK-LP TO NG	Conversion Kit Propane to Natural
C621000	H9163	MPI27-CK-NG TO LP	Conversion Kit Natural to Propane

IRONSTRIKE STOVES AND INSERTS

DIRECT-VENT GAS INSERTS (cont'd)

MADISON PARK 32

The Madison Park 32 (MPDVI32) includes high definition logs, standard variable speed blower, standard interior light, electronic ignition and fully featured total comfort control remote control. The Madison Park CD 32 includes media burner system, standard variable speed blower, electronic ignition and fully featured total comfort control remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
C621000	F2296	MPI32	Madison Park 32, Medium Insert	NG	34,000
C621000	F2297	MPI32CD	Madison Park 32 Contemporary, Medium Insert	NG	34,000
Required Accessories (Ordered Separately)					
<i>Façades</i>					
C621000	F2864	FAC-FV-PBK-MPDVI32	Façade, Full View		
C621000	F2304	FAC-CD-PBK-MPDVI32	Façade, Contemporary, Black		
C621000	F2305	FAC-SF-PBK-MPDVI32	Façade, Sante Fe, Black		
C621000	F2306	FAC-ART-PBK-MPDVI32	Façade, Deco, Black		
<i>Liner Kits</i>					
C621000	F2303	LKM-BK-MPDVI32	Liner Kit, Black Paint		
C621000	F2302	LKP-BK-MPDVI32	Liner Kit Porcelain, Black Enamel		
C621000	F2301	LKC-T-RD-MPDVI32	Liner Kit Ceramic, Trad. Red		
C621000	F2300	LKC-T-BF-MPDVI32	Liner Kit Ceramic, Trad. Buff		
<i>Glass Media Kits (for use with Madison Park CD only)</i>					
616609	H9021	GB-SKY	Glass Media, 5LB Bag, Disk, Sky		
616610	H9022	GB-MIDNIGHT	Glass Media, 5LB Bag, Disk, Midnight		
616612	H9024	GB-SUNSET	Glass Media, 5LB Bag, Disk, Sunset		
616613	H9025	GB-CLOUD	Glass Media, 5LB Bag, Disk, Cloud		
<i>Surround Panels</i>					
C621000	F2307	FP4126-MPDVI32	3 Sided Surround, 41" x 26"		
C621000	F2308	FP4626-MPDVI32	3 Sided Surround, 46" x 26"		
C621000	F2309	FP4133-MPDVI32	3 Sided Surround, 41" x 33"		
C621000	F2310	FP4633-MPDVI32	3 Sided Surround, 46" x 33"		
C621000	F2311	FP4638-4S-MPDVI32	4 Sided Surround Trimmable, 46" x 38"		
Optional Accessories					
<i>Decorative Accent Trims (for use with Full View Façade Only)</i>					
C621000	F3040	FAC-FRNT-AS-DVI32	Frontier, Decorative Accent Trim, Aged Silver		
C621000	F3043	FAC-HILN-AS-DVI32	Highliner, Decorative Accent Trim, Aged Silver		
C621000	F3046	FAC-IRON-AS-DVI32	Iron Rail, Decorative Accent Trim, Aged Silver		
<i>Common Accessories</i>					
C621000	F2298	MPI32-CK-LP TO NG	Conversion Kit Propane to Natural		
C621000	F2299	MPI32-CK-NG TO LP	Conversion Kit Natural to Propane		

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

DIRECT-VENT GAS INSERTS (cont'd)

MADISON PARK 34

The Madison Park 34 (MPDVI34) includes high definition logs, standard variable speed blower, standard interior light, electronic ignition and fully featured total comfort control remote control. The Madison Park CD 34 includes media burner system, standard variable speed blower, electronic ignition and fully featured total comfort control remote control. All units are equipped with a standard barrier that meets 2015 requirements.

Agency Listing: Built to ANSI Z21.88 and CSA 2.33 standard

Item #	Material #	Model #	Description	Fuel	BTU
Direct-Vent Gas Insert					
C621000	F2134	MPDVI34	Madison Park 34, Large insert	NG	38,000
C621000	F2135	MPDVICD34	Madison Park Contemporary 34, Large Insert	NG	38,000
Required Accessories (Ordered Separately)					
<i>Façades</i>					
C621000	F2865	FAC-FV-PBK-MPDVI34	Façade, Full View		
C621000	F2136	FAC-CD-PBK-MPDVI34	Façade, Contemporary		
C621000	F2137	FAC-SF-BK-MPDVI34	Façade, Sante Fe, Black		
C621000	F2138	FAC-ART-BK-MPDVI34	Façade, Deco, Black		
<i>Liner Kits</i>					
C621000	F2139	LKM-BK-MPDVI34	Liner Kit, Black Paint		
C621000	F2140	LKP-BK-MPDVI34	Liner Kit Porcelain, Black Enamel		
C621000	F2141	LKC-T-RD-MPDVI34	Liner Kit Ceramic, Trad. Red		
C621000	F2142	LKC-T-BF-MPDVI34	Liner Kit Ceramic, Trad. Buff		
<i>Glass Media Kits (for use with Madison Park CD only)</i>					
616609	H9021	GB-SKY	Glass Media, 5LB Bag, Disk, Sky		
616610	H9022	GB-MIDNIGHT	Glass Media, 5LB Bag, Disk, Midnight		
616612	H9024	GB-SUNSET	Glass Media, 5LB Bag, Disk, Sunset		
616613	H9025	GB-CLOUD	Glass Media, 5LB Bag, Disk, Cloud		
<i>Surround Panels</i>					
C621000	F2143	FP3141-MPDVI34	3 Sided Flange, 31" x 41"		
C621000	F2144	FP3146-MPDVI34	3 Sided Flange, 31" x 46"		
C621000	F2145	FP3441-MPDVI34	3 Sided Flange, 34" x 41"		
C621000	F2146	FP3446-MPDVI34	3 Sided Flange, 34" x 46"		
C621000	F2147	FP3846-4S-MPDVI34	4 Sided Flange Trimmable, 38" x 46"		
Optional Accessories					
<i>Decorative Accent Trims (for use with Full View Façade Only)</i>					
C621000	F3041	FAC-FRNT-AS-DVI34	Frontier, Decorative Accent Trim, Aged Silver		
C621000	F3044	FAC-HILN-AS-DVI34	Highliner, Decorative Accent Trim, Aged Silver		
C621000	F3047	FAC-IRON-AS-DVI34	Iron Rail, Decorative Accent Trim, Aged Silver		
<i>Common Accessories</i>					
C621000	F2150	MPI34-CK-LP TO NG	Conversion Kit Propane to Natural		
C621000	F2151	MPI34-CK-NG TO LP	Conversion Kit Natural to Propane		

- E.&O.E. - All Prices F.O.B. Our Warehouse - Subject to Change Without Notice - All Taxes Extra - May not be Available at All Branches -

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

PELLET STOVES

MONTAGE™

The Montage freestanding pellet stove offers an automatic ignition system, FastFire igniter, Ultragarte, a 55 lb. hopper, extra-large ash drawer reflective ceramic glass, 150 CFM blower and a wall thermostat.

Agency Listing: Built to ASTM E1509, Warnock Hersey Report #3105656MID, UL 1482 & ULC S627 standard.

Uses 3" Pellet Vent

Item #	Material #	Model #	Description	BTU
Pellet Freestanding Stove				
667196	H6839	Montage 32FS	Montage 32FS Pellet Stove	32,000

Required Accessories (Ordered Separately)

Accessory Kits (contain decorative window insert, door panel, front grill, two side grills)

C621000	H6840	Montage-32FS-CONTKIT	Contemporary Accessory Kit, Br Nickel
640238	H6841	Montage-32FS-ARTKIT	Artisan Accessory Kit, Black
667208	H6842	Montage-32FS-ARCHKIT	Arch Accessory Kit, Black
C621000	H6843	Montage-32FS-GOTHKIT	Cast-Iron Gothic Accessory Kit, Black Paint

Optional Accessories

Legs

C621000	H0244	DLS-PM	Decorative Log Set, Pellet Md.
---------	-------	--------	--------------------------------

Common Accessories

C621000	14M81	QDPC-4	Quick Disconnect Pipe Connector 4"
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

PELLET STOVES (cont'd)

WINSLOW™ PS40

The Winslow freestanding pellet stove offers a traditional look with SmartHeat™ technology. This power house offers an automatic ignition system, a 60 lb hopper, extra-large ash drawer, ceramic glass and a 150 CFM blower.

Agency Listing: Built to ASTM E1509 & ULC C1482 standard.

Uses 3" Pellet Vent

Item #	Material #	Model #	Description	BTU
PELLET FREESTANDING STOVE				
C621000	H9188	PS40	Stove Body	39,500

Required Accessories (Ordered Separately)

<i>Door Trim</i>				
667124	79038	P40DT-B	Black	
667120	79037	P40DT-N	Nickel	
667112	79035	P40DT-BRN	Brushed Nickel	
667116	79036	P40DT-BLN	Black Nickel	
<i>Grill Finish</i>				
667044	79000	P40G-B	Black	
667052	79002	P40G-N	Nickel	
667076	79022	P40G-BN	Brushed Nickel	
667128	79039	P40G-BLN	Black Nickel	

Optional Accessories

<i>Common Accessories</i>				
667192	H5142	P40LOG	Log Set	
667104	79030	P40BRICK	Standard Brick Panel	
667220	H6907	P40DIAG40	Diagnostic Tool	
C621000	H8974	RC-S-STAT-AC	Remote, T-Stat, Alternating Current, RCVR	
618522	H8865	RC-S-Touch	Remote, Touch Screen, Thermostat, On/Off	
617124	H8861	RC-S-STAT	Remote, LCD Stat, thermostat, On/Off	
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off or Timer Mode	
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate	
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer	
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat	
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black	

IRONSTRIKE STOVES AND INSERTS

PELLET INSERTS

WINSLOW™ PI40

The Winslow pellet insert offers a traditional look with SmartHeat technology. This power house offers an automatic ignition system, a 55 lb hopper, extra-large ash drawer, ceramic glass, 150 CFM blower and a 3" flue outlet.

Agency Listing: Built to ASTM E1509 & ULC C1428 standard. OMNI (050-S14b-2)

Uses 3" Flue Outlet

Item #	Material #	Model #	Description	BTU
Cast-Iron Freestanding Pellet Stove				
667188	H5141	PI40	Insert Body	37,800

Required Accessories (Ordered Separately)

Surround Panels

667060	79004	PI40-FPK2941	29" x 41" Black Trim
667064	79005	PI40-FPK2948	29" x 48" Black Trim
C621000	79006	PI40-FPK3341	33" x 41" Black Trim
C621000	79007	PI40-FPK3348	33" x 48" Black Trim
C621000	H7232	PI40-32ZCFK	29" x 41" Black Trim for 32" Opening

Door Trim

667124	79038	P40DT-B	Black
667120	79037	P40DT-N	Nickel
667112	79035	P40DT-BRN	Brushed Nickel
667116	79036	P40DT-BLN	Black Nickel

Grill Finish

667044	79000	P40G-B	Black
667052	79002	P40G-N	Nickel
667076	79022	P40G-BN	Brushed Nickel
667128	79039	P40G-BLN	Black Nickel

Optional Accessories

Surround Trim

C621000	H5143	GFT2941-B	Trim/Black 29" x 41"
C621000	H5145	GFT2948-B	Trim/Black 29" x 48"
C621000	H5144	GFT3341-B	Trim/Black 33" x 41"
C621000	H5146	GFT3348-B	Trim/Black 33" x 48"
667492	75037	GFT2941-N	Trim/Nickel 29" x 41"
667496	75039	GFT2948-N	Trim/Nickel 29" x 48"
C621000	75041	GFT3341-B	Trim/Nickel 33" x 41"
C621000	75043	GFT3348-B	Trim/Nickel 33" x 48"

Zero Clearance Kits

C621000	79025	PI40-ZCK	Pellet ZC Kit
667518	H5147	PI10-ZCHPA	Rear Vent adaptor (Required for Horizontal Vent)

Heat Kit (Requires Surround Panels and Trim Pieces)

C621000	79024	PI40-HKT	Pellet Heat Kit
C621000	79026	PI40-HK30411	30-5/8" x 41" Surround Panels
C621000	79027	PI40-HK3048F	30-5/8" x 48" Surround Panels
C621000	79028	PI40-HK3441F41	30-5/8" x 41" Surround Panels
C621000	79029	PI40-HK3448F	30-5/8" x 48" Surround Panels
C621000	75251	GFHKET-B	Extended Side Trim Kit, Black
C621000	75063	GFHKET-N	ZC Front Support Ext. Trim Nickel

(Cont'd on next page)

IRONSTRIKE STOVES AND INSERTS

www.ihp.us.com

PELLET STOVES (cont'd)

WINSLOW™ PI40 (cont'd)

Optional Accessories (Cont'd)

Common Accessories

C621000	79003	PI40FS	Front Support 41 – 48" Width / 0 – 8" Height
667192	H5142	P40LOG	Log Set
667104	79030	P40BRICK	Standard Brick Panel
667220	H6907	P40DIAG40	Diagnostic Tool
C621000	H8974	RC-S-STAT-AC	Remote, T-Stat, Alternating Current, RCVR
618522	H8865	RC-S-Touch	Remote, Touch Screen, Thermostat, On/Off
617124	H8861	RC-S-STAT	Remote, LCD Stat, Thermostat, ON/Off
618524	H8860	RC-S-1	Remote, Two Button, Timer, On/Off or Timer Mode
618525	F2236	RCKIT4001	On/Off Remote and Receiver with White Wall Plate
640334	H8863	WS-S-TMR	Wall Switch, Countdown Timer
640335	H8864	WS-S-TSTAT	Wall Switch, Thermostat
617126	H8159	TSPK-B	Touch-up Spray Paint Kit, Black