

## KINGSMAN FIREPLACES

www.kingsmanfireplaces.com

### INDEX

#### FIREPLACES – DIRECT VENT

ZDV3318 – ZERO CLEARANCE – 33" WIDE.....	13-6
ZCV3622 – ZERO CLEARANCE CLEAN VIEW – 36" WIDE.....	13-7
ZCVRB3622 – ZERO CLEARANCE CLEAN VIEW – 36" WIDE.....	13-8
HB3624 – ZERO CLEARANCE – 36" WIDE.....	13-9
HBZDV3628 – ZERO CLEARANCE – 36" WIDE.....	13-10
HB4224 – ZERO CLEARANCE – 42" WIDE.....	13-11
HB4228 – ZERO CLEARANCE – 42" WIDE.....	13-12
HB4736 – ZERO CLEARANCE – 47" WIDE.....	13-13
ZCVRB47 – ZERO CLEARANCE – 47" WIDE....	13-14 – 13-15
ZCV39 – ZERO CLEARANCE CLEAN VIEW – 39" WIDE.....	13-16 – 13-17
ZCV39H – ZERO CLEARANCE CLEAN VIEW – 39" WIDE.....	13-18 – 13-19
ZCV42 – ZERO CLEARANCE CLEAN VIEW – 42" WIDE.....	13-20 – 13-21
ZCV42H – ZERO CLEARANCE CLEAN VIEW – 42" WIDE.....	13-22 – 13-23
MDV31 – MULTI-SIDED.....	13-24 – 13-25
VENTING ACCESSORIES – 4/7".....	13-26
POWER VENTING – 4/7".....	13-27
MCVP42 – MULTI-SIDED CLEAN VIEW PENINSULA.....	13-28 – 13-29
MCVP42H – MULTI-SIDED CLEAN VIEW PENINSULA.....	13-30 – 13-31

#### FIREPLACES – DIRECT VENT (cont'd)

MCVST42 – MULTI-SIDED CLEAN VIEW SEE-THROUGH.....	13-32 – 13-33
MCVST42H – MULTI-SIDED CLEAN VIEW SEE-THROUGH.....	13-34 – 13-35
ZCVRB60 – ZERO CLEARANCE LINEAR.....	13-36 – 13-37
VENTING ACCESSORIES – 5/8".....	13-38
POWER VENTING – 5/8".....	13-39
GAS LOG SETS – VENTED.....	13-48
GAS LOG SETS – VENTED/VENT FREE.....	13-49
INSERTS – DIRECT VENT	
IDV26.....	13-40 – 13-41
IDV34.....	13-42 – 13-43
IDV44.....	13-44 – 13-45
OUTDOOR FIRE PITS & FIRE BOWL.....	13-46
OUTDOOR GAS FIREPLACE	
OPF42.....	13-47
STOVES – DIRECT VENT	
FDV200S – FREE STANDING.....	13-2
FDV350 – FREE STANDING.....	13-3
FDV451 – FREE STANDING.....	13-4
VENTING ACCESSORIES – DIRECT VENT GAS.....	13-5

May not be available at all branches.

**Expert Service. Quality Products. Since 1960.**

**STOVES – DIRECT VENT**
**FDV200S – FREE STANDING**

<b>FDV200S FREE STANDING DIRECT VENT GAS STOVES</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>FDV200S</b>	<b>FREE STANDING DIRECT VENT GAS STOVES:</b> Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/OFF Switch, Leg Model, 4/7" Flue Safety Screen, 30,000 BTU NG, 26,000 BTU LP	
<b>STEP 1) CHOOSE MODEL – MILLIVOLT OR IPI P2</b>			
<b>FREE STANDING DIRECT VENT GAS STOVE</b>			
C676200	FDV200SN	Free Standing Stove – (as above) Millivolt – Natural Gas – Black	2020
C676200	FDV200SLP	Free Standing Stove – (as above) Millivolt – Propane – Black	
C676200	FDV200SNE	Free Standing Stove – (as above) IPI PF1 – Natural Gas – Black	
C676200	FDV200SLPE	Free Standing Stove – (as above) IPI PF1- Propane – Black	
C676200	FDV200SNE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – NG	
C676200	FDV200SLPE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – LP	
C676200	200DV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	200DV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	200DV-CKLPI	Conversion Kit – IPI PF1- To Propane	
C676200	200DV-CKNGI	Conversion Kit – IPI PF1- To Natural Gas	
C676200	200DV-CKLP2	Conversion Kit – IPI Proflame 2 – To Propane	
C676200	200DV-CKNG2	Conversion Kit – IPI Proflame 2 – To Natural Gas	
<b>STEP 2) CHOOSE LOG SET</b>			
<b>LOG SETS</b>			
676456	LOGC200	Log Set – Five Piece Cast Split Oak	
<b>OPTIONAL ACCESSORIES</b>			
676267	F45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	
C676200	F45FK2	Fan Kit – for Proflame 2 (Replacement)	
C676200	FDV200RL	Refractory Liner	
C676200	F200CSS	Safety Screen Barrier – (Replacement)	

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control On/Off – Millivolt/IPI PF1
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**STOVES – DIRECT VENT (cont'd)**
**FDV350 – FREE STANDING**

<b>FDV350 FREE STANDING DIRECT VENT GAS STOVES</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>FDV350</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Bay Viewing Area, Black Louver, Adjustable SIT Valve, 4/7 Flue, Certified for use in Mobile Home, Bedroom, and Bed sitting Room, Flat Black, 37,000 BTU – NG, 35,000 BTU – LP	
676398	FDV350N	Free Standing Stove – Millivolt – Natural Gas	
676399	FDV350LP	Free Standing Stove – Millivolt – Propane	
C676200	FDV350NE	Free Standing Stove – Proflame 1 IPI – Natural Gas	
C676200	FDV350LPE	Free Standing Stove – Proflame 1 IPI – Propane	
C676200	FDV350NE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – NG	
C676200	FDV350LPE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – LP	
C676200	350DV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	350DV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	350DV-CKLPI	Conversion Kit – IPI PF1 – To Propane	
C676200	350DV-CKNGI	Conversion Kit – IPI PF1 – To Natural Gas	
C676200	350DV-CKLPI2	Conversion Kit – IPI PF2 – To Propane	
C676200	350DV-CKNGI2	Conversion Kit – IPI PF2 – To Natural Gas	
<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>			
676419	F35DB	Door Frame and Ceramic Glass – Black	
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>			
676467	LOGF35	Log Set – Fiber Split Oak (F350,F300,IDV33)	
<b>SAFETY BARRIER (REQUIRED FOR EACH UNIT)</b>			
C676200	F35OCCS	SAFETY BARRIER	

**ACCESSORIES:**

676267	F45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)
C676200	F45FK2	Fan Kit – for Proflame 2, (Replacement)
676422	F35RL	Refractory Liner
C676200	F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital Millivolt Wall Mount – MV/PF1
676330	GFRC	Remote Control On/Off – Millivolt/IPI FP1
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**STOVES – DIRECT VENT (cont'd)**
**FDV451 – FREE STANDING**

<b>FDV350 FREE STANDING DIRECT VENT GAS STOVES</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>FDV350</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Bay Viewing Area, Black Louver, Adjustable SIT Valve, 4/7 Flue, Certified for use in Mobile Home, Bedroom, and Bed sitting Room, Flat Black, 37,000 BTU – NG, 35,000 BTU – LP	
676398	FDV350N	Free Standing Stove – Millivolt – Natural Gas	
676399	FDV350LP	Free Standing Stove – Millivolt – Propane	
C676200	FDV350NE	Free Standing Stove – Proflame 1 IPI – Natural Gas	
C676200	FDV350LPE	Free Standing Stove – Proflame 1 IPI – Propane	
C676200	FDV350NE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – NG	
C676200	FDV350LPE2	Free Standing Stove – Proflame 2 IPI – Remote-Thermostat-Mod-Fan – LP	
C676200	350DV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	350DV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	350DV-CKLPI	Conversion Kit – IPI PF1 – To Propane	
C676200	350DV-CKNGI	Conversion Kit – IPI PF1 – To Natural Gas	
C676200	350DV-CKLPI2	Conversion Kit – IPI PF2 – To Propane	
C676200	350DV-CKNGI2	Conversion Kit – IPI PF2 – To Natural Gas	
<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>			
676419	F35DB	Door Frame and Ceramic Glass – Black	
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>			
676467	LOGF35	Log Set – Fiber Split Oak (F350,F300,IDV33)	
<b>SAFETY BARRIER (REQUIRED FOR EACH UNIT)</b>			
C676200	F35OCCS	SAFETY BARRIER	

**ACCESSORIES:**

676267	F45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)
C676200	F45FK2	Fan Kit – for Proflame 2, (Replacement)
676422	F35RL	Refractory Liner
C676200	F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital Millivolt Wall Mount – MV/PF1
676330	GFRC	Remote Control On/Off – Millivolt/IPI FP1
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**STOVES – DIRECT VENT (cont'd)**
**VENTING ACCESSORIES – DIRECT VENT GAS**

<b>VENTING ACCESSORIES – DIRECT VENT GAS STOVES</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>Horizontal Vent Starter Kit – (Direct Vent Stoves)</b>			
676426	FDVHSK	Termination, Wall Thimble, Black Wall Trim Plate, Mill Pac, Black Trim Rings, 7" x 24" Black Pipe, 7" x 48" Black Pipe, 90 Degree Elbow, 4" x 8' Flex Pipe,	
<b>Vertical Vent Starter Kit – (Direct Vent Stoves)</b>			
676430	FDVSK	Starter Kit Contains: Attic Insulation Shield, Fire Stop, Ceiling Trim Plate, Black Trim Rings, Roof Support, Spacer Springs(6), Mill Pac	
<b>Horizontal Venting</b>			
676276	FDVHT	Horizontal Vent Termination	
C676200	FDVHSQ	Horizontal Square Vent Termination	
C676200	FDVHSS	Horizontal Stucco Shield	
676277	FDVHSCU	Safety Cage Universal for Horizontal Termination	
C676200	ZDVSS	Siding Shield – Heat Deflector for FDVHT Round Termination	
676286	ZDVSSLR	Siding Shield – Large Return – for FDVHSQ or FDVHT	
676288	ZDVWT	Wall Thimble (Horizontal Venting)	
C676200	Z47ST24	Snorkel Termination – 24"	
C676200	Z47ST36	Snorkel Termination – 36"	
C676200	Z57STSC	Safety Cage for Snorkel Termination	
<b>Vertical Venting</b>			
676273	FDVVT40	Vertical Vent Termination – Convertible Between 15' & 40' Vertical	
676278	ZDVAIS	Attic Insulation Shield – 12"	
C676200	Z7AIS24	Attic Insulation Shield – 24"	
676279	ZDVVOS	Offset Support	
676280	ZDVFS	Fire stop Spacer	
676281	ZDVRS	Roof Support	
C676200	Z47GP36	Galvanized Pipe 4 and 7" Dia. x 36" (Vertical Installations)	
C676200	Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	
<b>Flashings – Vertical Venting</b>			
676289	ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	
676290	ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	
676291	ZDVAF3	Flashing 7" c/w Storm Collar Flat	
C676200	ZDV7SC	Storm Collar 7"	
<b>Vent Pipe 7" and Flex Pipe 4" – Clamps, Connectors</b>			
676315	FDV48P	Black Pipe (7" Diameter x 48")	
C676200	FDV36P	Black Pipe (7" Diameter x 36")	
676318	FDV24P	Black Pipe (7" Diameter x 24")	
C676200	FDV12P	Black Pipe (7" Diameter x 12")	
C676200	FDVE90	Black Elbow (7" Diameter x 90 Degree)	
C676200	FDVE45	Black Elbow (7" Diameter x 45 Degree)	
C676200	ZDV4FP8	Flex Pipe 4" Diameter x 8 FT (Spacer Springs Not Included)	
676311	ZDV4FP20	Flex Pipe 4" Diameter x 20 FT (Spacer Springs Not Included)	
676302	ZDV4FC	Flex Connector 4" Diameter	
C676200	ZDV4FCL	Flex Clamp 4"	
676309	ZDV4SS	Spring 4" Standoff Spacer	
<b>Hard Pipe Adapter – 4 x 6-5/8</b>			
676274	ZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves)	
<b>7" Pipe Accessories</b>			
676434	F7DBC	Decorative Black Collar 7"	
C676200	F7DTP	Decorative Black Wall Trim Plate	

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## FIREPLACES – DIRECT VENT

### ZDV3318 – ZERO CLEARANCE – 33" WIDE

<b>ZDV3318 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 33" WIDE</b>			
Item #	Product #	Description	YOM
	<b>ZDV3318</b>	Listed for USA/Canada as a Vented Gas Fireplace, Pan Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen Framing Louvered 33-1/8"W × 31"H × 15-1/4"D	
676207	ZDV3318N	Fireplace, Millivolt Valve (as above) Natural Gas, 19,000 BTU	
C676200	ZDV3318LP	Fireplace, Millivolt Valve (as above) Propane, 18,000 BTU	
C676200	ZDV3318NE	Fireplace, IPI Valve (as above) Natural Gas, 19,000 BTU	
C676200	ZDV3318LPE	Fireplace, IPI Valve (as above) Propane, 18,000 BTU	
676770	3318-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	3318-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	3318-CKLPI	Conversion Kit – IPI – To Propane	
C676200	3318-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>			
676459	LOGC50	Log Set – Seven Piece – Split Oak (ZDV3318/ZDV3622)	
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>			
676248	Z33CVCK	Designer Clean View Circulating Kit	
676612	VI30GBL	Grill Kit – Black	

#### FIREPLACE ACCESSORY OPTIONS:

C676200	Z3318ML	Metal Brick Liner (3 PCE)
676243	Z3318PRL	Porcelain Reflective Panel Liner (3 PCE)
676268	Z33FK	Fan Kit w/Variation Wall Mount Speed Control (Temperature Sensing)
C676200	Z33CSS	Safety Screen Barrier

#### DECORATIVE SURROUNDS – (For Louvered Units only)

C676200	Z6SBL	Surround – Black
---------	-------	------------------

#### DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

#### THERMOSTATS AND REMOTE CONTROLS

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
C676200	DCHS	Heat Shield – Required for Millivolt Remote Receivers
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676263	EGTRC	Remote Control IPI – Thermostat
676264	EGTMRCN	Remote Control IPI – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI – Thermostat/Modulating – LP

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCV3622 – ZERO CLEARANCE CLEAN VIEW – 36" WIDE**

<b>ZCV3622 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 36" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCV3622</b>	Listed for USA/Canada as a Vented Gas Fireplace Tempered Glass, Tube Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screen, 4/7" Flue. Framing 36-3/8"W × 37-1/4"H × 17-1/2"D	
C676200	ZCV3622N	Fireplace, Millivolt Valve (as above) NG, 18,000 BTU	
C676200	ZCV3622LP	Fireplace, Millivolt Valve (as above) Propane 18,000 BTU	
C676200	ZCV3622NE	Fireplace, IPI Valve (as above) NG, 18,000 BTU	
C676200	ZCV3622LPE	Fireplace, IPI Valve (as above) Propane 18,000 BTU	
C676200	3622-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	3622-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	3622-CKLPI	Conversion Kit – IPI – To Propane	
C676200	3622-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGC51	Log Set – Split Oak (ZCV3622)	
<b>OPTIONAL SURROUND (Covers Framing Dimensions – Unit must be installed flush to wall)</b>			
C676200	ZCV36S1BL	Surround Hearth Mount – Black (Coverage 34-1/16"H × 39"W)	
<b>OPTIONAL – WALL SURROUND FLAT (COVERS 40-7/8"W × 37-1/4"H)</b>			
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)			
C676200	ZCV36SWFBL	Wall Surround – Flat – Black – 3/4" Depth	

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV3622PRL	Porcelain Reflective Panel Liner (3 PCE)
C676200	ZCV3622ML	Metal Brick Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCV36CSS	Safety Screen Barrier (Replacement)
676225	ULK2	Universal Light Kit – Two Lamps
C676200	ZCV36LMK	Lower Panel Magnet Kit

**DECORATE THE BOTTOM OF THE FIREPLACE**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**OPTIONAL THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
C676200	DCHS	<b>Heat Shield – Required for Millivolt Remote Receivers</b>
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG*
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP *
C676200	P2BOX	<b>Heat Shield Box – P1/P2/MV – *Required when Fan Module is Installed in MV unit</b>
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1- Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCVRB3622 – ZERO CLEARANCE CLEAN VIEW – 36" WIDE**

<b>ZCVRB3622 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 36" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCVRB3622</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Decorative Bronze Glass, SIT Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Top Flue, Tempered Glass, Safety Screen, 17,500 BTU Framing 36-3/8"W × 37-1/4"H × 17-1/2"D	
676218	ZCVRB3622N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	
C676200	ZCVRB3622LP	Fireplace Linear, Millivolt Valve (as above) Propane	
C676200	ZCVRB3622NE	Fireplace Linear, IPI Valve (as above) Natural Gas	
C676200	ZCVRB3622LPE	Fireplace Linear, IPI Valve (as above) Propane	
C676200	3622RB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	3622RB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	3622RB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	3622RB-CKNGI	Conversion Kit – IPI – To Natural Gas	

<b>OPTIONAL SURROUND – 1-1/2" FRAME (COVERS 36"W × 22-1/2"H)</b>			
(The fireplace must be covered up to an 1/8" of the opening with noncombustible materials, no thicker than 3/4")			
C676200	ZCVRB36SBL	Surround Trim Kit – 1-1/2" Wide – Black	
C676200	ZCVRB36SSS	Surround Trim Kit – 1-1/2" Wide – Stainless Steel	

<b>OPTIONAL – WALL SURROUND FLAT (COVERS 45-3/4"W × 34-5/8"H)</b>			
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)			
C676200	ZCVRB36SWFBL	Wall Surround – Flat – Black – 3/4" Depth	

**FIREPLACE ACCESSORIES OPTIONS:**

676225	ULK2	Universal Light Kit – Two Lamps
676655	Z3622PRL	Porcelain Reflective Panel Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCVRB36CSS	Safety Screen Barrier (Replacement)

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
C676200	DCHS	Heat Shield – Required for Millivolt Remote Receivers
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI – Thermostat
676264	EGTMRCN	Remote Control IPI – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI – Thermostat/Modulating – LP



**FIREPLACES – DIRECT VENT (cont'd)**
**HB3624 – ZERO CLEARANCE – 36" WIDE**

<b>HB3624 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 36" WIDE</b>		
	<b>HB3624</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen Framing Louvered 36-3/8"W x 35"H x 17"D
676530	HBZDV3624N	Fireplace, Millivolt Valve (as above) Natural Gas, 24,000 BTU
C676200	HBZDV3624LP	Fireplace, Millivolt Valve (as above) Propane, 22,000 BTU
676531	HBZDV3624NE	Fireplace, IPI Valve (as above) Natural Gas, 24,000 BTU
C676200	HBZDV3624LPE	Fireplace, IPI Valve (as above) Propane, 22,000 BTU
C676200	3624HB-CKLP	Conversion Kit – Millivolt – To Propane
C676200	3624HB-CKNG	Conversion Kit – Millivolt – To Natural Gas
C676200	3624HB-CKLPI	Conversion Kit – IPI – To Propane
C676200	3624HB-CKNGI	Conversion Kit – IPI – To Natural Gas
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
676462	LOGC42	Log Set – Four Piece – Classic Oak (3320, 3624/28, 4224/28 Series)
676457	LOGC43	Log Set – Four Piece – Traditional Oak (3320, 3624/28, 4224/28 Series)
676458	LOGC44	Log Set – Eight Piece – Burnt Oak (3320, 3624/28, 4224/28 Series)
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
676550	HB36CVCK	Designer Clean View Circulating Kit
676562	HB36GBL	Grill Kit – Black

**FIREPLACE ACCESSORIES OPTIONS:**

676586	HB36RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	HB36RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
676592	HB36RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	HB36PL	Porcelain Reflective Panel Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variation Speed Wall Mount Control (Temperature Sensing)
676546	HB36CSS	Safety Screen Barrier (Replacement)
676515	HB36SBL	Surround – Black (For Louvered Unit Only)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**HBZDV3628 – ZERO CLEARANCE – 36" WIDE**

<b>HB3628 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 36" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>HB3628</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen Framing Louvered 36-3/8"W × 35"H × 17"D	
676532	HBZDV3628N	Fireplace, Millivolt Valve (as above) Natural Gas, 28,000 BTU	2020
676533	HBZDV3628LP	Fireplace, Millivolt Valve (as above) Propane, 26,000 BTU	2020
C676200	HBZDV3628NE	Fireplace, IPI Valve (as above) Natural Gas, 28,000 BTU	
C676200	HBZDV3628LPE	Fireplace Heater, IPI Valve (as above) Propane, 26,000 BTU	
C676200	3628HB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	3628HB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	3628HB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	3628HB-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>			
676462	LOGC42	Log Set – Four Piece – Classic Oak (3320, 3624/28, 4224/28 Series)	
676457	LOGC43	Log Set – Four Piece – Traditional Oak (3320, 3624/28, 4224/28 Series)	
676458	LOGC44	Log Set – Eight Piece – Burnt Oak (3320, 3624/28, 4224/28 Series)	
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>			
676550	HB36CVCK	Designer Clean View Circulating Kit	
676562	HB36GBL	Grill Kit – Black	

**FIREPLACE ACCESSORIES OPTIONS:**

676586	HB36RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	HB36RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
676592	HB36RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	HB36PL	Porcelain Reflective Panel Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
676546	HB36CSS	Safety Screen Barrier (Replacement)
676515	HB36SBL	Surround – Black (For Louvered Unit Only)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**HB4224 – ZERO CLEARANCE – 42" WIDE**

<b>HB4224 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 42" WIDE</b>		
	<b>HB4224</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen Framing Louvered 42-3/8"W × 37-1/4"H × 17"D
676534	HBZDV4224N	Fireplace, Millivolt Valve (as above) Natural Gas, 24,000 BTU
C676200	HBZDV4224LP	Fireplace, Millivolt Valve (as above) Propane, 22,000 BTU
C676200	HBZDV4224NE	Fireplace, IPI Valve (as above) Natural Gas, 24,000 BTU
C676200	HBZDV4224LPE	Fireplace, IPI Valve (as above) Propane, 22,000 BTU
C676200	4224HB-CKLP	Conversion Kit – Millivolt – To Propane
C676200	4224HB-CKNG	Conversion Kit – Millivolt – To Natural Gas
C676200	4224HB-CKLPI	Conversion Kit – IPI – To Propane
C676200	4224HB-CKNGI	Conversion Kit – IPI – To Natural Gas
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
676462	LOGC42	Log Set – Four Piece – Classic Oak (3320, 3624/28, 4224/28 Series)
676457	LOGC43	Log Set – Four Piece – Traditional Oak (3320, 3624/28, 4224/28 Series)
676458	LOGC44	Log Set – Eight Piece – Burnt Oak (3320, 3624/28, 4224/28 Series)
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
676552	HB42CVCK	Designer Clean View Circulating Kit
676564	HB42GBL	Grill Kit – Black

**FIREPLACE ACCESSORIES OPTIONS:**

676588	HB42RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	HB42RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
676594	HB42RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	HB42PL	Porcelain Reflective Panel Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	HB42CSS	Safety Screen Barrier (Replacement)
676523	HB42SBL	Surround – Black (For Louvered Unit Only)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits -Small Six Piece Kit

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**HB4228 – ZERO CLEARANCE – 42" WIDE**

<b>HB4228 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 42" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>HB4228</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen Framing Louvered 42-3/8"W x 37-1/4"H x 17"D	
676536	HBZDV4228N	Fireplace, Millivolt Valve (as above) Natural Gas, 28,000 BTU	2020
C676200	HBZDV4228LP	Fireplace, Millivolt Valve (as above) Propane, 26,000 BTU	
C676200	HBZDV4228NE	Fireplace, IPI Valve (as above) Natural Gas, 28,000 BTU	
C676200	HBZDV4228LPE	Fireplace, IPI Valve (as above) Propane, 26,000 BTU	
C676200	4228HB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	4228HB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	4228HB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	4228HB-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>			
676462	LOGC42	Log Set – Four Piece – Classic Oak (3320, 3624/28, 4224/28 Series)	
676457	LOGC43	Log Set – Four Piece – Traditional Oak (3320, 3624/28, 4224/28 Series)	
676458	LOGC44	Log Set – Eight Piece – Burnt Oak (3320, 3624/28, 4224/28 Series)	
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>			
676552	HB42CVCK	Designer Clean View Circulating Kit	
676564	HB42GBL	Grill Kit – Black	

**FIREPLACE ACCESSORIES OPTIONS:**

676588	HB42RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
676594	HB42RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	HB42RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
C676200	HB42PL	Porcelain Reflective Panel Liner (3 PCE)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	HB42CSS	Safety Screen Barrier (Replacement)
676523	HB42SBL	Surround – Black (For Louvered Units only)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**HB4736 – ZERO CLEARANCE – 47" WIDE**

<b>HB4736 ZERO CLEARANCE DIRECT VENT GAS FIREPLACES – 47" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>HB4736</b>	Listed for USA/Canada as a Vented Gas Fireplace. Safety Screen, Dual Burner SIT Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, 4/7" Sloped Flue Framing (Louvered) 47-3/8"W × 43-1/8"H × 19-1/2"D	
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>			
C676200	HBZDV4736N	Fireplace, Millivolt (as above) NG, 40,000 BTU	2020
C676200	HBZDV4736LP	Fireplace, Millivolt (as above) LP, 36,000 BTU	
C676200	HBZDV4736NE	Fireplace, IPI (as above) NG, 40,000 BTU	
C676200	HBZDV4736LPE	Fireplace, IPI (as above) LP, 36,000 BTU	
C676200	4740HB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	4740HB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	4740HB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	4740HB-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGF36	Log Set – Fiber Split Oak	
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>			
676554	HB47CVCK	Designer Clean View Circulating Kit	
676566	HB47GBL	Grill Kit – Black	

**OPTIONAL BRICK OR PORCELAIN LINERS**

676590	HB47RLT	Refractory Fiber Brick Liner (4 PCE) – Traditional
676596	HB47RLH	Refractory Fiber Brick Liner (4 PCE) – Herringbone
C676200	HB47RRH	Refractory Fiber Brick Liner (4 PCE) – Red Herringbone
C676200	HB47PL	Porcelain Reflective Panel Liner (3 PCE)

**OPTIONAL FIREPLACE ACCESSORIES**

676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	HB47CSS	Safety Screen Barrier (Replacement)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**OPTIONAL THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP
676263	EGTRC	Remote Control IPI PF1 – Thermostat
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCVRB47 – ZERO CLEARANCE – 47" WIDE**

<b>ZCVRB47 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 47" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCVRB47</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 4/7" Top Flue, Tempered Glass 40-5/8"W x 13-7/8"H, Safety Screen Framing 47"W x 38-3/4"H x 18-1/4"D, 24,500 BTU, Max Media 5 LBS	
<div style="border: 1px solid black; padding: 5px;"> <p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required</b></p> </div>			

<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>			
C676200	ZCVRB47N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	2020
C676200	ZCVRB47LP	Fireplace Linear, Millivolt Valve (as above) Propane	
C676200	ZCVRB47NE	Fireplace Linear, IPI Valve (as above) Natural Gas	
C676200	ZCVRB47LPE	Fireplace Linear, IPI Valve (as above) Propane	
C676200	46ZRB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	46ZRB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	46ZRB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	46ZRB-CKNGI	Conversion Kit – IPI – To Natural Gas	

<b>OPTIONAL – WHEN VENTILATING ENCLOSURE – VENTILATION UP TO 105 Sq./Inches</b>			
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>			
C676200	VL60EGS	Grill – Enclosure Side (Pair) – Unfinished (15-1/4"W x 6-5/8"H)	
C676200	V46EG	Grill – Front of Enclosure – Unfinished (46-9/16"W x 2-1/2"H)	

<b>OPTIONAL WALL SURROUND – (COVERS 44-5/8"W x 17-3/4"H)</b>			
C676200	ZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide – Black	
C676200	ZCVRB47S1SS	Surround Trim Kit – 1 1/2" Wide – Stainless Steel	

<b>OPTIONAL FIREPLACE ACCESSORIES</b>			
C676200	ZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	
C676200	Z46FK2	Fan Kit – Proflame 2 (Replacement Part)	
676225	ULK2	Universal Light Kit – Two Lamps (For Millivolt/PF1)	
C676200	ZCVRB47CSS	Safety Screen Barrier (Replacement)	
C676200	V47PTLK	Tile Lip Kit	

Cont'd on next page

## FIREPLACES – DIRECT VENT (cont'd)

### ZCVRB47 – ZERO CLEARANCE – 47" WIDE (cont'd)

<b>ZCVRB47 ZERO CLEARANCE DIRECT VENT GAS FIREPLACE – 47" WIDE (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCV39 – ZERO CLEARANCE CLEAN VIEW – 39" WIDE**

<b>ZCV39 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 39" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCV39</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing Area 29-5/8"W x 24 1/8" H, Safety Screen, Framing 39 1/2"W x 37 7/8"H x 18 1/2"D	
C676200	ZCV39N	Fireplace, Millivolt Valve (as above) Natural Gas, 25,000 BTU	
C676200	ZCV39LP	Fireplace, Millivolt Valve (as above) Propane, 25,000 BTU	
C676200	ZCV39NE	Fireplace, IPI Valve (as above) Natural Gas, 25,000 BTU	
C676200	ZCV39LPE	Fireplace, IPI Valve (as above) Propane, 25,000 BTU	
C676200	39ZCV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	39ZCV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	39ZCV-CKLPI	Conversion Kit – IPI – To Propane	
C676200	39ZCV-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGC3	Log Set – Five Piece – Glo-Cast – ZCV39/42	
C676200	LOGF3	Log Set – Five Piece – Fiber – ZCV39/42	
C676200	<b>ZCV39GT</b>	<b>Glass Tray for ZCV39 – (Requires 15 lbs of Glass Media)</b>	
C676200	Z5GC	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676225	ULK2	Universal Light Kit – Two Lamps (for use with ZCV39/42GT Glass Tray)	
C676200	39ZCV-258	Pilot Shield – for ZCV39/42GT (Replacement Part)	

**SURROUNDS AND SAFETY SCREEN**

C676200	ZCV39S1BL	Surround – Hearth Mount 4" Wide (Covers 40-5/8"W x 35"H)
C676200	ZCV39S1PFBL	Surround – Picture Frame 4" Wide (Covers 40-5/8"W x 37"H)
C676200	ZCV39S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 36-1/8"W x 32-1/2"H)
C676200	ZCV39CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV39CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV39CSS2i	Safety Screen Barrier – Inside Fit – InvisiMesh (Replacement)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
C676200	ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) – Stacked Brick
C676200	ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –



**FIREPLACES – DIRECT VENT** *(cont'd)*
**ZCV39 – ZERO CLEARANCE CLEAN VIEW – 39" WIDE** *(cont'd)*

<b>ZCV39 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 39" WIDE (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCV39H – ZERO CLEARANCE CLEAN VIEW – 39" WIDE**

<b>ZCV39H ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 39" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCV39H</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing Area 29-5/8"W x 24-1/8"H, Safety Screen, Framing 39-1/2"W x 37-7/8"H x 18-1/2"D	
C676200	ZCV39NH	Fireplace, Millivolt Valve (as above) Natural Gas, 28,000 BTU	2020
C676200	ZCV39LPH	Fireplace, Millivolt Valve (as above) Propane, 29,000 BTU	
C676200	ZCV39NHE	Fireplace, IPI Valve (as above) Natural Gas, 28,000 BTU	
C676200	ZCV39LPHE	Fireplace, IPI Valve (as above) Propane, 29,000 BTU	
C676200	39ZCV-CKLPH	Conversion Kit – Millivolt – To Propane	
C676200	39ZCV-CKNGH	Conversion Kit – Millivolt – To Natural Gas	
C676200	39ZCV-CKLPHI	Conversion Kit – IPI – To Propane	
C676200	39ZCV-CKNHI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGC3	Log Set – Five Piece – Glo-Cast – ZCV39/42	
C676200	LOGF3	Log Set – Five Piece – Fiber – ZCV39/42	
C676200	<b>ZCV39GT</b>	<b>Glass Tray for ZCV39 – (Requires 15 lbs of Glass Media)</b>	
C676200	Z5GC	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676225	ULK2	Universal Light Kit – Two Lamps (for use with ZCV39/42GT Glass Tray)	
C676200	39ZCV-258	Pilot Shield – for ZCV39/42GT (Replacement Part)	

**SURROUNDS AND SAFETY SCREEN**

C676200	ZCV39S1BL	Surround – Hearth Mount 4" Wide (Covers 40-5/8"W x 35"H)
C676200	ZCV39S1PFBL	Surround – Picture Frame 4" Wide (Covers 40-5/8"W x 37"H)
C676200	ZCV39S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 36-1/8"W x 32-1/2"H)
C676200	ZCV39CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV39CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV39CSS2i	Safety Screen Barrier – Inside Fit – InvisiMesh (Replacement)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
C676200	ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) – Stacked Brick
C676200	ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## FIREPLACES – DIRECT VENT *(cont'd)*

### ZCV39H – ZERO CLEARANCE CLEAN VIEW – 39" WIDE *(cont'd)*

<b>ZCV39 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 39" WIDE <i>(Cont'd)</i></b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCV42 – ZERO CLEARANCE CLEAN VIEW – 42" WIDE**

<b>ZCV42 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 42" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCV42</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing Area 33-5/8"W × 27-1/4"H, Safety Screen, Framing 42-1/2"W × 41"H × 18-1/2"D	
C676200	ZCV42N	Fireplace, Millivolt Valve (as above) Natural Gas, 25,000 BTU	
C676200	ZCV42LP	Fireplace, Millivolt Valve (as above) Propane, 25,000 BTU	2020
C676200	ZCV42NE	Fireplace, IPI Valve (as above) Natural Gas, 25,000 BTU	
C676200	ZCV42LPE	Fireplace, IPI Valve (as above) Propane, 25,000 BTU	
C676200	42ZCV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	42ZCV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	42ZCV-CKLPI	Conversion Kit – IPI – To Propane	
C676200	42ZCV-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGC3	Log Set – Five Piece – Glo-Cast – ZCV39/42	
C676200	LOGF3	Log Set – Five Piece – Fiber – ZCV39/42	
C676200	<b>ZCV42GT</b>	<b>Glass Tray for ZCV42 – (Requires 20 lbs of Glass Media)</b>	
C676200	Z5GC	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676225	ULK2	Universal Light Kit – Two Lamps (for use with ZCV39/42GT Glass Tray)	
C676200	39ZCV-258	Pilot Shield – for ZCV39/42GT (Replacement Part)	

**SURROUNDS AND SAFETY SCREEN**

C676200	ZCV42S1BL	Surround – Hearth Mount 4" Wide (Covers 44-5/8"W × 38-1/8"H)
C676200	ZCV42S1PFBL	Surround – Picture Frame 4" Wide (Covers 44-5/8"W × 40-1/8"H)
C676200	ZCV42S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 40-1/8"W × 35-5/8"H)
C676200	ZCV42CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV42CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV42CSS2i	Safety Screen Barrier – Inside Fit – InvisiMesh (Replacement)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
C676200	ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) – Stacked Brick
C676200	ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

## FIREPLACES – DIRECT VENT *(cont'd)*

### ZCV42 – ZERO CLEARANCE CLEAN VIEW – 42" WIDE *(cont'd)*

<b>ZCV42 ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 42" WIDE <i>(Cont'd)</i></b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCV42H – ZERO CLEARANCE CLEAN VIEW – 42" WIDE**

<b>ZCV42H ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 42" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCV42H</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing Area 33-5/8"W x 27-1/4"H, Safety Screen, Framing 42-1/2"W x 41"H x 18-1/2"D	
C676200	ZCV42NH	Fireplace, Millivolt Valve (as above) Natural Gas, 29,500 BTU	
C676200	ZCV42LPH	Fireplace, Millivolt Valve (as above) Propane, 29,000 BTU	
C676200	ZCV42NHE	Fireplace, IPI Valve (as above) Natural Gas, 29,500 BTU	
C676200	ZCV42LPHE	Fireplace, IPI Valve (as above) Propane, 29,000 BTU	
C676200	42ZCV-CKLPH	Conversion Kit – Millivolt – To Propane	
C676200	42ZCV-CKNGH	Conversion Kit – Millivolt – To Natural Gas	
C676200	42ZCV-CKLPHI	Conversion Kit – IPI – To Propane	
C676200	42ZCV-CKNGHI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGC3	Log Set – Five Piece – Glo-Cast – ZCV39/42	
C676200	LOGF3	Log Set – Five Piece – Fiber – ZCV39/42	
C676200	<b>ZCV42GT</b>	<b>Glass Tray for ZCV42 – (Requires 20 lbs of Glass Media)</b>	
C676200	Z5GC	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676225	ULK2	Universal Light Kit – Two Lamps (for use with ZCV39/42GT Glass Tray)	
C676200	39ZCV-258	Pilot Shield – for ZCV39/42GT (Replacement Part)	

**SURROUNDS AND SAFETY SCREEN**

C676200	ZCV42S1BL	Surround – Hearth Mount 4" Wide (Covers 44-5/8"W x 38-1/8"H)
C676200	ZCV42S1PFBL	Surround – Picture Frame 4" Wide (Covers 44-5/8"W x 40-1/8"H)
C676200	ZCV42S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 40-1/8"W x 35-5/8"H)
C676200	ZCV42CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV42CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV42CSS2i	Safety Screen Barrier – Inside Fit – InvisiMesh (Replacement)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional
C676200	ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone
C676200	ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) – Red Herringbone
C676200	ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) – Stacked Brick
C676200	ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

Cont'd on next page

## FIREPLACES – DIRECT VENT *(cont'd)*

### ZCV42H – ZERO CLEARANCE CLEAN VIEW – 42" WIDE *(cont'd)*

<b>ZCV42H ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE – 42" WIDE <i>(Cont'd)</i></b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**MDV31 – MULTI-SIDED**

<b>MDV31 MULTI-SIDED DIRECT VENT FIREPLACE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>MDV31 SERIES</b>	Listed for USA/Canada as a Vented Gas Fireplace: Triple Burner, SIT Valve Hi/Lo Wall Switch, Tempered Glass, Safety Screen, 4/7" Sloped Top Flue, 30,000 BTU	
676470	MDVR31N	Multi-Sided Fireplace, Right Burner, Millivolt Valve (as above) Natural Gas	
C676200	MDVR31LP	Multi-Sided Fireplace, Right Burner, Millivolt Valve (as above) Propane	
676469	MDVR31NE	Multi-Sided Fireplace, RH Burner, IPI Valve (as above) Natural Gas	
C676200	MDVR31LPE	Multi-Sided Fireplace, RH Burner, IPI Valve (as above) Propane	
676471	MDVL31N	Multi-Sided Fireplace, Left Burner, Millivolt Valve (as above) Natural Gas	
C676200	MDVL31LP	Multi-Sided Fireplace, Left Burner, Millivolt Valve (as above) Propane	2020
C676200	MDVL31NE	Multi-Sided Fireplace, LH Burner, IPI Valve (as above) Natural Gas	
C676200	MDVL31LPE	Multi-Sided Fireplace, LH Burner, IPI Valve (as above) Propane	
C676200	31MDV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	31MDV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	31MDV-CKLPI	Conversion Kit – IPI – To Propane	
C676200	31MDV-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>			
676455	LOGC31	Log Set – Seven Piece Cast Split Oak (for GLMVF40 or MDV31)	
<b>CHOOSE YOUR VIEW KIT AND GRILL KIT: (REQUIRED FOR EACH UNIT)</b>			
676474	M30PK	<b>Peninsula Kit Tempered – 1 × Large Glass, 1 × Small Glass and Safety Screens</b>	
676498	MGPKBL	Grill Kit Peninsula – Black (Three Sets)	
676472	M30CK	<b>Corner Kit – Tempered Glass, Shield &amp; Panel, Safety Screens</b>	
676497	MGCKBL	Grill Kit Corner – Black (Two Sets)	
676479	M30SK	<b>See-Through Kit – Tempered Glass, Shield &amp; Panel, Safety Screen</b>	
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>			
676672	Z36CVCK	Designer Clean View Circulating Kit (Must be used on both sides, order two)	
676495	MGSKBL	Grill Kit See-Through – Black (Two Sets)	

**ACCESSORIES OPTIONAL**

676486	MDV38RLE	Refractory Liner – End (Small Panel)
676487	MDV38RLS	Refractory Liner – Side (Large Panel)
676656	Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)

**SURROUNDS – (FOR SEE-THROUGH LOUVERED INSTALLATION ONLY)**

C676200	Z36SBL	Surround – Black
---------	--------	------------------

**SAFETY SCREENS**

C676200	Z36CSS	Safety Screen Barrier – Large Glass (Replacement)
C676200	M31CSSS	Safety Screen Barrier – Small Glass (Replacement)

Cont'd on next page



## FIREPLACES – DIRECT VENT (cont'd)

### MDV31 – MULTI-SIDED (cont'd)

<b>MDV31 MULTI-SIDED DIRECT VENT FIREPLACE (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z8OPT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**VENTING ACCESSORIES – 4/7"**

Item #	Product #	Description	YOM
<b>HORIZONTAL STARTER KITS 4/7"</b>			
676270	ZDVHSK	Horizontal Round Termination Vent Starter Kit – 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	
676271	ZDVHSKSQ	Horizontal Square Termination Vent Starter Kit – 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	
676314	ZDVHSK5	Horizontal Round Termination Vent Starter Kit – 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	
676313	ZDVHSKSQ5	Horizontal Square Termination Vent Starter Kit – 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	
<b>HORIZONTAL VENTING 4/7"</b>			
676276	FDVHT	Horizontal Round Vent Termination – 4/7	
C676200	FDVHSQ	Horizontal Square Vent Termination 4/7	
676277	FDVHSCU	Safety Cage Universal for Horizontal Termination	
C676200	FDVHSS	Horizontal Stucco Shield	
C676200	Z47ST24	Snorkel Termination – 24"	
C676200	Z47ST36	Snorkel Termination – 36"	
C676200	Z57STSC	Safety Cage for Snorkel Termination	
676288	ZDVWT	Wall Thimble (Horizontal Venting)	
C676200	ZDVSS	Siding Shield – Heat Deflector for FDVHT Round Termination	
676286	ZDVSSLR	Siding Shield – Large Return – for FDVHSQ or FDVHT	
<b>VERTICAL VENTING 4/7"</b>			
676273	FDVVT40	Vertical Vent Termination – 4/7	
C676200	Z47VT	Vertical Vent Termination – (Skyline II/III – VRB46/ZRB46)	
676278	ZDVAIS	Attic Insulation Shield	
C676200	Z7AIS24	Attic Insulation Shield – 24"	
676279	ZDVVOS	Offset Support	
676280	ZDVFS	Firestop Spacer	
676281	ZDVRS	Roof Support	
C676200	Z47GP36	Galvanized Pipe 4 and 7" x 36" (Vertical Installations)	
C676200	Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	
<b>FLASHINGS – VERTICAL VENTING 4/7"</b>			
676289	ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	
676290	ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	
676291	ZDVAF3	Flashing 7" c/w Storm Collar Flat	
C676200	ZDV7SC	Storm Collar 7 "	
<b>FLEX KITS 4/7", CLAMPS, CONNECTORS AND INSULATION SLEEVE</b>			
676297	ZDVFK5	Flex Kit (4" & 7" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	
676298	ZDVFK8	Flex Kit (4" & 7" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	
676300	ZDVFK20	Flex Kit (4" & 7" Dia.) x 20FT (c/w Springs, Screws, Mill Pac)	
676302	ZDV4FC	Flex Connector 4" Diameter	
676304	ZDV7FC	Flex Connector 7" Diameter	
C676200	ZDV4FCL	Flex Clamp 4"	
C676200	ZDV7FCL	Flex Clamp 7"	
676309	ZDV4SS	Spring 4" Standoff Spacer	
676490	MDV38IS	Insulation Sleeve 3ft – for Low Enclosures	
<b>HARD PIPE ADAPTERS – 4/6, 5/8"</b>			
C676200	ZDV DFA	Dura-Vent Fireplace Adapter (Sloped Flue) (For ZDV3318/ZCV36/39/42/HBZDV36/42/47/MDV31)	

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**POWER VENTING – 4/7"**

Item #	Product #	Description	YOM
<b>HORIZONTAL POWER VENT STARTER KIT – 4/7"</b>			
<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>			
<b>HORIZONTAL POWER VENT STARTER KIT</b>			
C676200	PVH58	Horizontal Power Vent Starter Kit – Exterior Mount	
C676200	PVH58FM	Horizontal Power Vent Kit – Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>			
<b>CHOOSE POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:</b>			
C676200	PVC58MV	Power Vent Control Module – for Millivolt Models	
C676200	PVC58IPI	Power Vent Control Module – for Proflame 1 – IPI Models	
C676200	584-X12	Harness for Proflame 2 IPI – Deluxe Models	
<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>			
<b>CHOOSE APPROPRIATE LENGTH OF EXTENSION HARNESS:</b> (Distance from the power vent to the appliance)			
C676200	PVH20H	Harness Extension – 20 FT	
<b>STEP 4) CHOOSE VENTING: SECTION 1 – HP 4x6-5/8", SECTION 2 – FLEX VENT 4/7", SECTION 3 – HP 3/5"</b>			
<b>SECTION 1 DIRECT VENT HARD PIPE 4x6-5/8" – for entire installation</b> <b>(Two Adapters needed one at Flue and one at Termination)</b> <b>Flue of Fireplace – Choose appropriate adapter for fireplace</b>			
C676200	ZDVDF A	Duravent Fireplace Adapter 4x6-5/8 – Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 39/42)	
676274	ZDV DKA	Duravent Stove Adapter 4x6-5/8" – Flat (Serene 47)	
<b>Termination End</b>			
C676200	ZDV DIA	Duravent Hard Pipe Adapter – (used to connect 4/6 5/8 to 5/8 Hard Pipe)	
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>SECTION 2 FLEX VENT 4/7" – Used for entire installation – order Z47PVA</b>			
<b>Termination End</b>			
C676200	Z47PVA	Flex Pipe Adapter Kit – (to adapt 4/7" flex to power vent 5/8" hard pipe)	
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>FLEX VENTING KITS:</b>			
676297	ZDVFK5	Flex Kit (4" & 7" Dia.) × 5' (c/w Springs, Screws, Mill Pac)	
676298	ZDVFK8	Flex Kit (4" & 7" Dia.) × 8' (c/w Springs, Screws, Mill Pac)	
676300	ZDVFK20	Flex Kit (4" & 7" Dia.) × 20' (c/w Springs, Screws, Mill Pac)	
<b>SECTION 3 DIRECT VENT HARD PIPE 3/5" – for entire installation</b> <b>(Three Adapters needed two at Flue and one at Termination)</b> <b>Flue of Fireplace – Choose appropriate adapter for 4x6-5/8"</b>			
C676200	ZDVDF A	Duravent Fireplace Adapter 4 × 6-5/8 – Sloped Flue	
676274	ZDV DKA	Duravent Stove Adapter 4x6-5/8" – Flat (Serene 47)	
<b>Convert from 4x6-5/8" to 3/5" MG HP</b>			
C676200	PVA4635	Duravent Adapter- 4x6-5/8 to 3/5 – FLUE	
<b>Convert to Termination – 3/5" to 5/8"</b>			
C676200	PVA3558	Duravent Adapter for Power Vent Termination – 3/5" to 5/8"	
<b>POWER VENT ACCESSORIES</b>			
676302	ZDV4FC	Flex Connector 4" Diameter	
676304	ZDV7FC	Flex Connector 7" Diameter	
C676200	ZDV4FCL	Flex Clamp 4"	
C676200	ZDV7FCL	Flex Clamp 7"	
676309	ZDV4SS	Spring 4" Standoff Spacer	
C676200	PVH58WT	Wall Thimble for Power Vent	

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**FIREPLACES – DIRECT VENT (cont'd)**
**MCVP42 – MULTI-SIDED CLEAN VIEW PENINSULA**

<b>MCVP42 MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE (TEMPERED)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>MCVP42</b>	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, 5/8" Sloped Flue	
C676200	MCVP42N	Peninsula Fireplace, Millivolt (as above) Natural Gas, 30,500 BTU	
C676200	MCVP42LP	Peninsula Fireplace, Millivolt (as above) Propane, 28,500 BTU	
C676200	MCVP42NE	Peninsula Fireplace, IPI (as above) Natural Gas, 30,500 BTU	
C676200	MCVP42LPE	Peninsula Fireplace, IPI (as above) Propane, 28,500 BTU	
C676200	42MP-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	42MP-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	42MP-CKLPI	Conversion Kit – IPI – To Propane	
C676200	42MP-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA (REQUIRED FOR EACH UNIT)</b>			
C676200	M42LG	<b>Log Grate – (need to choose log set) – (Not for Use with Propane Appliance)</b>	
C676200	M42LOG4	Log Set – KINGSMAN – Oak – 8 Pieces – (Not for Use with Propane Appliance)	
C676200	MP42GT	<b>Glass Tray for MCVP42 – (Requires Glass Media) (Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
C676200	M42LOG3	Log Set – KINGSMAN – Driftwood – 6 Pieces	
C676200	Z5GC	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
C676200	ULK3	Universal Light Kit – Two Lamps (for use with Glass Tray)	
C676200	42MVB-258	Pilot Shield – for Glass Tray and Log Grate (Replacement Part)	

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	MP42CSSS	Safety Screen Barrier – Small (Replacement)
C676200	MP42CSSL	Safety Screen Barrier – Large (Replacement)
C676200	MP42RLT	Refractory Fiber Brick Liner – Traditional
C676200	MP42PL	Porcelain Reflective Panel Liner

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

*Cont'd on next page*

**FIREPLACES – DIRECT VENT** *(cont'd)*
**MCVP42 – MULTI-SIDED CLEAN VIEW PENINSULA** *(cont'd)*

<b>MCVP42 MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE (TEMPERED) (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

# KINGSMAN FIREPLACES

[www.kingsmanfireplaces.com](http://www.kingsmanfireplaces.com)

## FIREPLACES – DIRECT VENT (cont'd)

### MCVP42H – MULTI-SIDED CLEAN VIEW PENINSULA

<b>MCVP42 MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE (CERAMIC)</b>			
Item #	Product #	Description	YOM
	<b>MCVP42H</b>	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass 5/8" Sloped Flue	
C676200	MCVP42NH	Peninsula Fireplace, Millivolt (as above) Natural Gas, 31,250 BTU	
C676200	MCVP42LPH	Peninsula Fireplace, Millivolt (as above) Propane, 29,000	2020
C676200	MCVP42NHE	Peninsula Fireplace, IPI (as above) Natural Gas, 31,250 BTU	
C676200	MCVP42LPHE	Peninsula Fireplace, IPI (as above) Propane, 29,000	
C676200	42MP-CKLPH	Conversion Kit – Millivolt – To Propane	
C676200	42MP-CKNGH	Conversion Kit – Millivolt – To Natural Gas	
C676200	42MP-CKLPHI	Conversion Kit – IPI – To Propane	
C676200	42MP-CKNGHI	Conversion Kit – IPI – To Natural Gas	
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>			
C676200	M42LG	<b>Log Grate – (need to choose log set) – (Not for Use with Propane Appliance)</b>	
C676200	M42LOG4	Log Set – KINGSMAN – Oak – 8 Pieces – (Not for Use with Propane Appliance)	
C676200	MP42GT	<b>Glass Tray for MCVP42 – (Requires Glass Media) (Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
C676200	M42LOG3	Log Set – KINGSMAN – Driftwood – 6 Pieces	
C676200	ZG5C	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
C676200	ULK3	Universal Light Kit – Two Lamps (for use with Glass Tray)	
C676200	42MVB-258	Pilot Shield – for Glass Tray and Log Grate (Replacement Part)	

#### FIREPLACE ACCESSORIES OPTIONS:

C676200	MP42CSSS	Safety Screen Barrier – Small (Replacement)
C676200	MP42CSSL	Safety Screen Barrier – Large (Replacement)
C676200	MP42RLT	Refractory Fiber Brick Liner – Traditional
C676200	MP42PL	Porcelain Reflective Panel Liner

#### DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

Cont'd on next page

**FIREPLACES – DIRECT VENT** *(cont'd)*
**MCVP42H – MULTI-SIDED CLEAN VIEW PENINSULA** *(cont'd)*

<b>MCVP42 MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE (CERAMIC) (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**MCVST42 – MULTI-SIDED CLEAN VIEW SEE-THROUGH**

<b>MCVST42 MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE (TEMPERED)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>MCVST42</b>	Listed for USA/Canada as a Vented Gas Fireplace – RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass 5/8" Sloped Flue	
C676200	MCVST42N	See Through Fireplace, Millivolt (as above) Natural Gas, 30,500 BTU	
C676200	MCVST42LP	See Through Fireplace, Millivolt (as above) Propane, 29,000 BTU	
C676200	MCVST42NE	See Through Fireplace, IPI (as above) Natural Gas, 30,500 BTU	
C676200	MCVST42LPE	See Through Fireplace, IPI (as above) Propane, 29,000 BTU	
C676200	42MST-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	42MST-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	42MST-CKLPI	Conversion Kit – IPI – To Propane	
C676200	42MST-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>			
C676200	M42LG	<b>Log Grate – (need to choose log set)</b>	
C676200	M42LOG4	Log Set – KINGSMAN – Oak – 8 Pieces	
C676200	MST42GT	<b>Glass Tray for MCVST42 – (Requires Glass Media)</b> <b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
C676200	M42LOG3	Log Set – KINGSMAN – Driftwood – 6 Pieces	
C676200	ZG5C	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
C676200	ULK3	Universal Light Kit – Two Lamps (for use with Glass Tray)	
C676200	42MVB-258	Pilot Shield – for Glass Tray and Log Grate (Replacement Part)	

**SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN**

C676200	ZCV42S1BL	Surround – Hearth Mount 4" Wide (Covers 44-5/8"W x 38-1/8"H)
C676200	ZCV42S1PFBL	Surround – Picture Frame 4" Wide (Covers 44-5/8"W x 40-1/8"H)
C676200	ZCV42S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 40-1/8"W x 35-5/8"H)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV42CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV42CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)
C676200	MST42RLT	Refractory Fiber Brick Liner (2 PCE) – Traditional
C676200	MST42PL	Porcelain Reflective Panel Liner (2 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit



## FIREPLACES – DIRECT VENT (cont'd)

### MCVST42 – MULTI-SIDED CLEAN VIEW SEE-THROUGH (cont'd)

<b>MCVST42 MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE (TEMPERED) (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**MCVST42H – MULTI-SIDED CLEAN VIEW SEE-THROUGH**

<b>MCVST42 MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE (CERAMIC)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>MCVST42</b>	Listed for USA/Canada as a Vented Gas Fireplace – RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass 5/8" Sloped Flue	
C676200	MCVST42NH	See Through Fireplace, Millivolt (as above) Natural Gas, 31,000 BTU	
C676200	MCVST42LPH	See Through Fireplace, Millivolt (as above) Propane, 29,250 BTU	
C676200	MCVST42NHE	See Through Fireplace, IPI (as above) Natural Gas, 31,000 BTU	
C676200	MCVST42LPHE	See Through Fireplace, IPI (as above) Propane, 29,250 BTU	
C676200	42MST-CKLPH	Conversion Kit – Millivolt – To Propane	
C676200	42MST-CKNGH	Conversion Kit – Millivolt – To Natural Gas	
C676200	42MST-CKLPHI	Conversion Kit – IPI – To Propane	
C676200	42MST-CKNGHI	Conversion Kit – IPI – To Natural Gas	
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA: (REQUIRED FOR EACH UNIT)</b>			
C676200	M42LG	<b>Log Grate – (need to choose log set)</b>	
C676200	M42LOG4	Log Set – KINGSMAN – Oak – 8 Pieces	
C676200	MST42GT	<b>Glass Tray for MCVST42 – (Requires Glass Media) (Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
C676200	M42LOG3	Log Set – KINGSMAN – Driftwood – 6 Pieces	
C676200	ZG5C	Glass Media – 1/2" Bronze – 5 lbs	
C676200	RBCB1	Cannonballs – Assorted size and colors	
C676200	ULK3	Universal Light Kit – Two Lamps (for use with Glass Tray)	
C676200	42MVB-258	Pilot Shield – for Glass Tray and Log Grate (Replacement Part)	

**SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN**

C676200	ZCV42S1BL	Surround – Hearth Mount 4" Wide (Covers 44-5/8"W x 38-1/8"H)
C676200	ZCV42S1PFBL	Surround – Picture Frame 4" Wide (Covers 44-5/8"W x 40-1/8"H)
C676200	ZCV42S2PFBL	Surround – Picture Frame 1-5/8" Wide (Covers 40-1/8"W x 35-5/8"H)

**FIREPLACE ACCESSORIES OPTIONS:**

C676200	ZCV42CSS	Safety Screen Barrier – Outside Fit (Replacement)
C676200	ZCV42CSS2	Safety Screen Barrier – Inside Fit (Replacement)
C676200	ZCV-TLK	Tile Lip Kit – (for Finishing Materials – tile, brick)
C676200	MST42RLT	Refractory Fiber Brick Liner (2 PCE) – Traditional
C676200	MST42PL	Porcelain Reflective Panel Liner (2 PCE)
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

**FIREPLACES – DIRECT VENT** *(cont'd)*
**MCVST42H – MULTI-SIDED CLEAN VIEW SEE-THROUGH** *(cont'd)*

<b>MCVST42 MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE (CERAMIC) (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**ZCVRB60 – ZERO CLEARANCE LINEAR**

<b>ZCVRB60 ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>ZCVRB60</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 5/8" Top Flue, Tempered Glass 60" W x 17-7/8"H, Safety Screen Framing 66-9/16"W x 43"H x 19-1/4"D, 35,000 BTU, Max Media 10 LBS	
<div style="border: 1px solid black; padding: 5px;"> <p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required</b></p> </div>			

<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE – 60"</b>			
C676200	ZCVRB60N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	2020
C676200	ZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) Propane	
C676200	ZCVRB60NE	Fireplace Linear, IPI Valve (as above) Natural Gas	
C676200	ZCVRB60LPE	Fireplace Linear, IPI Valve (as above) Propane	
C676200	60ZCVRB-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	60ZCVRB-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	60ZCVRB-CKLPI	Conversion Kit – IPI – To Propane	
C676200	60ZCVRB-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>OPTIONAL – WHEN VENTILATING ENCLOSURE – VENTILATION UP TO 200 Sq. Inches</b>			
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>			
C676200	VL60EGS	Grill – Enclosure Side (Pair) – Unfinished (15-1/4"W x 6-5/8"H)	
C676200	VL60EG	Grill – Front for Enclosure – Unfinished (60-5/8"W x 3-5/8"H)	

<b>OPTIONAL WALL SURROUND – (COVERS 64"W x 23"H)</b>			
C676200	ZCVRB60S1BL	Surround Trim Kit – 1-1/2" Wide – Black	
C676200	ZCVRB60S1SS	Surround Trim Kit – 1-1/2" Wide – Stainless Steel	

<b>OPTIONAL FIREPLACE ACCESSORIES</b>			
C676200	<b>ZCVRB60PL</b>	Porcelain Reflective Panel Liner (3 PCE)	
C676200	RBCB1	Cannonballs – Assorted size and colors	
676254	Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	
C676200	<b>ULK64</b>	Universal Light Kit – Four Lamps (For Millivolt/PF1)	
C676200	ZCVRB60CSS	Safety Screen Barrier (Replacement)	
C676200	V60PTLK	Tile Lip Kit	

Cont'd on next page

**FIREPLACES – DIRECT VENT** (cont'd)

**ZCVRB60 – ZERO CLEARANCE LINEAR** (cont'd)

<b>ZCVRB60 ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676332	GTFRCN	Remote Control Millivolt – Thermostat/Modulating/Fan – NG	
C676200	GTFRCP	Remote Control Millivolt – Thermostat/Modulating/Fan – LP	
676263	EGTRC	Remote Control IPI PF1 – Thermostat	
676264	EGTMRCN	Remote Control IPI PF1 – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI PF1 – Thermostat/Modulating – LP	
C676200	EGTFRCN	Remote Control IPI PF1 – Thermostat/Modulating/Fan – NG	
C676200	EGTFRCP	Remote Control IPI PF1 – Thermostat/Modulating/Fan – LP	

**FIREPLACES – DIRECT VENT (cont'd)**
**VENTING ACCESSORIES – 5/8"**

Item #	Product #	Description	YOM
<b>HORIZONTAL STARTER KIT – 5/8" – MCVP42/MCVST42</b>			
C676200	Z58HSK5	Horizontal Vent Starter Kit – 5/8" × 5 FT Flex, Termination, Wall Thimble Wall Thimble Shield, Screws, and Mill Pac	
<b>HORIZONTAL VENTING – 5/8"</b>			
C676200	Z58HT	Horizontal Round Vent Termination – 5/8	
C676200	Z58WTS	Horizontal Wall Thimble Shield (For Low Enclosures)	
676277	FDVHSCU	Horizontal Safety Cage	
C676200	Z58WT	Horizontal Wall Thimble	
C676200	Z58SS	Siding Shield – Heat Deflector for Horizontal Round Termination	
<b>VERTICAL VENTING – 5/8"</b>			
C676200	Z58VT	Vertical Vent Termination – 5/8	
C676200	Z58AIS24	Attic Insulation Shield – 24"	
676279	ZDVVOS	Offset Support	
C676200	Z58FS	Firestop Spacer	
C676200	Z58RS	Roof Support	
C676200	Z58GP36	Galvanized Pipe 5 and 8" Dia. × 36" (Vertical Installations)	
<b>FLASHINGS – VERTICAL VENTING-5/8"</b>			
C676200	Z58AAF	Flashing 8" c/w Storm Collar (1/12 to 7/12)	
C676200	Z58AF2	Flashing 8" c/w Storm Collar (8/12 to 12/12)	
C676200	Z58AF3	Flashing 8" c/w Storm Collar Flat	
C676200	ZDV8SC	Storm Collar 8"	
<b>FLEX KITS – 5/8", CLAMPS AND CONNECTORS</b>			
C676200	Z58FK5	Flex Kit (5" & 8" Dia.) × 5' Expanded (c/w Springs, Screws, Mill Pac)	
C676200	Z58FK8	Flex Kit (5" & 8" Dia.) × 8' Expanded (c/w Springs, Screws, Mill Pac)	
C676200	Z58FK20	Flex Kit (5" & 8" Dia.) × 20' Expanded (c/w Springs, Screws, Mill Pac)	
C676200	ZDV5FC	Flex Connector 5" Diameter	
C676200	ZDV8FC	Flex Connector 8" Diameter	
C676200	ZDV5FCL	Flex Clamp 5"	
C676200	ZDV8FCL	Flex Clamp 8"	
676309	ZDV4SS	Spring – Standoff Spacer for Inner Pipe	
<b>Hard Pipe Adapter – 5/8"</b>			
C676200	Z58DFA	Hard Pipe Adapter – 5/8" (MCVP42, MCVST42)	

**FIREPLACES – DIRECT VENT (cont'd)**
**POWER VENTING – 5/8"**

Item #	Product #	Description	YOM
<b>HORIZONTAL POWER VENTING – 5/8"</b>			
<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>			
<b>HORIZONTAL POWER VENT STARTER KIT – 5/8"</b>			
C676200	PVH58	Horizontal Power Vent Starter Kit – Exterior Mount	
C676200	PVH58FM	Horizontal Power Vent Kit – Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	
<b>Note: Must use a one foot section of-5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>			
<b>POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:</b>			
C676200	PVC58MV	Power Vent Control Module – for Millivolt models	
C676200	PVC58IPI	Power Vent Control Module – for Proflame 1 – IPI models	
C676200	584-X12	Harness for Proflame 2 IPI – Deluxe Models	
<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>			
<b>POWER VENT EXTENSION HARNESS: (Measure distance from the power vent to the appliance)</b>			
C676200	PVH20H	Harness Extension – 20 FT	
<b>STEP 4) CHOOSE VENTING: SECTION 1 – HP-5/8", #2 – HP 4x6-5/8", #3 HP 3/5", #4 – FLEX-5/8"</b>			
<b>SECTION 1 DIRECT VENT HARD PIPE-5/8" – Used for entire installation – Order Z58DFA</b>			
C676200	Z58DFA	DuraVent Hard Pipe Adapter – 5/8" (Sloped Flue Models MCVST42/MCVP42)	
<b>NOTE : ZCVRB60 models won't require Z58DFA adapter at flue</b>			
<b>SECTION 2 DV HARD PIPE 4 x 6-5/8" – Used for entire installation – Required Components Below</b>			
C676200	Z58DFA	DuraVent Hard Pipe Adapter – 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZCV48)	
<b>NOTE: ZCVRB60 models will only require 1 FT Section of 5/8" DuraVent at Flue</b>			
C676200	ZDVDR	DuraVent – REDUCER – 5/8" to 4x6-5/8" ADAPTER (used at flue of fireplace)	
<b>Termination End</b>			
C676200	ZDVDA	DuraVent Hard Pipe Adapter – (used to connect 4x6-5/8 to 5/8 Hard Pipe)	
<b>Note: Must use a one foot section of-5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>SECTION 3 DV HARD PIPE 3/5" – Used for entire installation – Required Components Below</b>			
C676200	Z58DFA	DuraVent Hard Pipe Adapter – 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZCV48)	
<b>NOTE: ZCVRB60 models will only require 1 FT Section of 5/8" DuraVent at Flue</b>			
C676200	PVA5835	DuraVent Adapter – 5/8" to 3/5" (used at flue of fireplace)	
<b>Termination End</b>			
C676200	PVA3558	DuraVent Adapter – 3/5" to 5/8" (at Termination)	
<b>Note: Must use a one foot section of-5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
<b>SECTION 4 FLEX VENT – Used for entire installation – Order Z58PVA – Plus Applicable Venting</b>			
<b>Note: Must use a one foot section of-5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>			
C676200	Z58PVA	Flex Pipe Adapter Kit – (to adapt flex pipe to power vent to hard pipe)	
<b>FLEX VENTING KITS:</b>			
C676200	Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	
C676200	Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	
C676200	Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	
<b>OPTIONAL POWER VENT ACCESSORIES</b>			
C676200	ZDV5FC	Flex Connector 5" Diameter	
C676200	ZDV8FC	Flex Connector 8" Diameter	
C676200	ZDV5FCL	Flex Clamp 5"	
C676200	ZDV8FCL	Flex Clamp 8"	
676309	ZDV4SS	Spring – Standoff Spacer for Inner Pipe	
C676200	PVH58WT	Wall Thimble for Power Vent	

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**INSERTS – DIRECT VENT**
**IDV26**

<b>IDV26 DIRECT VENT FIREPLACE INSERT</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>IDV26</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Variable Speed with Thermostat Controlled Blower, Safety Screen, Two Three Inch Flues, 30,000 BTU/HR <b>(Minimum Size of Fireplace for installation 28/33"W × 19-1/2"H × 14-1/8"D)</b>	
C676200	IDV26N	Insert Direct Vent, Millivolt Valve (as above) – Natural Gas	2020
C676200	IDV26LP	Insert Direct Vent, Millivolt Valve (as above) – Propane	
C676200	IDV26NE	Insert Direct Vent ( as above) – IPI – Natural Gas	
C676200	IDV26LPE	Insert Direct Vent ( as above) – IPI – Propane	
C676200	26IDV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	26IDV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	26IDV-CKLPI	Conversion Kit – IPI PF1 – To Propane	
C676200	26IDV-CKNGI	Conversion Kit – IPI PF1- To Natural Gas	
<b>LOG SET OR GLASS SUPPORT PLATFORM: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGF27	Log Set – Fiber Split Oak (IDV26)	
C676200	<b>RSP10</b>	Glass Support Platform – with Bronze Decorative Glass – IDV26/33/36	
C676200	36IDV-204	Pilot Shield – for RSP10 (Replacement Part)	

<b>CHOOSE CLEAN VIEW FRONT (REQUIRED FOR EACH UNIT) AND SURROUND IF NEEDED</b>			
<b>Clean View Front – Slim – Measures 35-5/8"W × 22 3/4"H</b>			
(Components In for Minimum Fireplace Opening of 31"W)			
C676200	I26CV1BL	Clean View Front – Slim – Black – 1-3/4" Depth	
C676200	I26CV3BL	Clean View Front – Slim – Black – 3-1/2" Depth	
C676200	I26S1BL	Surround – Slim – Black – (Covers 42"W × 27-1/2"H)	
C676200	I26SUBL	Surround Universal – Black (Three Sided 47-1/2"W × 28-5/8"H, Picture Frame Size 47-1/2"W × 35-5/8"H)	
<b>Clean View Front – Series 1 – Picture Frame 35-5/8"W × 25-7/8"H</b>			
C676200	I26CVPF1BL	Clean View Front – Slim – Picture Frame – Black	
C676200	I26SPF1BL	Surround Picture Frame – Slim – Black – (Covers 39-3/8"W × 29-3/4"H)	
C676200	I26SUBL	Surround Universal – Black (Picture Frame Size 47-1/2"W × 35-5/8"H, Three Sided 47-1/2"W × 28-5/8"H)	
<b>Clean View Front – Series 2 – Wide – Measures 44-5/8"W × 26-5/8"H</b>			
<b>(Components Out for Minimum Fireplace Opening of 28"W)</b>			
C676200	I26CV2BL	Clean View Front – Wide – Black	
C676200	I26CVPF2BL	Clean View Front – Wide – Picture Frame – Black – (44-7/8"W × 33-1/2 "H)	
C676200	I26SUBL	Surround Universal – Black (Picture Frame Size 47-1/2"W × 35-5/8"H, Three Sided 47-1/2"W × 28-5/8"H)	

Cont'd on next page



**INSERTS – DIRECT VENT (cont'd)**
**IDV26 (cont'd)**

<b>IDV26 DIRECT VENT FIREPLACE INSERT (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>RISER FOR SURROUNDS – RAISES COVERAGE HEIGHT BY 2-1/2"</b>			
C676200	I33R40	Riser For Surround (2-1/2") – For Use on I33S4028B	
C676200	I33R44	Riser For Surround (2-1/2") – For Use on I33S4430B	
<b>FIREPLACE ACCESSORY OPTIONS</b>			
C676200	I26CSS	Safety Screen Barrier (Replacement)	
C676200	IDV26RL	Refractory Brick Liner (3 PCE)	
C676200	IDV26PRL	Porcelain Reflective Panel Liner (3 PCE)	
C676200	I33CS	Mantel Clearance Shield	
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>			
C676200	VLBIT4	Log Bits – Large Four Piece Kit	
C676200	VLBIT6	Log Bits – Small Six Piece Kit	
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
<b>When Ordering e/GT-GTM Remote a 10 FT Harness is Required</b>			
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
C676200	1001-P904SI	<b>Wire Harness GTMF 584.904 10FT</b>	
676263	EGTRC	Remote Control IPI – Thermostat	
676264	EGTMRCN	Remote Control IPI – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI – Thermostat/Modulating – LP	
C676200	1001-P904SI	<b>Wire Harness GTMF 584.904 10FT</b>	
<b>VENTING COMPONENTS</b>			
676450	IDVVT36	Vertical Vent Termination – (3/3"), Mill Pac and Screws	
676445	IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25 FT Gas Flex Liner)	
C676200	IDVLCP	Block Off Plate – For Lower Chase (11-3/4" x 14-3/4")	
C676200	ZDV3FC	Flex Connector 3" Diameter	

\*\*MG Duravent (Order Kit #46DVA-CL33)

**INSERTS – DIRECT VENT (cont'd)**
**IDV34**

<b>IDV34 DIRECT VENT FIREPLACE INSERT</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>IDV34</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Controlled Blower, Two Three Inch Flues, 31,000 BTU/HR NG, 28,500 BTU/HR LP Minimum Fireplace Opening for CV1 – (28-5/8"W × 21-1/2"H × 17-3/4"D) Minimum Fireplace Opening for CV5 – (26-1/4"W × 21-3/8"H × 14-3/8"D)	

<b>Direct Vent Insert – Natural Gas or Propane</b>			
C676200	IDV34N	Insert Direct Vent ( as above) – Millivolt – Natural Gas	
C676200	IDV34LP	Insert Direct Vent ( as above) – Millivolt – Propane	
C676200	IDV34NE	Insert Direct Vent ( as above) – IPI – Natural Gas	
C676200	IDV34LPE	Insert Direct Vent ( as above) – IPI – Propane	
C676200	33IDV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	33IDV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	33IDV-CKLPI	Conversion Kit – IPI – To Propane	
C676200	33IDV-CKNGI	Conversion Kit – IPI – To Natural Gas	

<b>LOG SET OR GLASS SUPPORT: (REQUIRED FOR EACH UNIT)</b>			
676467	LOGF35	Log Set – Fiber Split Oak (F350, F300, IDV33)	
C676200	RSP10	Glass Support Platform – with Bronze Decorative Glass – IDV26/33/43	
C676200	36IDV-204	Pilot Shield – for RSP10 (Replacement Part)	

<b>CLEAN VIEW CV1 – (REQUIRED FOR EACH UNIT)</b>			
C676200	<b>I34CV1BL</b>	Clean View – Black – c/w Safety Screen – 35-1/4"W × 24-3/16"H × 13/16" D	
<b>SURROUNDS – (FOR ADDITIONAL COVERAGE)</b>			
C676200	I34S3927BL	Surround – Black (Covers 39"W × 27-5/16"H)	
C676200	I34SPF4131BL	Surround – Picture Frame – Black (Covers 41-1/8"W × 31-3/8"H)	
C676200	I34SU4541BL	Surround Universal – Black (Covers 45"W × 41"H)	

<b>CLEAN VIEW CV5/6 – (Minimum Fireplace Opening – 26-1/4"W × 21-3/8"H × 14-3/8"D)</b>			
C676200	<b>I34CV5BL</b>	Clean View w/ Backer Surround – Safety Screen – Black – Limited Quantity (Coverage – 37-1/4"W × 25-1/4"H × 2-3/4"D)	
C676200	<b>I34CV6BL</b>	Clean View w/ Backer Surround – Safety Screen – Black (Coverage – 37-5/8"W × 26-15/16"H × 2-3/4"D)	
<b>SURROUNDS – FOR USE WITH I34CV1/CV2 – CLEAN VIEW</b>			
C676200	I34S3927BL	Surround – Black (Covers 39"W × 27-5/16"H)	
C676200	I34SPF4131BL	Surround – Picture Frame – Black (Covers 41-1/8"W × 31-3/8"H)	
C676200	I34SU4541BL	Surround Universal – Black (Covers 45"W × 41"H)	

<b>Riser for Surrounds – Raises Coverage Height by 2-1/2"</b>			
C676200	I34R40	Riser For Surround (2-1/2") × 40"W	
C676200	I44R45	Riser For Surround (2-1/2") × 45"W	

<b>FIREPLACE ACCESSORY OPTIONS</b>			
C676200	I34CSS	Safety Screen Barrier (Replacement) – MQ34SF1/MQ34DD1	
C676200	I34CV1SS	Safety Screen Barrier (Replacement) – I34CV1/CV2	
676448	IDV33RL	Refractory Brick Liner (3 PCE)	
C676200	IDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	

Cont'd on next page

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

**INSERTS – DIRECT VENT (cont'd)**
**IDV34 (cont'd)**

<b>IDV34 DIRECT VENT FIREPLACE INSERT (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>VENTING COMPONENTS</b>			
676450	IDVVT36	Vertical Vent Termination – (3/3"), Mill Pac and Screws	
676445	IDVFK25	Flex Pipe Kit ( 2 × 3" Dia × 25FT Gas Flex Liner)	
C676200	IDVLCP	Block Off Plate – For Lower Chase (11-3/4" × 14-3/4")	
C676200	ZDV3FC	Flex Connector 3" Diameter	
<b>**MG Duravent (Order Kit #46DVA-CL33)</b>			

**THERMOSTATS AND REMOTE CONTROLS**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off
676336	GTRC	Remote Control Millivolt – Thermostat
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP
676263	EGTRC	Remote Control IPI – Thermostat
676264	EGTMRCN	Remote Control IPI – Thermostat/Modulating – NG
C676200	EGTMRCP	Remote Control IPI – Thermostat/Modulating – LP

**INSERTS – DIRECT VENT (cont'd)**
**IDV44**

<b>IDV44 DIRECT VENT FIREPLACE INSERT</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>IDV44</b>	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Speed Blower, 3" Air Intake 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP Minimum Fireplace Opening: 32-7/8"W × 25-3/4"H × 18"D	
<b>Direct Vent Insert – Natural Gas or Propane</b>			
C676200	IDV44N	Insert Direct Vent ( as above) – Millivolt – Natural Gas	
C676200	IDV44LP	Insert Direct Vent ( as above) – Millivolt – Propane	
C676200	IDV44NE	Insert Direct Vent ( as above) – IPI – Natural Gas	
C676200	IDV44LPE	Insert Direct Vent ( as above) – IPI – Propane	
C676200	36IDV-CKLP	Conversion Kit – Millivolt – To Propane	
C676200	36IDV-CKNG	Conversion Kit – Millivolt – To Natural Gas	
C676200	36IDV-CKLPI	Conversion Kit – IPI – To Propane	
C676200	36IDV-CKNGI	Conversion Kit – IPI – To Natural Gas	
<b>LOG SET OR ROCK SUPPORT OR GLASS SUPPORT PLATFORM: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGF36	Log Set – Fiber Split Oak	
C676200	RSP10	Glass Support Platform – with Bronze Decorative Glass – IDV26/33/43	
C676200	36IDV-204	Pilot Shield – for RSP10 (Replacement Part)	
<b>CLEAN VIEW – (REQUIRED FOR EACH UNIT)</b>			
C676200	<b>I44CV1BL</b>	Clean View – Black – C/W Safety Screen – 39-9/16"W × 28-1/2"H × 13/16"D	
<b>SURROUNDS – (FOR ADDITIONAL COVERAGE)</b>			
C676200	I44S4432BL	Surround – Black (Covers 44"W × 32-1/16"H)	
C676200	I44SPF4436BL	Surround Picture Frame – Black (Covers 44"W × 36"H)	
C676200	I44SU4742BL	Surround Universal – Black (Covers 47"W × 42"H)	
<b>RISER FOR SURROUNDS – Raises Coverage Height by 2-1/2"</b>			
C676200	I44R45	Riser For Surround (2-1/2") × 45"W	
<b>FIREPLACE ACCESSORY OPTIONS</b>			
C676200	IDV36RLT	Refractory Fiber Brick Liner (3 PCE) – Traditional	
C676200	IDV36RLH	Refractory Fiber Brick Liner (3 PCE) – Herringbone	
C676200	IDV36PRL	Porcelain Reflective Panel Liner (3 PCE)	
C676200	I44CV1SS	Safety Screen Barrier (Replacement) – (I44CV1/CV2)	
C676200	I43CSS	Safety Screen Barrier (Replacement) – (MQ44SF1BL/MQ44DD1BL)	
<b>VENTING COMPONENTS</b>			
C676200	IDVVT43	Vertical Vent Termination – (4/3"), (Mill Pac and screws)	
C676200	I43FK25	Flex Pipe Kit (3" & 4" Dia × 25FT Gas Flex Liner)	
C676200	I43LCP	Block Off Plate – For Lower Chase (11-3/4" × 14-3/4")	
C676200	ZDV3FC	Flex Connector 3" Diameter	
676302	ZDV4FC	Flex Connector 4" Diameter	
<b>**MG DuraVent Venting – (Order Kit #46DVA-CL34)</b>			

Cont'd on next page

**INSERTS – DIRECT VENT** (cont'd)

**IDV44** (cont'd)

<b>IDV44 DIRECT VENT FIREPLACE INSERT (Cont'd)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>			
C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1	
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1	
676330	GFRC	Remote Control Millivolt/IPI – On/Off	
676336	GTRC	Remote Control Millivolt – Thermostat	
676334	GTMRCN	Remote Control Millivolt – Thermostat/Modulating – NG	
676337	GTMRCP	Remote Control Millivolt – Thermostat/Modulating – LP	
676263	EGTRC	Remote Control IPI – Thermostat	
676264	EGTMRCN	Remote Control IPI – Thermostat/Modulating – NG	
C676200	EGTMRCP	Remote Control IPI – Thermostat/Modulating – LP	

## OUTDOOR FIRE PITS & FIRE BOWL

<b>OUTDOOR FIRE PITS:</b>		
Listed for Canada and USA		
676440	FP2085N	Round 20" Diameter – 65,000 BTU – Natural Gas
676441	FP2085LP	Round 20" Diameter – 65,000 BTU – Propane c/w Reg and 5 FT Hose
676444	FP20COV	Cover for Round Fire Pit
C676200	FP20SSR	Stainless Steel Decorative Ring – (for FP2085 only)
676436	FP2785N	Rectangular 27" x 20" – 65,000 BTU – Natural Gas c/w Cover
C676200	FP2785LP	Rectangular 27" x 20" – 65,000 BTU – Propane c/w Cover (c/w Reg & 5FT Hose)
<b>LOG SET OR MEDIA : (REQUIRED FOR EACH FIRE PIT)</b>		
676465	LOGC85	Log Set – Four Piece Cast Oak
C676200	MLR1410	Media – 1/4" Lava Rock 10 lbs – (Modern Look, no logs required)

<b>OUTDOOR FIRE BOWLS FOR THE FP2085 FIRE PIT (FIRE PIT NOT INCLUDED)</b>		
Fire Bowl Includes (Key Way Valve and Connectors 1/4 Lava Rock 20 Lbs, Leg Extension, Filler Strip Ring and SS Flex Connector) 30" Diameter x 14"H		
C676200	FPB30TB	Fire Bowl – Concrete Textured Charcoal
C676200	FPB30SG	Fire Bowl – Concrete Smooth Grey
<b>FIRE BOWL OPTIONS:</b>		
C676200	FPB30COVB	Cover – Black (for Fire Bowl)
C676200	FPB30TRG	Trim Ring (for Fire Bowls) – Charcoal
C676200	30FPB-KWK	Key Way Valve Kit and Components (for Custom Enclosures)
<p><b>MEDIA REQUIREMENTS OPTIONS: (When not using LOGC85 Log Set)</b> One bag of 1/4" Lava Rock is required for the Fire Pit. If ordering a Fire Bowl the 1/4" media is included with the Fire Bowl.</p>		

## OUTDOOR GAS FIREPLACE

### OFP42

<b>OFP42 ZERO CLEARANCE OUTDOOR FIREPLACE – 42" WIDE</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
	<b>OFP42</b>	Listed for USA/Canada For Outdoor Use Only, SIT Nova TMV Valve with Hi/Lo Adjustment Wall Switch, Stainless Steel Screens, Framing 42-1/8"W × 38-1/4"H × 18-1/2"D	
C676200	OFP42N	Outdoor Fireplace, Satin Coat Black, Millivolt (as above) Natural Gas, 55,000 BTU	
C676200	OFP42NS	Outdoor Fireplace, Stainless Steel, Millivolt (as above) Natural Gas, 55,000 BTU	
C676200	42OFP-CKLP	Conversion Kit – Propane – 55,000 BTU	
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>			
C676200	LOGF37	Log Set – Split Oak (OFP42)	

#### FIREPLACE ACCESSORIES OPTIONS:

C676200	OFP42SS	Surround – Stainless Steel
C676200	OFP42WCSS	Weather Cover – Stainless Steel
C676200	OFP42WCBL	Weather Cover – Black
C676200	OFP42RLT	Brick Liner – Traditional
C676200	OFP42RLH	Brick Liner – Herringbone
C676200	OFP42SA	Spark Assist – (AA Battery not included)
676330	GFRC	Remote Control Millivolt/IPI – On/Off

## GAS LOG SETS – VENTED

<b>VENTED GAS LOG SETS:</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
		Listed for USA and Canada Minimum Fireplace Dimensions:	
C676200	FOR 18" LOGS	(25" Front Width, 18" Back Width, 18" Height x 15" Depth)	
C676200	FOR 24" LOGS	(29" Front Width, 21" Back Width, 18" Height x 15" Depth)	
C676200	FOR 30" LOGS	(36" Front Width, 26" Back Width, 18" Height x 17" Depth)	
<b>ASH BED BURNER</b>			
C676200	VSB18N	Vented Gas Log Burner – Millivolt Valve 48,500 BTU/HR Natural Gas	
C676200	VSB18LP	Vented Gas Log Burner – Millivolt Valve 47,000 BTU/HR Propane	
C676200	VSB24N	Vented Gas Log Burner – Millivolt Valve 73,000 BTU/HR Natural Gas	
C676200	VSB24LP	Vented Gas Log Burner – Millivolt Valve 86,000 BTU/HR Propane	
<b>GRATE BURNER:</b>			
C676200	VGB18N	Vented Gas Log Burner – Millivolt Valve 48,500 BTU/HR Natural Gas	
C676200	VGB18LP	Vented Gas Log Burner – Millivolt Valve 47,000 BTU/HR Propane	
C676200	VGB24N	Vented Gas Log Burner – Millivolt Valve 73,000 BTU/HR Natural Gas	
C676200	VGB24LP	Vented Gas Log Burner – Millivolt Valve 86,000 BTU/HR Propane	
<b>LOG SET: (REQUIRED FOR EACH BURNER)</b>			
C676200	VLOG18	Log Set – Split Oak 18"	
C676200	VLOG24	Log Set – Reversible Charred Split or Barked Oak 24"	
C676200	VLOG30	Log Set – Reversible Charred Split or Barked Oak 30"	

### DECORATE THE BOTTOM OF YOUR FIREPLACE

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit

### OPTIONAL ACCESSORIES:

676330	GFRC	Remote Control Millivolt/IPI – On/Off
--------	------	---------------------------------------



**GAS LOG SETS – VENTED/VENT FREE**

<b>VENTED/VENT FREE GAS LOG SETS: (Listed for USA and Canada)</b>			
<b>Item #</b>	<b>Product #</b>	<b>Description</b>	<b>YOM</b>
Minimum Fireplace Dimensions:			
C676200	FOR 18" LOGS	(19" Front Width, 19" Back Width, 18-3/4" Height × 12-1/2" Depth)	
C676200	FOR 24" LOGS	(29" Front Width, 22-1/2" Back Width, 18-3/4" Height × 12-1/2" Depth)	
C676200	FOR 30" LOGS	(38" Front Width, 28" Back Width, 18-3/4" Height × 13-1/2" Depth)	
C676200	GLVF24MAN	Vent Free Gas Log Burner – Manual Valve 38,250 BTU/HR Natural Gas	
C676200	GLVF24MAP	Vent Free Gas Log Burner – Manual Valve 38,000 BTU/HR Propane	
C676200	GLVF24MVN	Vent Free Gas Log Burner – Millivolt Valve 38,250 BTU/HR Natural Gas	
C676200	GLVF24MVP	Vent Free Gas Log Burner – Millivolt Valve 38,000 BTU/HR Propane	
<b>LOG SET: (REQUIRED FOR EACH BURNER)</b>			
676496	LOGF18	Log Set – Fiber Split Oak 18"	
C676200	LOGF24	Log Set – Fiber Split Oak 24"	
C676200	LOGF30	Log Set – Fiber Split Oak 30"	
<b>VENTED/VENT FREE MULTI-SIDED GAS LOG SETS: (Listed for USA and Canada)</b>			
<b>BURNER SYSTEM: (Choose Appropriate Burner System)</b>			
C676200	GLMVF40MVN	Multi-Sided Vent Free Burner System – 38,000 BTU Natural Gas	
C676200	GLMVF40MVP	Multi-Sided Vent Free Burner System – 30,500 BTU Propane	
<b>LOG SET: (Required for Burner System Above)</b>			
676455	LOGC31	Log Set – Seven Piece Cast Split Oak (for GLMVF40 or MDV31)	

**ACCESSORIES – FOR MILLIVOLT GAS LOG SETS – OPTIONAL**

C676200	Z2MT	Thermostat Digital – Vertical Wall Mount – MV/PF1
C676200	Z80PT	Thermostat Programmable Digital – Wall Mount – MV/PF1
676330	GFRC	Remote Control Millivolt/IPI – On/Off

**Decorate the Bottom of Your Fireplace with Log Bits:**

C676200	VLBIT4	Log Bits – Large Four Piece Kit
C676200	VLBIT6	Log Bits – Small Six Piece Kit