

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

INDEX

AUTOFLARE® FITTINGS AND ACCESSORIES	
BRASS.....	14-4
BRASS AND STAINLESS STEEL PLATE.....	14-5
BRASS FITTING AUTOFLARE® INSERT.....	14-4 – 14-5
FITTINGS FOR TRACPIPE®.....	14-5
AUTOSNAP® STRAIGHT FITTINGS..... 14-3	
COUNTERSTRIKE® FLEXIBLE GAS PIPING (For Enhanced Lightning Protection)..... 14-3	
CSST (CORRUGATED STAINLESS STEEL) — 300 SERIES WITH POLYMER JACKET — PLYWOOD REELS FOR PACKAGING.....	14-3
TRACPIPE® COUNTERSTRIKE®	
ACCESSORIES AND TOOLS.....	14-6
STACKABLE MANIFOLDS.....	14-6
TUBE CUTTERS.....	14-6
VALVES AND DISCONNECTS.....	14-6
PROTECTION DEVICES..... 14-6	
FLOPPY STRIP WOUND CONDUIT.....	14-6
STRIKER PLATES.....	14-6
TRACPIPE® FLEXIBLE GAS PIPING	
CSST (CORRUGATED STAINLESS STEEL) — 300 SERIES WITH POLYETHYLENE JACKET — PLYWOOD REELS FOR PACKAGING.....	14-2
TRACPIPE® PS-II UNDERGROUND GAS PIPING	
MALE ADAPTERS.....	14-7
TUBING.....	14-7

Expert Service. Quality Products. Since 1960.

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

TRACPIPE® FLEXIBLE GAS PIPING

- CSA Approved
- Tubing = Semi-rigid, 300 Series stainless steel
- Jacket = UV Resistant, Fire Retardant Polyethylene, ASTM E-84 compliant not to exceed 25 flame spread and 50 smoke density



CSST (CORRUGATED STAINLESS STEEL) — 300 SERIES WITH POLYETHYLENE JACKET — PLYWOOD REELS FOR PACKAGING

ITEM #	MODEL	DESCRIPTION	FT/REEL	REEL WEIGHT (LBS)
704806	FGP-SS4-375-250	3/8"	250	29
C704800	FGP-SS4-375-100	3/8"	100	13
704812	FGP-SS4-500-500	1/2"	500	78
704814	FGP-SS4-500-250	1/2"	250	40
C704800	FGP-SS4-500-100	1/2"	100	18
C704800	FGP-SS4-500-50	1/2"	50	11
704816	FGP-SS4-750-250	3/4"	250	59
704818	FGP-SS4-750-100	3/4"	100	24
C704800	FGP-SS4-750-50	3/4"	50	14
704820	FGP-SS4-100-180	1"	180	56
704822	FGP-SS4-100-100	1"	100	32
C704800	FGP-SS4-100-50	1"	50	17
704823	FGP-SS4-125-250	1-1/4"	250	117
704824	FGP-SS4-125-150	1-1/4"	150	71
C704800	FGP-SS4-150-250	1-1/2"	250	141
C704800	FGP-SS4-150-150	1-1/2"	150	80
C704800	FGP-SS4-200-150	2"	150	128
C704800	FGP-Stand	Reel Buddy 3/8 – 1"	4/box	13

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

COUNTERSTRIKE® FLEXIBLE GAS PIPING (For Enhanced Lightning Protection)

- CSA Approved
- Tubing = Semi-rigid, 300 Series stainless steel
- Jacket = Proprietary Polymer – Energy Dissipating Properties
- ASTM E-84 compliant not to exceed 25 flame spread and 50 smoke density



CSST (CORRUGATED STAINLESS STEEL) — 300 SERIES WITH POLYMER JACKET — PLYWOOD REELS FOR PACKAGING

ITEM #	MODEL	SIZE (")	FT/REEL	REEL WEIGHT (LBS)
C704800	FGP-CS-375-250	3/8	250	37
C704800	FGP-CS-375-100	3/8	100	17
704835	FGP-CS-500-250	1/2	250	52
704830	FGP-CS-500-100	1/2	100	24
C704800	FGP-CS-500-50	1/2	50	14
704836	FGP-CS-750-250	3/4	250	70
704832	FGP-CS-750-100	3/4	100	31
C704800	FGP-CS-750-50	3/4	50	18
C704800	FGP-CS-100-180	1	180	70
704834	FGP-CS-100-100	1	100	40
C704800	FGP-CS-100-50	1	50	22
C704800	FGP-CS-125-250	1-1/4	250	129
C704800	FGP-CS-125-150	1-1/4	150	78
C704800	FGP-CS-150-250	1-1/2	250	182
C704800	FGP-CS-150-150	1-1/2	150	103
C704800	FGP-CS-200-150	2	150	137

NOTE: CounterStrike® is sized exactly the same as conventional TracPipe® and uses the same AutoFlare® fittings.

AUTOSNAP® STRAIGHT FITTINGS

Snap-On Fitting for TracPipe® CounterStrike®

- The new patent pending AutoSnap® straight fittings are the only CSST fittings that do not require any disassembly or reassembly of the fitting to the TracPipe® CounterStrike® CSST.
- This greatly reduces installation difficulty and time as there are no small loose gaskets, O-rings, or retainer rings to contend with in a dark and/or cold work place environment!
- AutoSnap® is CSA listed and features a metal to metal cup seal without any exposed stainless steel pipe behind the new fitting.
- Reduced torque value and reusability all make for an optimum installer friendly fitting!



ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704828	FGP-SFST-500	AutoSnap 1/2"	1/2	24/box	.4
704829	FGP-SFST-750	AutoSnap 3/4"	3/4	16/box	.5
704825	FGP-SFST-1000	AutoSnap 1"	1	16/box	.7
704827	FGP-SFST-1250	AutoSnap 1-1/4"	1-1/4	6/box	.9

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

AUTOFLARE® FITTINGS AND ACCESSORIES

- Yellow brass with stainless steel insert
- Patented design installs with no special tools
- Self-piloting and self-flaring

BRASS

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704870	FGP-RING-375	Spare Split Rings	3/8	10/pack	.1
704871	FGP-RING-500	Spare Split Rings	1/2	10/pack	.1
704872	FGP-RING-750	Spare Split Rings	3/4	10/pack	.1
C704800	FGP-RING-1000	Spare Split Rings	1	10/pack	.1
C704800	FGP-RING-1250	Spare Split Rings	1-1/4	4/pack	.1
C704800	FGP-RING-1500	Spare Split Rings	1-1/2	4/pack	.2
C704800	FGP-RING-2000	Spare Split Rings	2	4/pack	.3
C704800	FGP-FSTF-375	AutoFlare Female Straight	3/8 – 1/2 NPT	24/box	.3
704848	FGP-FSTF-500	AutoFlare Female Straight	1/2	24/box	.33
C704800	FGP-FSTF-750	AutoFlare Female Straight	3/4	16/box	.5
C704800	FGP-FSTF-1000	AutoFlare Female Straight	1	16/box	.61
704857	FGP-CPLG-375	Coupling	3/8	24/box	.3
704856	FGP-CPLG-500	Coupling	1/2	24/box	.5
704858	FGP-CPLG-750	Coupling	3/4	16/box	.7
704860	FGP-CPLG-1000	Coupling	1	16/box	.9
704862	FGP-CPLG-1250	Coupling	1-1/4	6/box	2.0
C704800	FGP-CPLG-1500	Coupling	1-1/2	4/box	3.3
C704800	FGP-CPLG-2000	Coupling	2	4/box	5.5
C704800	FGP-BFF-375	Flange Fitting	3/8	12/box	.7
704850	FGP-BFF-500	Flange Fitting	1/2	12/box	.7
704852	FGP-BFF-750	Flange Fitting	3/4	8/box	1.3
704854	FGP-BFF-1000	Flange Fitting	1	8/box	1.5
704855	FGP-BFF-1250	Flange Fitting	1-1/4	4/box	2.6
C704800	FGP-TERM-BRAC	Flange L Bracket	All	1 each	.3
C704800	FGP-ELLB-375	90° Flange Fitting	3/8	8/box	1.1
C704800	FGP-ELLB-500	90° Flange Fitting	1/2	8/box	1.0
C704800	FGP-BF90V-375	90° Flange Valve	3/8	6/box	1.2
C704800	FGP-BF90V-500	90° Flange Valve	1/2	6/box	1.2
C704800	FGP-BF90V-750	90° Flange Valve	3/4	6/box	1.7



Female Straight



Coupling



BRASS FITTING AUTOFLARE® INSERT

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704838	FGP-FST-375N	AutoFlare Straight 3/8"	3/8	24/box	.3
704839	FGP-FST-375	AutoFlare Straight 3/8"	3/8	24/box	.4
704840	FGP-FST-500	AutoFlare Straight 1/2"	1/2	24/box	.4
C704800	FGP-RST500-750	AutoFlare Reducing 1/2"	1/2 – 3/4 NPT	24/box	.4



Straight Fitting

(cont'd on next page)

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

AUTOFLARE® FITTINGS AND ACCESSORIES (cont'd)

BRASS FITTING AUTOFLARE® INSERT (cont'd)



ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704842	FGP-FST-750	AutoFlare Straight	3/4	16/box	.5
C704800	FGP-RST750-500	AutoFlare Reducing	3/4 – 1/2 NPT	16/box	.5
704844	FGP-FST-1000	AutoFlare Straight	1	16/box	.7
C704800	FGP-RST1000-750	AutoFlare Reducing	1-3/4 NPT	16/box	.7
704846	FGP-FST-1250	AutoFlare Straight	1-1/4	6/box	1.5
C704800	FGP-FST-1500	AutoFlare Straight	1-1/2	4/box	2.1
C704800	FGP-FST-2000	AutoFlare Straight	2	4/box	3.5



Reducing Fitting


BRASS AND STAINLESS STEEL PLATE

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
C704800	FGP-TM-375	Termination Mount	3/8	12/box	.9
704874	FGP-TM-500	Termination Mount	1/2	12/box	1
C704800	FGP-TM-750	Termination Mount	3/4	8/box	1.1
C704800	FGP-TM-750-500	Termination Mount	3/4 × 1/2	12/box	1.1
C704800	FGP-TM-1000	Termination Mount	1	8/box	1.3
C704800	FGP-90TM-375	90° Termination Mount	3/8	8/box	1.2
C704800	FGP-90TM-500	90° Termination Mount	1/2	8/box	1.2
C704800	FGP-TM90V-375	90° Termination Valve	3/8	12/box	1.3
C704800	FGP-TM90V-500	90° Termination Valve	1/2	12/box	1.3
C704800	FGP-TM90V-750	90° Termination Valve	3/4	12/box	1.7


 Termination
Mounts

FITTINGS FOR TRACPIPE®

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
C704800	FGP-KVB-375	Key Valve Bracket	3/8	18/box	.50
704826	FGP-KVB-500	Key Valve Bracket	1/2	18/box	.54
C704800	FGP-KVB750-500	Key Valve Bracket – Reducing	3/4 × 1/2	18/box	.77
C704800	FGP-1X6 MT	Meter Term Stub-out	1 × 6	20/box	1.36
C704800	FGP-1x 12 MT	Meter Term Stub-out	1 × 12	15/box	1.36
C704800	FGP-STUD-BRAC	Meter Stud Bracket	All	8/box	2.1
C704800	FGP-ASP-500	Appliance Stub-out	1/2 × 2	25/box	.72
C704800	FGP-FPT-500	Fireplace Stub-out	1/2	25/box	.72
C704800	FGP-MT6-500	Meter Termination	1/2 × 6	1 each	1.8
C704800	FGP-MT6-750	Meter Termination	3/4	1 each	1.8
C704800	FGP-MT6-1000	Meter Termination	1	1 each	1.8
C704800	FGP-MT12-500	Meter Termination	1/2	1 each	2.6
C704800	FGP-MT12-750	Meter Termination	3/4 × 12	1 each	2.6
C704800	FGP-MT12-1000	Meter Termination	1 × 12	1 each	2.6
C704800	FGP-MT-BRAC	Meter Termination Bracket	1	1 each	.8
C704800	FGP-WBTM-375	Metal Wallbox w/Valve	3/8	24/box	2.3
704880	FGP-WBTM-500	Metal Wallbox w/Valve	1/2	24/box	2.3
C704800	FGP-WBTM-750	Metal Wallbox w/Valve	3/4	24/box	2.8



Wallbox w/Valve

Note: Wallbox measures 7" × 7" × 3"

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING

www.tracpipe.com

TRACPIPE® COUNTERSTRIKE® PROTECTION DEVICES

FLOPPY STRIP WOUND CONDUIT

Type RW galvanized steel


ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704886	FGP-FPY-500CT	Fits 1/2" cut 1 ft.	1	50/box	15



STRIKER PLATES

Carbon steel hardened

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704877	FGP-SP-025	Quarter Striker Plate	3 × 2	250/box	.1
704878	FGP-SP-050	Half Striker Plate	3 × 7	100/box	.4




TRACPIPE® COUNTERSTRIKE® ACCESSORIES AND TOOLS

STACKABLE MANIFOLDS

Coated malleable iron

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
704876	FGP-MI-ST-500	Stackable Manifold	1/2" F-M × 1/2" (2)	1 each	1.4



TUBE CUTTERS

ITEM #	MODEL	DESCRIPTION	SIZE RANGE (")	PKG QTY	WEIGHT (LBS)
704890	FGP-TC-15	Cutter No.15	3/8 – 1	1 each	1.1
C704800	FGP-TC-151	Cutter No.151	3/8 – 1-1/4	1 each	.9
C704800	FGP-TC-152	Cutter No. 152	1-1/4 – 2	1 each	1.9
C704800	FGP-E-5272	Cutter Wheel	1-1/4 – 2	1 each	.1



VALVES AND DISCONNECTS

Brass housing with stainless steel ball

ITEM #	MODEL	DESCRIPTION	SIZE (")	PKG QTY	WEIGHT (LBS)
C704800	FGP-QDS	Sturgis Quick Disconnect	1/2	1 each	.9
704882	FGP-WBV-500	Ball Valve 5psi	1/2	1 each	.5
704884	FGP-WBV-750	Ball Valve 5psi	3/4	1 each	.8



OMEGAFLEX® TRACPIPE® FLEXIBLE GAS PIPING


www.tracpipe.com

TRACPIPE® PS-II UNDERGROUND GAS PIPING

A pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that's more cost-effective and easier to install than the original TracPipe PS system.

MALE ADAPTERS

ITEM #	MODEL	SIZE (")	PKG QTY	WEIGHT (LBS)	PRICE/EA
704865	FGP-UGF-750	3/4 NPT Male	16/box	.65	\$121.00
704866	FGP-UGF-1000	1 NPT Male	9/box	.90	145.00
704867	FGP-UGF-1250	1-1/4 NPT Male	9/box	1.60	325.40



TUBING

ITEM #	MODEL	SIZE (")	REEL LENGTH (FT)	WEIGHT / REEL (LBS)	PRICE/FT
704803	FGP-UGP-750-250	3/4	250	107.5	\$16.55
704805	FGP-UGP-100-250	1	250	142.5	22.40
704807	FGP-UGP-125-150	1-1/4	150	137	30.00

