

# PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

## INDEX

### FANS

WHISPERCEILING™.....	12-3
WHISPERFIT-LITE™.....	12-4
WHISPERFIT™.....	12-4
WHISPERGREEN SELECT™.....	12-2
WHISPERLINE™.....	12-6
WHISPERLITE®.....	12-4
WHISPERRECESSED.....	12-5
WHISPERSENSE-LITE™.....	12-3
WHISPERSENSE™.....	12-3
WHISPERVALUE®.....	12-4
WHISPERVALUE-LITE™.....	12-5
WHISPERWALL™.....	12-5
WHISPERWARM™.....	12-5
GRILLES — DESIGNER GRILLES.....	12-7
INTRODUCTION.....	12-2
PASSIVE INLET VENT.....	12-6
REPLACEMENT GRILLES AND LAMPS.....	12-7

*Expert Service. Quality Products. Since 1960.*

# PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

## INTRODUCTION

### Certified and Code Compliant

Panasonic ventilation fans are certified by the Home Ventilating Institute (HVI) and ENERGY STAR® qualified, where guidelines exist. All models also comply with ASHRAE 62.2, the ventilation standard required by LEED for Homes and ENERGY STAR IAP.

### SmartFlow™ Optimum CFM Technology


Automatically adjusts fan speed to ensure desired ventilation.

### SmartAction® Motion Sensor

Automatically activates whenever occupant enters or leaves the room.

## WHISPERGREEN SELECT™

- Customizable, all-in-one fan and fan/LED light combinations
- Pick-A-Flow speed selector – one fan, you choose the CFM
- Unique Plug'N'Play modules provide up to three value added features
- Revolutionary DC motor with SmartFlow™ technology ensures optimal CFM output
- Replaceable, GU24 base LED lamps provide warm, energy efficient illumination
- Flex-Z Fast™ bracket provides flexible, fast and easy installation
- Can be used to comply with ASHRAE 62.2, LEED, Cal-Green and ENERGY STAR for Homes 3.0
- Fits in 2 x 8 construction



FV-05-11VK1/  
FV-11-15VK1/  
FV-05-11VKS1



FV-05-11VKL1/  
FV-11-15VKL1/  
FV-05-11VKS1

ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811090	FV-05-11VK1	4 or 6	110	9.8	<0.3 @ 11.5 CFM/Watt
811092	FV-05-11VKS1	4 or 6	110	9.8	<0.3 @ 11.5 CFM/Watt
811091	FV-11-15VK1	6	150	13.0	<0.3 @ 11.5 CFM/Watt
811093	FV-05-11VKL1	4 or 6	110	11.1	<0.4 @ 9.9 CFM/Watt
811095	FV-05-11VKSL1	4 or 6	110	11.1	<0.4 @ 9.9 CFM/Watt
811094	FV-11-15VKL1	6	150	16.5	<0.6 @ 9.2 CFM/Watt

## ACCESSORIES

ITEM #	MODEL	DESCRIPTION
811096	FV-VS15VK1	Multi-Speed with Time Delay
811097	FV-MSVK1	SmartAction® Motion Sensor



FV-VS15VK1



FV-MSVK1

# PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

## WHISPERSENSE™

- Housing depth 7-2/5"
- Smart Action® motion and built-in humidity sensor with versatile functionality  
Motion On / Motion Off  
Motion On / Humidity Off  
Humidity On / Humidity Off
- Adjustable delay timer from 30 seconds to 60 minutes
- Variable humidity controls from 30-80% RH (Relative Humidity)
- Built-in sensors, timers and controls
- Detachable dual 4" or 6" duct adaptor included
- Fits in 2 × 8 construction



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811019	FV-08VQC5	4 or 6	80	15.8	<0.3 @ 5.1 CFM/Watt
811020	FV-11VQC5	4 or 6	110	24.3	0.3 @ 4.6 CFM/Watt



## WHISPERSENSE-LITE™

- Housing depth 7-2/5"
- Smart Action® motion and built-in humidity sensor with versatile functionality  
Motion On / Motion Off  
Motion On / Humidity Off  
Humidity On / Humidity Off
- Adjustable delay timer from 30 seconds to 60 minutes
- Variable humidity controls from 30-80% RH (Relative Humidity)
- Built-in sensors, timers and controls
- Detachable dual 4" or 6" duct adaptor included
- Fits in 2 × 8 construction
- Lamps included. (2) 13-Watt GU24 Spiral CFLs and (1) 4-Watt Night-Light



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811021	FV-08VQCL6	4 or 6	80	17.5	<0.3 @ 4.7 CFM/Watt
811022	FV-11VQCL6	4 or 6	110	26.0	0.7 @ 4.3 CFM/Watt




## WHISPERCEILING™

- Housing depth 7-2/5"
- Detachable dual 4" or 6" duct adaptor on 50-110 CFM models
- Fits in 2 × 8 construction



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811024	FV-05VQ5	4 or 6	50	11.0	<0.3 @ 4.7 CFM/Watt
811025	FV-08VQ5	4 or 6	80	14.7	<0.3 @ 5.8 CFM/Watt
811026	FV-11VQ5	4 or 6	110	21.1	<0.3 @ 5.3 CFM/Watt
811027	FV-15VQ5	6	150	28.4	<0.3 @ 5.3 CFM/Watt
811028	FV-20VQ3	6	190	42.0	0.8 @ 4.5 CFM/Watt
811029	FV-30VQ3	6	290	63.6	2.0 @ 4.6 CFM/Watt
811030	FV-40VQ4	6	390	111.4	3.0 @ 3.5 CFM/Watt


 FV-05VQ5/FV-05VQ5  
FV-11VQ5/FV-15VQ5

 FV-20VQ3/FV-30VQ3  
FV-40VQ4

– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

### WHISPERLITE®

- Housing depth 7-2/5"
- Detachable dual 4" or 6" duct adaptor on 80-110 CFM models included
- Fits in 2 × 8 construction
- Lamps included. (2) 13-Watt GU24 Spiral CFLs and (1) 4-Watt Night-Light



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811034	FV-08VQL6	4 or 6	80	14.9	<0.3 @ 5.5 CFM/Watt
811035	FV-11VQL6	4 or 6	110	23.4	0.5 @ 4.7 CFM/Watt
811036	FV-15VQL6	6	150	31.8	0.9 @ 4.8 CFM/Watt



### WHISPERFIT™

- Housing depth 5-5/8"
- Low profile housing design – ideal for remodeling
- Fits in 2 × 6 and 2 × 8 construction
- Includes 4" to 3" adaptor



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811038	FV-08VF2	4 or 3	80	24.5	0.8 @ 3.3 CFM/Watt
811039	FV-11VF2	4 or 3	110	33.5	1.5 @ 3.3 CFM/Watt



### WHISPERFIT-LITE™

- Housing depth 5-5/8"
- Low profile housing design – ideal for remodeling
- Fits in 2 × 6 and 2 × 8 construction
- Includes 4" to 3" adaptor
- Lamps included. (2) 13-Watt GU24 Spiral CFLs and (1) 4-Watt Night-Light



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811042	FV-05VFL4	4 or 3	50	14.8	<0.3 @ 3.6 CFM/Watt
811043	FV-08VFL4	4 or 3	80	28.4	0.5 @ 2.8 CFM/Watt
811044	FV-11VFL4	4 or 3	110	32.6	1.3 @ 3.4 CFM/Watt



### WHISPERVALUE®

- Housing depth 3-3/8"
- 4" oval duct
- Super low profile housing design
- UL listed for wall or ceiling installation
- Fits in 2 × 4, 2 × 6 and 2 × 8 construction



ITEM #	MODEL	TO FIT DUCT SIZE	CFM	WATTS	SONES
811046	FV-05VS3	4" Oval	60	15.9	0.4 @ 3.8 CFM/Watt
811047	FV-08VS3	4" Oval	80	21.2	1.0 @ 3.8 CFM/Watt
811048	FV-10VS3	4" Oval	100	29.6	1.4 @ 3.4 CFM/Watt



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

## WHISPERVALUE-LITE™

- Super low profile housing design
- Fits in 2 × 4, 2 × 6 and 2 × 8 construction
- Housing depth 3-3/4"
- 4" oval duct
- Lamps included. (2) 13-Watt GU24 Spiral CFLs



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811049	FV-08VSL3	4" Oval	80	22.5	1.0 @ 3.6 CFM/Watt
811050	FV-10VSL3	4" Oval	100	30.2	1.4 @ 3.3 CFM/Watt



## WHISPERWARM™

- Housing depth 7-3/4"
- Ventilation Fan, Heater Combination
- Durable 1400 Watt stainless steel sheathed heating element
- Thermal fuse protection on motor and 3-level safety device for heater
- Quick 1 minute warm-up
- Fits in 2 × 8 construction
- Lamps included. (2) 18-Watt CFL and (1) 4-Watt Night-Light in FV-11VHL2



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811051	FV-11VH2	4	110	30.7 – Fan	0.6 @ 3.6 CFM/Watt
811052	FV-11VHL2	4	110	1400 – Heater	0.7 @ 3.6 CFM/Watt


 FV-11VH2/  
FV-11VHL2

## WHISPERRECESSED

- Housing depth 7-1/2"
- Lamp included. (1) 18-Watt GU24 Base CFL



ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811055	FV-08VRL1	4 or 6	80	20.5	0.8 @ 4.0 CFM/Watt



## WHISPERWALL™

- UL listed for through-the-wall application
- 10" galvanized sleeve and steel exterior hood included



ITEM #	MODEL	CFM	WATTS	SONES
811056	FV-08WQ1	70	18.0	1.1 @ 3.9 CFM/Watt



– E.&amp;O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

# PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

## WHISPERLINE™

- Remote mounted in-line fan for single or multiple inlets
- Insulated housing to prevent condensation and noise
- Tapered duct adaptor for easy connection
- 5 positions for installation
- Joist or truss attachment brackets included
- Suspension brackets included



FV-10NLF1



FV-20NLF1



FV-30NLF1



FV-40NLF1

ITEM #	MODEL	TO FIT DUCT SIZE (")	CFM	WATTS	SONES
811060	FV-10NLF1	4	120	36.2	1.0 @ 3.3 CFM/Watt
811061	FV-20NLF1	6	240	57.0	1.4 @ 4.2 CFM/Watt
811062	FV-30NLF1	6	340	98.2	1.7 @ 3.5 CFM/Watt
811063	FV-40NLF1	8	440	132.0	2.1 @ 3.3 CFM/Watt

## ACCESSORIES

ITEM #	MODEL	DESCRIPTION
811066	FV-NLF04G	4" Duct Inlet Grille - c/w 1 (4") Inlet Grille
811067	FV-NLF06G	6" Duct Inlet Grille - c/w 1 (6") Inlet Grille
811068	PC-NLF04S	4" Single Pick Up Includes: (1) 4" Inlet Grille, (1) 4" Backdraft Damper and 6 Zip Ties
811069	PC-NLF06S	6" Single Pick Up Includes: (1) 6" Inlet Grille, (1) 6" Backdraft Damper and 6 Zip Ties
811070	PC-NLF04D*	4" Double Pick Up Includes: (2) 4" Inlet Grilles, (1) 4" – 4" × 2 Y-Adaptor, (2) 4" Backdraft Dampers and 12 Zip Ties
811071	PC-NLF06D*	6" Double Pick Up Includes: 2 (6") Inlet Grilles, (1) 6" – 6" × 2 Y-Adaptor, (2) 6" Backdraft Dampers and 12 Zip Ties
811072	PC-NLF64D*	6" – 4" Double Pick Up Includes: (2) 4" Inlet Grilles, (1) 6" – 4" × 2 Y-Adaptor, (2) 4" Backdraft Dampers and 12 Zip Ties
811076	PC-NLF86Y*	8" – 6" × 2 Y-Adaptor



Single Inlet Kit



Double Inlet Kit

\*Special order item (6 – 8 week delivery).

## PASSIVE INLET VENT

- Provides make-up air to help balance indoor vs. outdoor air pressure.
- Foam pad reduces outdoor noise and condensation
- Insulation lining to prevent condensation
- Durable ABS and PP resin body
- 7 stainless steel installation screws included
- Sturdy open/close lever
- 2-position air delivery – 12 and 18 CFM
- 3" diameter, 12" length through-the-wall sleeve

ITEM #	MODEL	DESCRIPTION
811078	FV-GKF32S1	Passive Air Inlet, Wall Mounted, 3 Settings Positions: Closed, 12 and 18 CFM



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

## PANASONIC VENTILATION FANS

[www.panasonic.ca](http://www.panasonic.ca)

### DESIGNER GRILLES

- Easy and affordable to change
- Fits your room decor without compromising performance or quality

ITEM #	MODEL	SIZE (")	MATERIAL	FITS
811079	FV-GL3TDA	13"	ABS	WhisperGreen®: FV-08VKS3, FV-13VKS3 WhisperCeiling™: FV-05VQ5, FV-08VQ5, FV-11VQ5, FV-15VQ5 WhisperFit™: FV-05VF2, FV-08VF2, FV-11VF2
811080	FV-GL3TDB	14-1/5"	ABS	WhisperGreen®: FV-08VKS3, FV-13VKS3 WhisperCeiling™: FV-05VQ5, FV-08VQ5, FV-11VQ5, FV-15VQ5 WhisperFit™: FV-05VF2, FV-08VF2, FV-11VF2



FV-GL3TDA



FV-GL3TDB

### REPLACEMENT LAMPS

ITEM #	MODEL	DESCRIPTION	FITS
811084	FHT32E35	32 Watt Line Compact Fluorescent Lamp	WhisperGreen-Lite® Gen 3 series WhisperSense-Lite™ Gen 5 series WhisperLite® Gen 5 series WhisperFit-Lite™ Gen 3 series WhisperValue-Lite™ Gen 2 series
811085	FDS18E35/4	18 Watt Compact Fluorescent Lamp	WhisperGreen-Lite® Gen 2 series WhisperLite® Gen 4 series WhisperWarm™ Gen 2 series WhisperFit-Lite™ Gen 2 series WhisperValue-Lite™ Gen 1 series



FHT32E35



FDS18E35/4

### REPLACEMENT GRILLE

ITEM #	MODEL	SIZE (")	FITS
811088	FVGL08VQ5	14-1/5"	FV-05/08/11VK3, FV-08/13VKS3, FV-05/08/11/15VQ5

