

# ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

## INDEX

HIGH WIND CAPS GRAVITY AIR-X-HAUSTERS	
MODEL GVVTH.....	14-4
TYPE L.....	14-3
HOTWELD FLAT B VENT CHIMNEY ROOF FLASHING (26 GAUGE).....	14-4
PLUMBING FLASHINGS	
5-SKIN ROOF PIPE .....	14-5
E-FLASH PIPE.....	14-5
MASTER FLASH® PIPE .....	14-5
PLUMBING STACK — ALUMINUM FLAT — WELDED .....	14-6
ROOF PIPE SUPPORT .....	14-6
ROOF VENTS	
AF-50 MODEL — HIGH IMPACT — PLASTIC.....	14-2
AF-92 MODEL — HIGH IMPACT — PLASTIC.....	14-2
ROOF CAP STEM VENT .....	14-2
ROTARY ROOF VENTILATORS (GALVANIZED) .....	14-4
ZINC STRIP MOSS PREVENTION .....	14-6

*Expert Service. Quality Products. Since 1960.*

## ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

### ROOF VENTS

- Made of high impact, soft plastic
- Rugged and resistant to cold, heat, and ultraviolet rays
- All fasteners used in construction of these vents are non-corrosive brass rivets
- Vent opening is made of non-corrosive fine mesh screening
- Moisture barrier for added security
- CSA approved



#### AF-50 MODEL — HIGH IMPACT — PLASTIC

- 7" × 10" opening size
- 50 square inches net free air area

ITEM #	MODEL	COLOUR	PCS/CTN	WEIGHT (LBS/CTN)
681402	AF-50DB	Dark Brown	12	25
681403	AF-50LB	Light Brown	12	25
681404	AF-50GR	Grey	12	25
681405	AF-50BL	Black	12	25
681406	AF-50WG	Wood Grey	12	25

#### AF-92 MODEL — HIGH IMPACT — PLASTIC

- Large ventilation capacity
- ICBO Approved
- 9-1/4" × 13" opening size
- 92 square inches net free air area
- Can be used for roof access for blown in insulation



ITEM #	MODEL	COLOUR	PCS/CTN	WEIGHT (LBS/CTN)
681448	AF-92DB	Dark Brown	8	23
681440	AF-92LB	Light Brown	8	23
681442	AF-92GR	Grey	8	23
681446	AF-92BL	Black	8	23
681444	AF-92WG	Wood Grey	8	23

### ROOF CAP STEM VENT

- The stem vent eliminates the need for metal adaptors by integrating the stem into the roof cap vent
- Made out of the same ICBO approved plastic used in larger roof vents
- Stem is 3-7/8" long for easy positive connection
- Dampened vent features one-way vent system



ITEM #	MODEL	COLOUR	SIZE (")	PCS/CTN	WEIGHT (LBS/CTN)
681409	RCVS4WH	White	4	4	6
681410	RCVS4BL	Black	4	4	6
681411	RCVS4LB	Light Brown	4	4	6
681412	RCVS4DB	Dark Brown	4	4	6
681413	RCVS4GR	Grey	4	4	6
681414	RCVS4WG	Wood Grey	4	4	6
681416	RCVS5BL	Black	5	4	6.8
681417	RCVS5LB	Light Brown	5	4	6.8

(cont'd on next page)

— E.&O.E. — All Prices F.O.B. Our Warehouse — Subject to Change Without Notice — All Taxes Extra — May not be Available at All Branches —

# ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

## ROOF VENTS (cont'd)

### ROOF CAP STEM VENT (cont'd)

ITEM #	MODEL	COLOUR	SIZE (")	PCS/CTN	WEIGHT (LBS/CTN)
681418	RCVS5DB	Dark Brown	5	4	6.8
681419	RCVS5GR	Grey	5	4	6.8
681420	RCVS5WG	Wood Grey	5	4	6.8
681421	RCVS6BL	Black	6	4	7
681423	RCVS6DB	Dark Brown	6	4	7
681424	RCVS6GR	Grey	6	4	7
681425	RCVS6WG	Wood Grey	6	4	7



## HIGH WIND CAPS GRAVITY AIR-X-HAUSTERS

### TYPE L

Type L available in Galvanized, Aluminum or Stainless Steel

If operating an oil or gas fired heater and pilot light keeps blowing out because of downdraft, use an appropriate high wind vent cap, galvanized for oil fired heaters, or aluminum for gas fired heaters.

- 18 sizes from 3" to 48"
- Round bottom collar for easy connection to vent flues and to round ducts and stacks
- Certified capacity from 72 to 10,000 CFM at various wind velocities, stack heights, and temperature differentials.


**NOTE:** When ordering Type L for C-Vent or ECCO B-Vent, please specify galvanized, aluminum, or stainless steel.



ITEM #	MODEL	DESCRIPTION	CTN/QTY
683204	GVRC4"	4" – Pipe Collar	1
683205	GVRC5"	5" – Pipe Collar	1
683206	GVRC6"	6" – Pipe Collar	1
683207	GVRC7"	7" – Pipe Collar	1
683208	GVRC8"	8" – Pipe Collar	1
683210	GVRC10"	10" – Pipe Collar	1
683212	GVRC12"	12" – Pipe Collar	1

## DIMENSIONS

SIZE	DIMENSIONS							MATERIAL GAUGE		NECK AREA SQ FT	EST. WT
	A	B	C	D	E	F	G	GALV & S/STEEL	ALUM		
3	3	4	7	5/8	6-5/8	2	3	24	.020	.050	2
4	4	4	7	5/8	6-5/8	2	3	24	.020	.087	2
5	5	6	10	1	9	2	3	24	.020	.136	3
6	6	6	10	1	9	2	3	24	.020	.195	3
7	7	8	13-1/4	1-1/2	11-1/2	2	3-3/8	24	.020	.267	7
8	8	8	13-1/4	1-1/2	11-1/2	2	3-3/8	24	.020	.349	7
9	9	10	17-1/4	2	15	3	4-5/8	24	.020	.440	14
10	10	10	17-1/4	2	15	3	4-5/8	24	.020	.545	14
12	12	12	20	2-1/2	17-1/2	3	5	24	.032	.785	18



– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –


## ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

### HIGH WIND CAPS GRAVITY AIR-X-HAUSTERS (cont'd)

#### MODEL GVVTH

- Caps can be used to exhaust air from practically any type of commercial, residential, or industrial building or enclosed space
- Use to prevent rain and debris from entering vent under high-wind conditions
- Utilizes established principles of aerodynamics to convert wind coming from any direction into positive ventilation, regardless of wind conditions

ITEM #	MODEL	DESCRIPTION	SIZE (")	A (")	B (")
680009	3GVVTH	High-Wind Vent Cap	3	7-1/2	7-1/4
680010	4GVVTH	High-Wind Vent Cap	4	8-1/2	8-1/4
680011	5GVVTH	High-Wind Vent Cap	5	9-1/2	9-3/8
680012	6GVVTH	High-Wind Vent Cap	6	10-1/2	9-1/4
680013	7GVVTH	High-Wind Vent Cap	7	11-1/2	11-3/4
680014	8GVVTH	High-Wind Vent Cap	8	12-1/2	12-3/4



**NOTE:** 10" – 18" caps are available — Call for pricing.

### ROTARY ROOF VENTILATORS (GALVANIZED)

ITEM #	MODEL	DESCRIPTION	CTN/QTY
681606	GRV6	6" Top/Bottom Bearings	1
681608	GRV8	8" Top/Bottom Bearings	1
681610	GRV10	10" Top/Bottom Bearings	1
681612	GRV12	12" Top/Bottom Bearings	1
681614	GRV14	14" Top/Bottom Bearings	1



### HOTWELD FLAT B VENT CHIMNEY ROOF FLASHING (26 GAUGE)

- 4" Roof flange
- 10" Height
- Non-stocked sizes available by custom quote
- Hotweld for torch on and other applications

ITEM #	MODEL	SIZE (")	WEIGHT (LBS/PC)
C680000	602-1405HW	4	2.49
C680000	602-1410HW	5	2.90
C680000	602-1415HW	6	2.90
C680000	602-1420HW	7	3.53
C680000	602-1425HW	8	3.72
681480	602-1435HW	10	4.65
681482	602-1440HW	12	5.06
681484	602-1450HW	14	5.41



# ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

## PLUMBING FLASHINGS

### E-FLASH PIPE FLASHINGS

- Fits five plumbing pipe sizes – carry one flashing instead of five
  - 1-1/4" plastic and 1-1/2" copper
  - 1-1/2" plastic and 2" copper
  - 2" plastic
  - 3" plastic
  - 4" plastic
- Easy pull away tear outs
- Reinforced bottom flange
- UV Resistant
- Rain bead
- Meets CSA B272-93 and UPC PS64-98 standards
- Very flexible



ITEM #	MODEL	COLOUR	PCS/CTN	WEIGHT (LBS/CTN)
680040	EFL-BK	Black	25	15.55

### MASTER FLASH® PIPE FLASHINGS

- Designed to seal on any panel configuration and roof pitch
- Made of EPDM with a flexible aluminum alloy base
- Covers all applications from -65°F to 275°F
- UPC listed
- Non-stocked sizes available by custom quote



ITEM #	MODEL	MFG. #	DESCRIPTION	CTN QTY
C680001	19110	No. 1	1/4" – 2" Pipe Flashing	15
C680001	19111	No. 2	1-3/4" – 3-1/4" Pipe Flashing	15
C680001	19112	No. 3	1/4" – 4" Pipe Flashing	15
887706	19113	No. 4	3" – 6" Pipe Flashing	10
C680001	19114	No. 5	4" – 7" Pipe Flashing	10
887708	19115	No. 6	5" – 9" Pipe Flashing	10
C680001	19116	No. 7	6" – 11" Pipe Flashing	10
887710	19117	No. 8	7" – 13" Pipe Flashing	5
C680001	19118	No. 9	10" – 18" Pipe Flashing	5

### 5-SKIN ROOF PIPE FLASHING

- 4 Base Flange
- Water height of 8.39"
- Heavy aluminum spun base
- Moisture Control Seal to fit standard sizes

ITEM #	MODEL	DESCRIPTION
681530	400-4340	5-Skin Roof Pipe Flashing



## ROOFING — VENTING, DRAINS, AND PLUMBING COMPONENTS

### PLUMBING STACK — ALUMINUM FLAT — WELDED

- Heavy aluminum extruded tube, hot welded to a round flange and slotted for easy fastening
- Available in pitched (maximum pitch 5:12) — special order
- Custom stack sizes available – special order
- Meets CSA B272-93 and IAPMO PS64
- Also available in TPO Direct Weld™



ITEM #	MODEL	SIZE (")	WEIGHT (LBS/PC)
681502	400-3110	1-1/2	1.00
681504	400-3115	2	1.00
681506	400-3120	3	1.35
681508	400-3125	4	1.65

**NOTE:** Also available 1-1/4", 5", 6", 7" and 8."

### ROOF PIPE SUPPORT

#### Original Quick Block™

- Revolutionized the way pipes get supported – virtually eliminated wood blocks
- First pipe support to be readily available at the wholesale
- Simple, efficient and convenient
- Long lasting – millions still in use
- Economical then and now



ITEM #	DESCRIPTION
709050	Original

### ZINC STRIP MOSS PREVENTION

- Releases zinc coating each time it rains, preventing moss, algae, mildew and fungus growth



ITEM #	DESCRIPTION
681648	Zinc Strip – 2.5" x 50'