

WISS HAND TOOLS
(INCLUDES H.K. PORTER, LUFKIN AND NICHOLSON)
www.wisstool.com

INDEX

HACKSAW BLADE, BOXED — BI-METALLOY® 12" × 24 TPI (NICHOLSON)	14-6
HVAC TOOLS	
CRIMPER — 5-BLADE.....	14-4
NOTCHER.....	14-4
SEAMER	14-5
JAB SAW — MULTIPURPOSE WITH SHEATH (NICHOLSON)	14-5
PIPE CUTTER — RATCHET — LARGE.....	14-5
SCREWDRIVER — MECHANIC'S ROUND — 3/8" × 8" (NICHOLSON).....	14-6
SNIPS	
COMPOUND ACTION	
BULLDOG	14-2
M1R, M2R AND M3R.....	14-2
OFFSET	14-3
OFFSET VERTICAL	14-3
PIPE AND DUCT	14-3
SPECIAL SERIES.....	14-2
TINNER'S	
DUCKBILL COMBINATION PATTERN	14-4
STRAIGHT PATTERN — INDUSTRIAL	14-4
TAPE MEASURES (LUFKIN)	
BLACK MAX.....	14-7
HI-VIZ® ORANGE SERIES 1000 POWER.....	14-6
PEE WEE® POCKET	14-6
WIRE/CABLE CUTTERS — 7-1/2" POCKET (H.K. PORTER).....	14-5

Expert Service. Quality Products. Since 1960.

WISS HAND TOOLS

www.wisstool.com

SNIPS

M1R, M2R AND M3R — COMPOUND ACTION

- Cuts low carbon cold rolled steel
- Non-slip serrated jaw of tough molybdenum steel holds material firmly and uniformly spreads cutting force across blade edge
- Withstands strain of cutting heavy stock
- Spring-action for fast, effortless feed
- Handles made of high tensile strength alloy steel that exceeds hand power limit
- Non-slip, textured grips and safety latch



M1R – Left Cut, Cuts left from tight curves to straight



M2R – Right Cut, Cuts right from tight curves to straight



M3R – Straight Cut, Cuts straight and slight curves

ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707455	M1R	Red	9-3/4	248	1-3/8	35	18 Gauge Steel (0.049"/1.22 mm)
707456	M2R	Green	9-3/4	248	1-3/8	35	18 Gauge Steel (0.049"/1.22 mm)
707457	M3R	Yellow	9-3/4	248	1-1/2	38	18 Gauge Steel (0.049"/1.22 mm)

M1RS1, M2RS1 — COMPOUND ACTION — SPECIAL SERIES

- Non-slip serrated jaw of tough molybdenum steel holds material firmly and uniformly spreads cutting force across blade edge
- Jaws specially hardened to cut metals such as stainless steel, inconel, and titanium
- Withstands strain of cutting heavy stock and tight curves
- Handles made of high tensile strength alloy steel that exceeds hand power limit
- Non-slip, textured grips and safety latch for superior control



M1RS1 – Cuts left and straight



M2RS1 – Cuts right and straight

ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707458	M1RS1	Blue	9-3/4	248	1-3/8	35	18 Gauge Stainless Steel (0.049"/1.22 mm)
707459	M2RS1	Blue	9-3/4	248	1-3/8	35	18 Gauge Stainless Steel (0.049"/1.22 mm)

M5R — COMPOUND ACTION — BULLDOG

- For notching or trimming extra heavy stock
- Non-slip, serrated jaw made of tough molybdenum steel
- Withstands strain of cutting heavy stock and tight curves
- Spring-action for fast, effortless feed
- Handle of high tensile strength alloy steel exceeds hand power limit
- Handy hang-up hole
- Non-slip, textured grips and safety latch for superior control
- Cuts low carbon cold rolled



M5R – Cuts straight

ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707461	M5R	Red	9-1/4	233	7/8	22	16 Gauge Steel (0.65"/1.65 mm)

WISS HAND TOOLS

www.wisstool.com

SNIPS (cont'd)

M6R, M7R — COMPOUND ACTION — OFFSET

- Offset blades keep hands clear of metal
- Non-slip serrated jaw of tough molybdenum steel holds material firmly and uniformly spreads cutting force across blade edge
- Withstands strain of cutting heavy stock and tight curves
- Spring-action for fast, effortless feed
- Handle of high tensile strength alloy steel exceeds hand power limit
- Handy hang-up hole
- Non-slip, textured grips and safety latch for superior control



M6R – Cuts left and straight



M7R – Cuts right and straight

ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707462	M6R	Red	9-1/4	233	1-1/4	32	18 Gauge Steel (0.049"/1.22 mm)
707463	M7R	Green	9-1/4	233	1-1/4	32	18 Gauge Steel (0.049"/1.22 mm)

M8R AND M9R — COMPOUND ACTION — OFFSET VERTICAL

- Vertical offset blades keep hands clear of material
- Ideal for increased reach in overhead projects or ground-level cutting
- Cuts low carbon cold rolled steel and other heavy gauge materials
- Non-slip serrated jaw blades help grip material to minimize slip
- Spring action for fast effortless feed
- High tensile alloy steel handles and comfort grips for secure control
- Handy hang-up hole
- Safety latch aids in tool storage and secures tool when not in use

M8R – Left Cut – Cuts left from tight curves to straight



M9R – Right Cut – Cuts right from tight curves to straight

ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707464	M8R	Red	10-7/8	276	1-3/4	45	18 Gauge Steel (0.049"/1.22 mm)
707466	M9R	Green	10-7/8	276	1-3/4	45	18 Gauge Steel (0.049"/1.22 mm)

M4R — COMPOUND ACTION — PIPE AND DUCT

- Cuts any shape ducts, seams, sheet metal stock, vinyl tiles and plastic laminates
- Patented jaw action automatically adjusts blade clearance for squarer, cleaner cuts
- Handle of high tensile strength alloy steel exceeds hand power limit
- Non-slip, textured grips and safety latch



ITEM #	MODEL	GRIP COLOUR	LENGTH INCH	LENGTH MM	LENGTH OF CUT INCH	LENGTH OF CUT MM	RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
707467	M4R	Grey	9-1/4	233	9/16	14	20 Gauge Steel (0.035"/1.65 mm)

SNIPS (cont'd)
V19N — TINNER'S — DUCKBILL COMBINATION PATTERN

- Cuts moderately tight curves left, right or straight in light stock
- Popular with home craftsmen and professionals
- Blades hand edged for maximum cutting efficiency
- Blades of quality steel, hot drop-forged for sharp edge and long life
- Rust resistant blades
- Cushion handle for comfort and better grip



ITEM #	MODEL	LENGTH		LENGTH OF CUT		RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
		INCH	MM	INCH	MM	
707484	V19N	13	330	3	76	21 Gauge (0.032"/0.81 mm)

W7N — TINNER'S — STRAIGHT PATTERN — INDUSTRIAL

- Used for straight cuts and wide curves (when trimming light gauge stock)
- Blades hand edged for maximum cutting efficiency
- Flat face guides tool along straight line
- Blades of quality steel, hot drop-forged for sharp edge and long life
- Rust resistant blades
- Cushion handle for comfort and better grip



ITEM #	MODEL	LENGTH		LENGTH OF CUT		RECOMMENDED MAX. CAPACITY LOW CARBON COLD ROLLED STEEL
		INCH	MM	INCH	MM	
707469	W7N	14-1/2	368	4	100	18 Gauge (0.049"/1.22 mm)

HVAC TOOLS
WC5S — 5-BLADE HAND CRIMPER

- Crimps male fitting end to connect guttering, downspouts or metal pipe
- Optimal handle span for maximum power and comfortable operating range
- Non-slip cushion grips for superior comfort and control



ITEM #	MODEL	THROAT DEPTH		LENGTH	
		INCH	MM	INCH	MM
707482	WC5S	1-1/4	30	9-3/4	248

WHN1 — HAND NOTCHER

- Cuts 30 degree V shaped cut in sheet metal
- Gives clean notch without slipping at corners and take-off tabs
- Non-slip cushion grips for superior comfort and control



ITEM #	MODEL	CUTTING ANGLE	THROAT DEPTH		LENGTH	
			INCH	MM	INCH	MM
707483	WHN1	30°	1-3/16	30.2	8-1/2	216

WISS HAND TOOLS

www.wisstool.com

HVAC TOOLS (cont'd)

WS3 — HAND SEAMER

- Used to bend and flatten sheet metal
- Optimal handle span for maximum power and comfortable operating range
- Non-slip cushion grips for superior comfort and control
- 3-1/4" jaw width and 1-1/4" maximum seam depth
- 1/4" depth markings



ITEM #	MODEL	JAW DEPTH		JAW WIDTH		LENGTH	
		INCH	MM	INCH	MM	INCH	MM
707495	WS3	1/4 - 1-1/4	6 - 30	3-1/4	78	9	228

WRPCLG — RATCHET PIPE CUTTER — LARGE

- Ratcheting mechanism provides increased convenience and less effort
- Allows pipe cutting in tight areas and other hard-to-reach places
- Use on copper, brass, aluminum and thin-wall conduit material
- Ideal for corners, floor/ceiling joists, crawl spaces and basements
- Durable metal cutting head and lightweight nylon/fiberglass handle
- Replaceable cutting wheel in handle (medium and large models only)



ITEM #	MODEL	DESCRIPTION	PIPE CUTTING DIAMETER	
			INCH	MM
707477	WRPCLG	Ratcheting Pipe Cutter - Large	5/16 - 1-1/8	8 - 29

WIRE/CABLE CUTTERS (H.K. PORTER)

7-1/2" POCKET WIRE ROPE AND CABLE CUTTER

- Top-quality, pocket-sized cutter
- Shear-cut blades
- Excellent cutter for 3/16" hard wire rope or cable
- 1/4" soft wire rope or cable, piano wire, or aircraft cable
- **NEVER** use any H.K. Porter cutters on energized circuits, wire, or cable!



ITEM #	MODEL	DESCRIPTION	LENGTH		CABLE CAPACITY		ROD CAPACITY	
			INCH	MM	INCH	MM	INCH	MM
707478	0690TN	7-1/2" Cable Cutter	7-1/2	190	3/16	5	3/32	2.4

NS500 — JAB SAW — MULTIPURPOSE WITH SHEATH (NICHOLSON)

- Aggressive tooth design
- Cuts on the push and pull stroke
- Sharpened tip makes cutting drywall easier
- Non-slip, comfort grip handle
- Includes ballistic nylon sheath for safe storage
- Great for projects such as drywall, cement board, wood or plastic



ITEM #	MODEL	BLADE LENGTH (")
707582	NS500	6-3/4

– E.&O.E. – All Prices F.O.B. Our Warehouse – Subject to Change Without Notice – All Taxes Extra – May not be Available at All Branches –

SERIES 2000 MECHANIC'S ROUND SCREWDRIVER — 3/8" × 8" (NICHOLSON)

- Round shaft
- Wide tip easily turns damaged heads
- Tapered, torque-enhancing cushion grip handle
- Interlocks with durable core, provides a more powerful, comfortable grip



ITEM #	MODEL	TIP STYLE	BLADE/POINT SIZE (")	BLADE DIAMETER (")	BLADE LENGTH (")	OVERALL LENGTH (")
707570	21438	Slotted	3/8	3/8	8	13-1/2

NF1224 — BI-METALLOY® 12" × 24 TPI HACKSAW BLADE, BOXED (NICHOLSON)

- Molybdenum alloy tool steel edge
- Tough flexible high carbon steel backing
- Lasts twice as long as high-speed steel
- Lasts up to ten times longer than carbon steel
- Operates 20% to 50% faster
- High tooth hardness and shock resistance



ITEM #	MODEL	LENGTH (")	TPI/PPI
707572	62749	12	24

W616 — PEE WEE® POCKET TAPE (LUFKIN)

- Pocket size ideal for office or home
- High strength black case
- Yellow clad blade
- 1/4" wide blade is flexible; bold graduations on yellow background
- Power retraction operation
- Blade style: A16



ITEM #	MODEL	SIZE
707584	W616	1/4" × 6'

HV1316 — HI-VIZ® ORANGE SERIES 1000 POWER TAPE (LUFKIN)

- Hi-Viz® case – easy to find on the job
- Case designed to fit perfectly in the hand
- Lightweight, high strength case
- Fits easily into most tape holsters
- Bright yellow blade has clear, easy-to-read numerals
- Toggle lock is positioned for convenient operation
- Holds the blade securely in any position
- Cushioned blade return
- Removable belt clip
- Blade style: A2



ITEM #	MODEL	SIZE
707475	PHV1316	3/4" × 16'

WISS HAND TOOLS

www.wisstool.com

BLACK MAX TAPE MEASURES (LUFKIN)

BM416

- 3" base for inside measurement
- 1" wide blade for great standout
- Stud markings at 16" and 19.2"
- Reinforced Quad Hook for long life

ITEM #	MODEL	SIZE
707473	BM416	1" × 16'



BM525

- 1-1/4" wide blade provides superior standout
- White blade for extra visibility
- High impact ABS case with a rubber non-slip grip
- Shock absorber cushions blade return
- 4 rivet end hook for long life
- Patented toggle lock and blade brake for easy operation

ITEM #	MODEL	SIZE
707474	BM525	1-1/4" × 25'

